

SMS KILL SWITCH

The dashboard said Verified. The API said mock: true.

A July lesson from adding SMS to my dialer and CRM: the
registration layer sits outside your code.

OPEN THE LEDGER

ENTRY 02 · BADGE VS FIELD

The badge said Verified. The field said otherwise.

The campaign table showed Verified. The detail page said Mock and the API returned mock: true. Only one of those is something a system can act on.

RECORDED SYSTEM

VERYDIAN

DASHBOARD BADGE

— VERIFIED

VS

API FIELD

● MOCK: TRUE


ENTRY 03 · KILL SWITCH

Sending needed two things. Otherwise, a 503.

Production kept the send switch off. Turning it on took the exact string true plus a Messaging Service SID. No direct From fallback, no silent skip.

RECORDED SYSTEM

VERYDIAN




ENTRY 04 · CONTROLLED TEST

Two attempts, one approved recipient, two codes

Attempt one hit 21408: US Geo Permissions were off. After enabling it, attempt two came back undelivered with 30034 because the live sender had no registered campaign.

RECORDED SYSTEM

VERYDIAN




ENTRY 05 · THE GUARDS


Four guards sat around the send path

Switch off by default. A 503 instead of a skip. One approved recipient for tests. A late status never overwrites a terminal one.

RECORDED SYSTEM

VERYDIAN





Read the field, not the badge

As of July, SMS was on hold. A real registration was the open item.

CHECK YOUR API FIELD