01

MCP dropped its handshake. Claude Code's old client is gone.


If you connect tools you did not write, ask which revision each server speaks and whether your client still negotiates it.

SWIPE

NO. 02 · CLAUDE CODE CHANGELOG

Claude Code's MCP client changed in four dated steps

Aug 14: a stream-reopening fix. Oct 6: local stdio servers negotiate 2026-07-28 by default. Oct 16: a fix for servers that omit new fields. Nov 12: the v1 client is removed.



NO. 03 · BEFORE AND AFTER

No handshake, no session ID

Revision 2026-07-28 removes the initialize handshake and protocol-level sessions. Servers must implement a discover call to advertise versions, capabilities and identity.

2025-11-25

- HANDSHAKE FIRST
- SESSION ID HEADER

VS

2026-07-28

- NO HANDSHAKE
- DISCOVER CALL

NO. 04 · WHAT SERVERS MUST SEND

Three required fields, one preference

resultType is required on all results, ttlMs and cacheScope on list and read results. Claude Code 2.1.302 fixed servers showing no tools, or every call failing, when they omit them. Tool order is a SHOULD.

01

RESULTTYPE

02

TTLMS

03

CACHESCOPE


04

TOOL ORDER:
SHOULD

NO. 05 · DEPRECATION CLOCK

Five items are deprecated

Roots, Sampling, Logging, the HTTP+SSE transport and OAuth Dynamic Client Registration are deprecated. The first three stay fully functional during the window, which has a twelve-month minimum.





Check which revision each server speaks

Then confirm your client still negotiates it, and note any server that omits the new fields.

LIST YOUR SERVERS