```
$ verydian boot --topic "pinned versions"
loading context ... done
```

My Notion pin has one trigger, no announced deadline _


My pipeline is pinned to Notion API 2022-06-28. Notion says it has no current plans to stop supporting older versions, and its upgrade guide names one trigger.

RUN SESSION

arhem@verydian:~/where it is pinned$ step 2

The pin lives in the SDK and in three scripts

@notionhq/client 2.3.0, installed in May, defaults to 2022-06-28. Three scripts also hard-code the same Notion-Version header.



arhem@verydian:~/what touches it$ step 3

Four scripts call Notion databases

archive-week, schedule-buffer and setup-notion-dashboard call databases.query. publish-notion creates pages under a database parent. Those are call types Notion's guide says can fail.

STDOUT

01
ARCHIVE WEEK

02
SCHEDULE BUFFER

03
SETUP NOTION DASHBOARD

04
PUBLISH NOTION

arhem@verydian:~/the trigger$ step 4

One trigger breaks it: a second data source


On an old version, adding a data source makes page creation, database queries and relation writes fail. Reading my code: the scheduler's query would throw and only its log would record it.



arhem@verydian:~/the real audit$ step 5

The audit is not 'am I current'

Current is a moving target. A pin is a decision, and the audit is its failure mode: the trigger, who can pull it, and what the symptom looks like.





Audit your pins by trigger, not by date

Write down who can pull it and what you would see.

NAME YOUR TRIGGER