ALIAS VS PIN

Three Sonnet names. Only one is a pin.

A header comment, an orchestrator alias and a script default all say Sonnet. They mean different things.

02 · provider table

One alias, three model versions across providers

Per Claude Code's docs, sonnet is Sonnet 5.5 on the Anthropic API, 4.6 on Claude Platform on AWS, and 4.5 on Bedrock, Google Cloud's Agent Platform and Foundry.




FIG. 2 · VERYDIAN

03 · resolution order

Four places can set a subagent's model

Per the docs, Claude Code checks in this order: the spawn call, the agent file's frontmatter, CLAUDE_CODE_SUBAGENT_MODEL, then the main conversation's model.




FIG. 3 · VERYDIAN

04 · audit of my pipeline

Three Sonnet names in one pipeline

AGENT.md headers say claude-sonnet-4-6, but nothing reads them. CLAUDE.md spawns with the sonnet alias, which floats. run-pipeline.sh passes claude-sonnet-5 with --model by default, the one real pin.




FIG. 4 · VERYDIAN

05 · codex notices

Defaults move inside point releases

OpenAI's Codex changelog: 0.159.1 and 0.161.0 each made GPT-6.1 Sol the default in the bundled catalog. GPT-5.5's retirement was set for October 14, noon PDT, for ChatGPT sign-ins.




FIG. 5 · VERYDIAN



Keep one screen of model names

Float interactive work on an alias. Pin anything unattended.

LIST EVERY MODEL NAME