COMP 3005 Project Report

Instructor: Ahmed El-Roby Name: Ariane Roy **ID:** 1010661099


I. Conceptual Design

Relations:

user	owner	book	orders
user_id	owner_id	ISBN	order_no
username	ownername	title	user_id
billing_addr	bookstore	<u>author</u>	billing_addr
shipping_addr	password o	genre	shipping addr
password_u		publisher_id	
email_u	purchases	inventory	status
phone_no_u	user_id	cost	publisher
	owner_id	price	publisher_id
tracks	<u>ISBN</u>	transfers	publisher
order_no	publisher id	publisher id	publisher addr
user_id	order no	owner id	email p
<u>status</u>			phone no p
reports	inventory	banking_acc	
-			banking_acc
report_id			
total_cost			
total_sales			
genre			
publisher_id			
<u>author</u>			

^{**} See additional resources at the end of the report for clarification of keys

ER Diagram:



Assumptions:

The following are assumptions made about the bookstore:

- Transfers are made from the owner to the publisher
- A publisher can publish 1 to many books
- A book can only have 1 publisher
- A report can be requested by the owner using any of the book attributes
- Purchases of a book send proceeds to the owner
- A user may only make a purchase of 0 to inventory amount of books
- Orders take place between a user and the books
- The owner receives an order and provides the user with tracking information from the order

II. Reduction to Relation Schemas

```
user(user_id, shipping_addr, billing_addr)
owner(owner_id)
book(ISBN, publisher_id, author, genre, inventory)
publisher(publisher_id, banking_acc)
orders(order_no, user_id, inventory)
reports(report_id, ISBN)
transfers(owner_id, publisher_id, banking_acc)
publishes(ISBN, publisher_id)
purchases(user_id, owner_id, ISBN)
```

III. Normalization of Relation Schemas

Functional Dependencies:

```
user_id → username, shipping_addr, billing_addr
owner_id → ownername, bookstore
publisher_id → bank_acc, publisher
order_no → user_id, owner_id, ISBN, status
ISBN → title, author, genre, publisher_id, inventory
reports_id → total_cost, total_sales, order_no
```

A: user_id, username, shipping_addr, billing_addr, owner_id, ownername, bookstore, publisher_id, bank_acc, publisher, order_no, user_id, owner_id, ISBN, status, title, author, genre, publisher_id, inventory, reports_id, total_cost, total_sales, order_no

FD1:

R1: author, bank_acc, bookstore, genre, inventory, ISBN, order_no, owner_id, ownername, publisher, publisher_id, reports_id, status, title, total_cost, total_sales, user_id
R2: billing addr, shipping addr, user id, username

FD2:

R3: author, bank_acc, billing_addr, genre, inventory, ISBN, order_no, owner_id, publisher, publisher_id, reports_id, shipping_addr, status, title, total_cost, total_sales, user_id, username **R4:** overlap with R1

FD3:

R5: author, billing_addr, bookstore, genre, inventory, ISBN, order_no, owner_id, ownername, publisher_id, reports_id, shipping_addr, status, title, total_cost, total_sales, user_id, username **R6:** overlap with R1, R3, R7

FD4:

R7: author, bank_acc, billing_addr, bookstore, genre, inventory, order_no, ownername, publisher, publisher_id, reports_id, shipping_addr, title, total_cost, total_sales, username **R8:** overlap with R1, R3, R5

FD5:

R9: bank_acc, billing_addr, bookstore, ISBN, order_no, owner_id, ownername, publisher, reports_id, shipping_addr, status, total_cost, total_sales, user_id, username **R10:** overlap with R1, R3, R5

FD6: Does not violate BCNF because reports id is a key for R

Decomposition:

R1(author, bank_acc, bookstore, genre, inventory, ISBN, order_no, owner_id, ownername, publisher, publisher id, reports id, status, title, total cost, total sales, user id),

R2(billing addr, shipping addr, user id, username),


R3(author, bank_acc, billing_addr, genre, inventory, ISBN, order_no, owner_id, publisher, publisher_id, reports_id, shipping_addr, status, title, total_cost, total_sales, user_id, username),

R5(author, billing_addr, bookstore, genre, inventory, ISBN, order_no, owner_id, ownername, publisher_id, reports_id, shipping_addr, status, title, total_cost, total_sales, user_id, username),

R7(author, bank_acc, billing_addr, bookstore, genre, inventory, order_no, ownername, publisher, publisher_id, reports_id, shipping_addr, title, total_cost, total_sales, username),

R9(bank_acc, billing_addr, bookstore, ISBN, order_no, owner_id, ownername, publisher, reports_id, shipping addr, status, total cost, total sales, user id, username)


IV. Database Schema Diagram




V. Implementation

The following images are screenshots of the prototype for how I wanted to implement the application and were made by me on Canva


** To access the home page the user/owner selects the book icon in the top left **




User home page once the user is logged in, the plus button will give an expanded view of the book as seen in the next screenshot




User has clicked the plus button and can view more details about the selected book, and can add to cart.



User has clicked the cart button in the menu tab and can view cart contents and see cumulative total and ready to pay button




User has clicked ready to pay button and pop-up with the order details are displayed



User has clicked the use profile button in the menu tab and the user can see all their details as well as view previous orders (where status is displayed)





User has selected previous orders where their last 3 orders are displayed and if shipped the status text is hyperlinked to tracking by a third-party website




User opens the bookstore page and is required to login, if login is correct the user is brought to the home page otherwise the user is brought to the create new user page

USER LOGIN		
username:		
password:		
LOGIN		
CREATE NEW USER ACCOUNT		


(2)

CREATE NEW USER ACCOUNT		
username:		
password:		
retype password:		
billing address:		
shipping address:		
email:		
phone number:		
	○ CREATE ○ EXIT	

User is prompted to create user account and can then click create (to create account) or exit which brings user back to user login page



Owner opens the bookstore admin page and is required to login, if login is correct the user is brought to the admin home page otherwise



Admin homepage has buttons to send money to publishers, check inventory, reports and admin profile (which can also be clicked in menu tab) **COMP 3005:** Project Report **Instructor:** Ahmed El-Roby

Due: Dec. 10, 2021 (11:59 PM) **Name:** Ariane Roy **ID:** 1010661099



CHANGE PASSWORD

ownername: BossLady
password: *******


Owner has selected admin profile where the owner can view their ownername and their password



Owner has selected the reports button where they can view updated total sales and cost which generate a chart for recent sales for the last 4 months, and can click to create a new report with selected criteria




Owner has selected create report button where they can select what kind of report they would like (and select one or more criteria) and can then create report



Report is then generated where each criteria displays total cost, publisher %, and total profit and report-id corresponds to report type



Owner send money to publishers based by clicking on the send money to publishers and a pop-up appears confirming the money is sent



Owner clicked on inventory button where they can view the inventory of their bookstore

VI. Bonus Features

N/A

VII. GitHub Repository

GitHub Link: https://github.com/ari-roy/COMP3005Project

VIII. Appendix I

• Available anytime between 9 AM and 5 PM on Dec. 20th

• Three possible time slots:

Dec. 20th 10:00 AM
 Dec. 20th 10:20 AM
 Dec. 20th 10:40 AM

IX. Additional Resources

Key	Description
user_id	User's unique id marker primary key in user, foreign key in orders, tracks, and purchases
username	Username for user account login
billing_addr	User's billing address
shipping_addr	User's shipping address
password_u	User's password for user account login
email_u	User's email
phone_no_u	User's phone number
owner_id	Owner's unique id marker primary key in owner, foreign key in purchases
ownername	Username for admin/owner account login
bookstore	Bookstore name
password_o	Owner's password for admin/owner account login
ISBN	Book ISBN (unique to each book) primary key in book, foreign key in purchases
title	Book title
author	Book author

genre	Book genre
publisher_id	Publisher's unique id marker primary key in publisher, foreign key in book, purchases, reports
inventory	Up to date quantity of given book in stock
cost	Cost of given book
price	Price of given book
order_no	Order's unique number marker primary key in orders, foreign key in tracks
status	Order's present status (confirmed, shipped, location, cancelled, etc.)
publisher	Publisher's name
publisher_addr	Publisher's address
email_p	Publisher's email
phone_no_p	Publisher's phone number
banking_acc	Publisher's bank account
report_id	Report's unique number marker primary key in reports
total_cost	Total up to date cost of all inventory in bookstore
total_sales	Total up to date cost of all sales in bookstore