



Lenovo® ThinkPad SL400



Lenovo ThinkPad SL400



Lenovo ThinkPad SL400



ThinkPad Battery 41++ (9-cell) 40Y6797







Lenovo ThinkPad SL400

Lenovo ThinkPad SL400

Celeron proc- Type-model essor	GHz Memo	screen		Screen (		Integrate graphic		Α	SATA	Mini PCle 802.11 wireless	Mini PCIe WWAN	UWB	Blue-	Bat- tery cells Preload	Avail I date
2743-9YU Cel 585 2743-9ZU Cel 585 2743-B2U Cel T1600 2743-LHU Cel T1600	2.16 1GB 1.66 1GB	14.1" WXGA 14.1" WXGA	A A		None None	e GMA	160G 5 160G 5	400	DVD±RW DVD±RW	/ 11b/g / 11b/g	WWAN upg WWAN upg WWAN upg	None None	None None	6 XP Pro	Aug 08 Sep 08

- These small and medium business (SMB) models are part of the US TopSeller™ Program
   A comprehensive computing solution for small and medium business
   Balanced between serious business computing and powerful multimedia features

Processor	Intel® Celeron® Processor 585 with single-core, 667MHz system bus, and 1MB L2 cache or	Preloaded operating system <sup>20</sup>		
	Intel Celeron Processor T1600 with dual-core,	- Some: Windows® XP Professional preinstalled through		
	667MHz system bus, and 1MB L2 cache	downgrade rights in		
Memory	1GB std / 4GB max <sup>7</sup> / PC2-5300 667MHz DDR2, non-parity,	Genuine Windows Vista®		
	dual-channel capable, two 200-pin SO-DIMM sockets;	Business - Some: Genuine Windows Vista		
OATA DVD - DV4	Non-italics: standard memory in one socket; one socket available	Home Basic 32		
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in <b>80GB</b> <sup>8</sup> (5400 rpm) or <b>160GB</b> (5400 rpm) /	♦ Vista models: Vista Basic logo		
C, tir t disk	SATA 1.5Gb/s, 9.5mm high, removable, upgradable,	Preloaded applications <sup>14</sup> (all OSes;		
	ThinkPad Shock Mounted Hard Drive, Active Protection System™	only some listed)		
Widescreen	Some: 14.1" (358.1mm) WXGA (1280x800) color, anti-glare,	Lenovo Care <sup>™</sup> Tools     Rescue and Recovery <sup>™</sup>		
display	CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio  Some: 14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy),	<ul> <li>Access Connections<sup>™</sup></li> </ul>		
	CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio	Password Manager     Think Ventors System Undete		
	Some: 14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy),	ThinkVantage System Update     McAfee VirusScan® Plus with		
Camera	<b>LED backlight</b> , high brightness 680 nits, 16:10 aspect ratio, 300:1 contrast ratio None	SiteAdvisor™ (30 days of		
Integrated		virus definitions)		
graphics	Intel Graphics Media Accelerator 4500M (GMA 4500M), in GL40, HDMI port supporting HDCP to output protected content;	Lenovo System Toolbox     ThinkPad Utilities (Power Manager		
3	Max external resolution: 2048x1536@75Hz (DB-15 port); 1920x1080 (HDMI port)	and Presentation Director)		
Keyboard	6-row, Lenovo® Care button, spill-resistant, multimedia Fn keys, Windows and App keys	Adobe® Reader®     Misses of the Office 2007 Trial (CO. do.)		
TrackPoint®	TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass	Microsoft® Office 2007 Trial (60-day)     Roxio® Creator® Small Business		
Touch pad Lighting FX	UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label Illuminated power button, Lenovo Care button, and red dot on ThinkPad logo	Edition (DVD±RW)		
Dimensions <sup>3</sup>	6-cell 14.1W" (WxDxH): 13.2" x 9.7" x 1.34–1.46"; 336mm x 247mm x 34–37mm	Roxio MyDVD® (DVD±RW)     Corol® WipDVD® (DVD+RW)		
Weight <sup>2</sup>	6-cell: starting at 5.5 lb (2.5kg)	Corel® WinDVD® (DVD±RW)		
Case	Color: black; Material: scratch-resistant ABS plastic, high-gloss top cover Lithium Ion 6-cell	65-watt (GMA graphics) AC adapter		
Battery - type Battery - life <sup>10</sup>	6-cell: up to 4.1 hr; 9-cell: up to 6 hr	RoHS-compliant		
Chipset	Mobile Intel GL40 Express Chipset (Graphics Memory Controller Hub),	International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support		
- 1	ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCl Express® 1.1, PCl 2.3,	during the warranty period <sup>12</sup> via 800-426-7378		
EveroseCard	ethernet MAC), LPC bus (IT8752 Super I/O)			
ExpressCard Multicard Reader	One slot (ExpressCard/34, ExpressCard/54) 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)	ThinkPlus™, 22 1-year LOR24 9x5 NBD		
PC Card	None	45K5968		
Smart Card Read		ThinkPlus 2-year LOR 9x5 NBD 45K5969		
Ports	Four USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	ThinkPlus 3-year LOR 9x5 NBD		
Mini PCI Express	Three Mini PCI Express slots	45K5970		
11b/g <sup>32</sup> .	11b/g wireless <sup>4</sup> , ThinkPad 11b/g Mini PCIe Adapter III, Atheros AR5007EG	ThinkPlus 4-year LOR 9x5 NBD 45K5973		
WWĂN upg	Some: Wireless WAN upgradable, optional AT&T® (43R9152)	ThinkPlus 5-year LOR 9x5 NBD		
2G Turbo	None None	45K5975		
Modem	56K V.92 <sup>6</sup> modem	ThinkPlus 2-year P&L P/U Depot 45K5971		
Bluetooth™	None  Realtak PTI 9111C Circulit Naturals Connection PHV PCIo v1	ThinkPlus 3-year P&L P/U Depot		
Ethernet Intel AMT	Realtek RTL8111C Gigabit Network Connection, PHY, PCIe x1 None	45K5972		
Audio support	High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 1.5 watt / volume	ThinkPlus 4-year P&L P/U Depot 45K5974		
Coourity	up, down, mute buttons / dual array microphone, mic input jack, headphone jack	ThinkPlus 5-year P&L P/U Depot		
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole None	45K5976		
Fingerprint reader		Post-warranty annual maintenance		
Limited warranty <sup>12</sup>	1-year - depot repair service / service upgrades <sup>22</sup> available	agreements at lenovo.com/thinkplus/warranty		
		· · · · · · · · · · · · · · · · · · ·		

Proc- Type-model essor (		reen Cam-Integra /pe era graph	Disk ited SATA ics GB <sup>®</sup> rpm	SATA optical	Mini PCle 802.11 wireless	Mini PCIe WWAN	Mini PCle Bat- UWB Blue- tery Avail or Turbo tooth cells Preload date				
2743-49U T5670 2743-4AU T5670 2743-4BU T5670 2743-42U P8400 2743-45U P8400 2743-45U P8400 2743-23U P8600 2743-23U P8600 2743-23U P8600 2743-7ZU P8400 2743-83U P8600 2743-89U P8400 2743-89U P8400 2743-80U P8600 2743-80U P8600 2743-80U P7370 2743-6DU P7370 2743-6AU T5870	1.80 2GB 14.1" WXGA 1.80 2GB 14.1" WXGA Glo 1.80 2GB 14.1" WXGA Glo 1.80 2GB 14.1" WXGA 2.26 1GB 14.1" WXGA 2.26 1GB 14.1" WXGA 2.26 2GB 14.1" WXGA 2.26 2GB 14.1" WXGA 2.40 2GB 14.1" WXGA 2.40 2GB 14.1" WXGA 2.26 2GB 14.1" WXGA 2.20 2GB 14.1" WXGA 2.20 2GB 14.1" WXGA 2.40 2GB 14.1" WXGA	ossy Cam GM/GM/OSSY Cam GM/GM/GM/GM/GM/GM/GM/GM/GM/GM/GM/GM/GM/G	A 250G 5400 A 250G 5400 A 250G 5400 A 160G 5400 A 250G 5400 A 250G 5400 A 250G 5400 A 250G 5400 A 250G 5400	DVD±RW DVD±RW Combo DVD±RW Combo DVD±RW	* Intel 5100 Intel 5100 Intel 5100	AT&T WWAN up: WWAN up: AT&T AT&T WWAN up: AT&T WWAN up: AT&T WWAN up: AT&T WWAN up:	Blue 6 Home P July 08 6 Bus 32 July 08 7 Blue 6 Home P July 08 8 Blue 6 Home P July 08 8 Blue 6 XP Pro Aug 08 8 XP Pro Aug 08 9 Blue 6 XP Pro Sep 08				
					- СО ТОРОСПСТ		vale and and are arration or accordance 20				
Processor	Intel <sup>®</sup> Core <sup>™</sup> 2 Duo proc 800MHz system bus, and Intel Core 2 Duo proces Intel HD boost, 1066MHz	I 2MB L2 cache sor <b>P7370</b> , <b>P84</b>	or <b>00</b> , or <b>P8600</b>	with dual-o	ore,		reloaded operating system <sup>20</sup> Some: Genuine Windows <sup>®</sup> XP Professional (preinstalled				
Memory	1GB or 2GB std / 4GB madual-channel capable, two	ax <sup>7</sup> / PC2-5300 6 o 200-pin SO-DI emory in both so	667MHz DDR: MM sockets; ckets; no sock	2, non-pari	le;		via downgrade rights in Windows Vista® Business) Some: Genuine Windows Vista Home Premium 32 Some: Genuine Windows Vista Business 32				
SATA Combo SATA DVD±RW SATA disk	Some: DVD-ROM/CD-RV Some: DVD burner, SATA 160GB <sup>8</sup> (5400 rpm), 2500 SATA 1.5Gb/s, 9.5mm hig ThinkPad Shock Mounted	A 1.5Gb/s, 12.7r <b>GB</b> (5400 rpm) / gh, removable, u	nm high, fixed pgradable,	l, not remov		<b>*</b>	42U/45U models: Vista Basic logo 2GB Vista models: Vista Premium logo reloaded applications <sup>14</sup> (all OSes)				
Widescreen display	Some: 14.1" (358.1mm)  CCFL backlight, 2 Some: 14.1" (358.1mm)  CCFL backlight, 2 Some: camera on top of	WXGA (1280x8 200 nits, 16:10 a WXGA (1280x8 200 nits, 16:10 a	00) color, and spect ratio, 30 00) color, Vib spect ratio, 30	ti-glare, 00:1 contras <b>brantView</b> 00:1 contras	(glossy),	•	<ul> <li>Lenovo Care™ Tools</li> <li>Rescue and Recovery™</li> <li>Access Connections™</li> <li>Password Manager</li> <li>ThinkVantage System Update</li> </ul>				
Integrated graphics	Intel Graphics Media Ac HDMI port supporting HD Max external resolution: 2	ccelerator 4500	MHD (GMA 49 otected conter	<b>500MHD)</b> , int;			Fingerprint Software     McAfee VirusScan® Plus with SiteAdvisor™ (30 days of virus definitions)     PC-Doctor™ (diagnostics)     ThinkPad Utilities     Adobe® Reader     Windows Live™ Toolbar and Search				
Keyboard TrackPoint® Touch pad Lighting FX	89-key, Lenovo® Care but TrackPoint® pointing devic UltraNav™, wide touch pa Illuminated power button,	ce, Internet Scrol ad below keyboa Lenovo Care bu	I Bar <sup>13</sup> , magni rd, Tap Zones itton, and red	ifying glass s, scrolling r dot on Thir	nkPad logo	•					
Dimensions <sup>3</sup> Weight <sup>2</sup> Case Battery - type Battery - life <sup>10</sup>	6-cell 14.1W" (WxDxH): 1 6-cell: starting at 5.5 lb ( Color: black; Material: sc Lithium Ion 6-cell 6-cell: up to 4.1 hr; 9-cel	(2.5kg) cratch-resistant /				•	Microsoft® Office 2007 Trial (60-day) Roxio® Creator® Small Business Edition Roxio MyDVD® (DVD±RW) Corel® WinDVD® (combo, DVD±RW)				
Chipset	Mobile Intel GM45 Expre ICH9M I/O Controller Hub security chip, ethernet MA	ess Chipset (Gr c) (SATA 3.0Gb/s AC), LPC bus (IT	, ÚSB 2.0, PC 8752 Super I	Cl Express®	er Hub), 1.1, PCI 2.3,	R	5-watt (GMA graphics) AC adapter oHS-compliant ternational Warranty Service <sup>17</sup> 1 hour x 7 day <sup>18</sup> toll-free support				
ExpressCard Multicard Reader PC Card Std Smart Card Read	None None	nory Stick, Mem	Stick Pro, SD		,	Tr	during the warranty period <sup>12</sup> via 800-426-7378 ninkPlus <sup>TM. 22</sup> 1-year LOR <sup>24</sup> 9x5 NBD				
Ports  Mini PCI Express	Four USB 2.0, external m IEEE 1394 FireWire 400 ( Three Mini PCI Express s	(4-pin connector			11), ethernet	(RJ-45),	45K5968 ninkPlus 2-year LOR 9x5 NBD 45K5969				
Intel 5100 <sup>28</sup> WWAN upg AT&T <sup>23</sup>	11a/b/g/n wireless <sup>4</sup> , Mini F Some: Wireless WAN up Some: Wireless WAN, Er	PCIe adapter, Integradable, option	al <u>AT&amp;T</u> ® (43F	R9152)			ninkPlus 3-year LOR 9x5 NBD 45K5970 ninkPlus 4-year LOR 9x5 NBD				
2G Turbo UWB	GPRS/WCDMA/F Some: Intel Turbo Memor	ISPA, GPS, serv	ice contract r	equired wit	h <u>AT&amp;T</u> ®		45K5973 ninkPlus 5-year LOR 9x5 NBD 45K5975				
Modem Bluetooth™ Ethernet	56K V.92 <sup>6</sup> modem  Some: Bluetooth 2.0 wire Realtek RTL8111C Gigab			PCle x1			ninkPlus 2-year P&L P/U Depot 45K5971 ninkPlus 3-year P&L P/U Depot				
Intel AMT Audio support	None High Definition (HD) Audio down, mute buttons / dual	o, CX20561-15Z	codec / stere	eo speakers	s, 2 watt / volu bhone jack	mo up,	45K5972 ninkPlus 4-year P&L P/U Depot 45K5974				
Security Security chip Fingerprint reader	Power-on password, hard None Fingerprint reader on palr	I disk password,	supervisor pa	assword, se	curity keyhole	Po	ninkPlus 5-year P&L P/U Depot 45K5976 ost-warranty annual maintenance				
	² <b>1-year</b> - EasyServ™,¹9 dep				<del>, ,</del>	ag	reements at lenovo.com/thinkplus/warranty				
	nportant warranty information		el Centrino® pr			•	© Lenovo (CAY1-1) September 2009				

<sup>★</sup> Intel Centrino® processor technology

Proc- Type-model essor GHz Memory	Wide- screen display	Screen Ca type e			Disk ed SATA s GB <sup>®</sup> rpm	SATA optical	Mini PCle 802.11 wireless	Mini PCI WWAN	Mini PCle UWB I or Turbot	Blue- p		tery Pre-	Avail date
2743-6GU T5870 2.00 2GB 14							* Intel 5100 <sup>28</sup>					6 XP Pro	
2743-6HU T5870 2.00 2GB 14 2743-6JU T5870 2.00 <i>3GB</i> 14			Cam				* Intel 5100 * Intel 5100		upg None upg None			6 Bus 32 6 Home F	
2743-3WUP8600 2.40 <i>2GB</i> 14	.1" WXGA	´ C		GMA	160G 5400	$DVD \pm RW$	Intel 5100		upg None			6 Home F	
2743-H2U P8600 2.40 2GB 14	_			-	160G 5400				upg None			6 Bus 32	
2743-H3U P8600 2.40 <i>3GB</i> 14	.1" WXGA	C	Cam	GMA	160G 5400	DVD±RW	Intel 5100	WWAN	upg None	Blue F	ing	6 XP Pro	Jan 09

These small and medium business (SMB) models are part of the US TopSeller™ Program

Processor	Intel® Core™ 2 Duo processor T5870 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P8600 with dual-core, Intel HD boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system <sup>20</sup> - Some: Windows® XP Professional preinstalled through downgrade rights in
Memory	2GB or 3GB std / 4GB max <sup>7</sup> / PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available	Genuine Windows Vista® Business - Some: Genuine Windows Vista Home Premium 32
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in <b>160GB</b> <sup>8</sup> (5400 rpm), <b>250GB</b> (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™	- Some: Genuine Windows Vista Business 32  \$ 3WU model: Vista Premium logo  \$ Other Vista models: Vista Basic logo
Widescreen display	Some: 14.1" (358.1mm) WXGA (1280x800) color, anti-glare, CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio Some: 14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy), CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio Some: camera on top of screen, 2.0-megapixel, fixed focus	Preloaded applications¹⁴ (all OSes; only some listed)  • Lenovo Care™ Tools  • Rescue and Recovery™  • Access Connections™
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content; Max external resolution: 2048x1536@75Hz (VGA); 1920x1080 (HDMI)	Password Manager     ThinkVantage System Update     Fingerprint Software (fingerprint models)
Keyboard TrackPoint® Touch pad Lighting FX	6-row, Lenovo® Care button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar¹³, magnifying glass UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label Illuminated power button, Lenovo Care button, and red dot on ThinkPad logo	Lenovo System Toolbox     ThinkPad Utilities (Power Manager and Presentation Director)     Adobe® Reader®     David® Creater®     The Control of the Co
Dimensions <sup>3</sup> Weight <sup>2</sup> Case Battery - type Battery - life <sup>10</sup>	6-cell 14.1W" (WxDxH): 13.2" x 9.7" x 1.34–1.46"; 336mm x 247mm x 34–37mm 6-cell: starting at 5.5 lb (2.5kg) Color: black; Material: scratch-resistant ABS plastic, high-gloss top cover Lithium Ion 6-cell: up to 4.1 hr; 9-cell: up to 6 hr	Roxio® Creator® Small Business Edition (DVD±RW)     Roxio MyDVD® (DVD±RW)     Corel® WinDVD® (DVD±RW)
PC Card Smart Card Read		65-watt (GMA graphics) AC adapter RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378
Ports	Four USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	ThinkPlus™, 22 1-year LOR24 9x5 NBD
Mini PCI Express Intel 5100 <sup>28</sup> WiMAX	Three Mini PCI Express slots  Some: 11a/b/g/n wireless <sup>4</sup> , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak)  Some: 11a/b/g/n and WiMAX wireless <sup>4</sup> , Mini PCIe adap, Intel WiMAX/WiFi Link 5150, 1x2 (300Mbps) WiFi + 1x2 WiMAX (Echo Peak)	45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD
WWAN upg AT&T <sup>23</sup>	Some: Wireless WAN upgradable, optional AT&T® (43Ŕ9152) Some: Wireless WAN, Ericsson chipset, Mini PCIe adapter and SIM,	45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973
2G Turbo	GPRS/WCDMA/HSPA, GPS, service contract required with AT&T  Some: Intel Turbo Memory, Half-Mini PCle adapter, 2GB flash, disk-cache accelerator	ThinkPlus 5-year LOR 9x5 NBD 45K5975
UWB Modem	None 56K V.92 <sup>6</sup> modem	ThinkPlus 2-year P&L P/U Depot 45K5971
Bluetooth™ Ethernet	Some: Bluetooth 2.1 wireless, LED indicator Realtek RTL8111C Gigabit Network Connection, PHY, PCIe x1	ThinkPlus 3-year P&L P/U Depot 45K5972
Intel AMT Audio support	None High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 1.5 watt / volume up, down, mute buttons / dual array microphone, mic input jack, headphone jack	ThinkPlus 4-year P&L P/U Depot 45K5974
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole None	ThinkPlus 5-year P&L P/U Depot 45K5976
Fingerprint reader	r Some: Fingerprint reader on palm rest, swipe sensor	Post-warranty annual maintenance agreements at
Limited warranty	2 1-year - depot repair service / service upgrades <sup>22</sup> available	lenovo.com/thinkplus/warranty

See footnotes for important warranty information US models announced Dec 16, 2008 or Jan 6, 2009

<sup>★</sup> Intel Centrino® processor technology
i- Intel Centrino 2 processor technology

Proc- Type-model essor		Wide- screen ry display	CCFL or LED	Screen			Disk ted SATA cs GB <sup>®</sup> rpm	SATA optical	Mini PCle 802.11 wireless		lini PCI UWB or Turbo			Whorse (W) e- Gbl (G) Avail id Educ date
2743-LJU T5870	2.00 2GB	14.1" WXG	A LED	Glossy		GMA	160G 5400	DVD±RW	* Intel 510	0 <sup>28</sup> Non	e None		6 XP P	ro Mar 09
2743-LKU T5870	2.00 <i>3GB</i>	14.1" WXG	A LED	Glossy		GMA	250G 5400	DVD±RW	* Intel 510	0 Non	e None	Fing	6 XP P	ro Mar 09
2743-LLU T5870	2.00 <i>3GB</i>	14.1" WXG	A LED	Glossy		GMA	250G 5400	DVD±RW	* Intel 510	0 Non	e None	Fing	6 Bus 3	32 Mar 09
2743-LMU T6570	2.10 <i>3GB</i>	14.1" WXG	A LED	Glossy	Cam	GMA	320G 5400	DVD±RW	* Intel 510	0 Non	e None	Blue Fing	6 XP P	ro Mar 09
2743-LNU P8600														
2743-Q3U T6570														
2743-DGUT5870											e None	9	6 XP P	
2743-DHU P7570												Blue Fing		
2743-EGU T5870	2.00 2GB	14.1" WXG	Α	Glossy		GMA	160G 5400	DVD±RW	★ Intel 510	0 Non	e None	<del>)</del>	6 XP P	ro Jul 09

## These small and medium business (SMB) models are part of the US TopSeller™ Program

Drocesor	Intol® Coro™ 2 Duo processor T5970 or T6570 with dual-coro	Duals and an austinus assets 20				
Processor	Intel® Core™ 2 Duo processor T5870 or T6570 with dual-core, 800MHz system bus, and 2MB L2 cache or	Preloaded operating system <sup>20</sup> - Some: Windows® XP Professional				
	Intel Core 2 Duo processor P7570 or P8600 with dual-core.	preinstalled through				
	Intel HD boost, 1066MHz system bus, and 3MB L2 cache	downgrade rights in				
Memory	<b>2GB</b> or <b>3GB</b> std / 4GB max <sup>7</sup> / PC2-5300 667MHz DDR2, non-parity,	Genuine Windows Vista®				
Wolliery	dual-channel capable, two 200-pin SO-DIMM sockets;	Business				
	Italics: standard memory in both sockets; no sockets available;	- Some: Genuine Windows Vista				
	Non-italics: standard memory in one socket; one socket available	Business 32				
SATA DVD±RW	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in	- Some: Genuine Windows Vista				
SATA disk	<b>160GB</b> <sup>8</sup> (5400 rpm), <b>250GB</b> (5400 rpm), or <b>320GB</b> (5400 rpm) /	Ultimate 32 <i>♦ Vista models:</i> Vista Basic logo				
	SATA 1.5Gb/s, 9.5mm high, removable, upgradable,	_				
	ThinkPad Shock Mounted Hard Drive, Active Protection System™	Preloaded applications <sup>14</sup> (all OSes;				
Widescreen	Some: 14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy),	only some listed)				
display	CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio	Lenovo Care™ Tools     Rescue and Recovery™				
	Some: 14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy),	Access Connections™				
	LED backlight, high brightness 680 nits, 16:10 aspect ratio, 300:1 contrast ratio	Password Manager				
Camera	Some: camera on top of screen, 2.0-megapixel, fixed focus	ThinkVantage System Update				
Integrated	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45,	Fingerprint Software (fingerprint)				
graphics	HDMI port supporting HDCP to output protected content;	models)				
	Max external resolution: 2048x1536@75Hz (VGA); 1920x1080 (HDMI)	Lenovo System Toolbox				
Keyboard	6-row, Lenovo® Care button, spill-resistant, multimedia Fn keys	ThinkPad Utilities (Power Manager     ThinkPad Utilities (Power Manager     ThinkPad Utilities (Power Manager     ThinkPad Utilities (Power Manager     ThinkPad Utilities (Power Manager)				
TrackPoint®	TrackPoint® pointing device, Internet Scroll Bar¹³, magnifying glass	and Presentation Director)				
Touch pad	UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label	Adobe® Reader®     Roxio® Creator® Small Business				
Lighting FX	Illuminated power button, Lenovo Care button, and red dot on ThinkPad logo	Edition (DVD±RW)				
Dimensions <sup>3</sup>	6-cell 14.1W" (WxDxH): 13.2" x 9.7" x 1.34–1.46"; 336mm x 247mm x 34–37mm	Roxio MyDVD® (DVD±RW)				
Weight <sup>2</sup>	6-cell: starting at 5.5 lb (2.5kg)	Corel® WinDVD® (DVD±RW)				
Case color Case material	black scratch-resistant ABS plastic, high-gloss top cover	, ,				
Battery - type	Lithium Ion 6-cell	65-watt (GMA graphics) AC adapter				
Battery - life <sup>10</sup>	6-cell: up to 4.1 hr; 9-cell: up to 6 hr	RoHS-compliant				
Chipset	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub),	International Warranty Service <sup>17</sup>				
Onipact	ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3,	24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup>				
	ethernet MAC), LPC bus (IT8752 Super I/O)	via 800-426-7378				
ExpressCard	One slot (ExpressCard/34), ExpressCard/54)					
	7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)	ThinkPlus™, 22 1-year LOR24 9x5 NBD				
PC Card	None	45K5968				
Smart Card Read		ThinkPlus 2-year LOR 9x5 NBD 45K5969				
Ports	Four USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45),	ThinkPlus 3-year LOR 9x5 NBD				
	IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	45K5970				
	Three Mini PCI Express slots	ThinkPlus 4-year LOR 9x5 NBD				
Intel 5100 <sup>28</sup> WWAN upg	11a/b/g/n wireless <sup>4</sup> , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None	45K5973				
2G Turbo	None	ThinkPlus 5-year LOR 9x5 NBD				
UWB	None	45K5975				
Modem	56K V.92 <sup>6</sup> modem	ThinkPlus 2-year P&L P/U Depot				
Bluetooth™	Some: Bluetooth 2.1 wireless, LED indicator	45K5971 ThinkPlus 3-year P&L P/U Depot				
Ethernet	Realtek RTL8111C Gigabit Network Connection, PHY, PCIe x1	45K5972				
Intel AMT	None	ThinkPlus 4-year P&L P/U Depot				
Audio support	High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 1.5 watt / volume	45K5974				
Socurity	up, down, mute buttons / dual array microphone, mic input jack, headphone jack	ThinkPlus 5-year P&L P/U Depot				
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole None	45K5976				
	Some: Fingerprint reader on palm rest, swipe sensor	Post-warranty annual maintenance				
	2 1-year - depot repair service / service upgrades <sup>22</sup> available	agreements at lenovo.com/thinkplus/warranty				
	1-year - depot repail service / service appraises available	© Langua				

See footnotes for important warranty information US models announced Mar 31 or April 7, 2009, or July 7, 2009

<sup>★</sup> Intel Centrino® processor technology
∴ Intel Centrino 2 processor technology

Proc- Type-model essor	Wide- Disk Mini PCIe Mini P screen Screen Cam-Discrete SATA SATA 802.11 WWA GHz Memory display type era graphics GB³ rpm optical wireless					
2743-47U P8400 2743-22U P8400 2743-24U P8600 2743-25U T9400 2743-82U P8400	2.26 2GB 14.1" WXGA+ 2.26 2GB 14.1" WXGA+ Cam 9300M 160G 5400 DVD±RW :Intel 5100 WWAR 2.26 2GB 14.1" WXGA Glossy Cam 9300M 250G 5400 DVD±RW :Intel 5100 AT&T 2.40 2GB 14.1" WXGA Glossy Cam 9300M 250G 5400 DVD±RW :Intel 5100 AT&T 2.53 4GB 14.1" WXGA+ 2.26 2GB 14.	N upg       6       Business 32       July 08         6       Business 32       July 08         2G Turbo       6       Business 32       July 08         2G Turbo       9       Ultimate 32       July 08         3       KP Pro       Aug 08         4       KP Pro       Aug 08				
	<ul> <li>These small and medium business (SMB) models are part of the US TopSeller™ Progre</li> <li>A comprehensive computing solution for small and medium business</li> <li>Balanced between serious business computing and powerful multimedia features</li> </ul>	am				
Processor	Intel® Core™ 2 Duo processor P8400, P8600, or T9400 with dual-core, Intel HD boost, 1066MHz system bus; P8400/P8600: 3MB L2 cache; T9400: 6MB L2 cache	Preloaded operating system <sup>20</sup> - Some: Genuine Windows® XP Professional (preinstalled				
Memory	1GB, 2GB, or 4GB std / 4GB max <sup>7</sup> / PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; ltalics: standard memory in both sockets; no sockets available; Non-italics: standard memory in one socket; one socket available	via downgrade rights in Windows Vista® Business) - Some: Genuine Windows Vista Business 32				
SATA DVD±RW SATA BD burner SATA disk	Some: DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in Some: Blu-ray™ burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in <b>160GB</b> <sup>8</sup> (5400 rpm), <b>250GB</b> (5400 rpm), or <b>320GB</b> (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™	- Some: Genuine Windows Vista Ultimate 32  ⇒ Vista models: Vista Premium logo  Preloaded applications¹⁴ (all OSes)  • Lenovo Care™ Tools				
Widescreen display Camera	Some: 14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy), CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio Some: 14.1" (358.1mm) WXGA+ (1440x900) color, anti-glare, CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	<ul> <li>Rescue and Recovery™</li> <li>Access Connections™</li> <li>Password Manager</li> <li>ThinkVantage System Update</li> <li>Fingerprint Software</li> </ul>				
Discrete graphics	NVIDIA® GeForce 9300M, PCI Express® x16, 256MB memory, HDMI port supporting HDCP to output protected content; Max external resolution: 2048x1536@85Hz (DB-15 port); 1920x1080 (HDMI port)	McĀfee VirusScan® Plus with SiteAdvisor™ (30 days of virus definitions)				
Keyboard TrackPoint® Touch pad Lighting FX	89-key, Lenovo® Care button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar¹³, magnifying glass UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label Illuminated power button, Lenovo Care button, and red dot on ThinkPad logo	<ul> <li>PC-Doctor™ (diagnostics)</li> <li>ThinkPad Utilities (Power Manager and Presentation Director)</li> <li>Adobe® Reader</li> <li>Windows Live™ Toolbar</li> <li>Windows Live Search</li> <li>Microsoft® Office 2007 Trial (60-day)</li> <li>Roxio® Creator® Small Business Edition (DVD±RW)</li> <li>Roxio MyDVD® (DVD±RW)</li> </ul>				
Dimensions <sup>3</sup> Weight <sup>2</sup> Case Battery - type Battery - life <sup>10</sup>	6-cell 14.1W" (WxDxH): 13.2" x 9.7" x 1.34–1.46"; 336mm x 247mm x 34–37mm 6-cell: starting at 5.5 lb (2.5kg); 9-cell: starting at 5.9 lb (2.7kg)  Color: black; Material: scratch-resistant ABS plastic, high-gloss top cover Lithium lon 6-cell or 9-cell 6-cell: up to 3.6 hr; 9-cell: up to 5.5 hr					
Chipset  ExpressCard slot Multicard Reader PC Card Std slot Smart Card Read Ports		Corel® WinDVD® (DVD±RW, Blu-ray)     Ulead® DVD MovieFactory® (Blu-ray)				
Mini PCI Express Intel 5100 <sup>28</sup> WWAN upg AT&T <sup>23</sup>	IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  Three Mini PCI Express slots 11a/b/g/n wireless <sup>4</sup> , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak)  Some: Wireless WAN upgradable, optional AT&T® (43R9152)  Some: Wireless WAN, Ericsson chipset, Mini PCIe adapter and SIM, GPRS/WCDMA/HSPA, GPS, service contract required with AT&T®	90-watt (NVIDIA graphics) AC adapter RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378				
2G Turbo UWB Modem Bluetooth™ Ethernet	Some: Intel Turbo Memory, Half-Mini PCIe adapter, 2GB flash, disk-cache accelerator None 56K V.926 modem Bluetooth 2.0 wireless, LED indicator Realtek RTL8111C Gigabit Network Connection, PHY, PCIe x1	ThinkPlus <sup>TM. 22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969				
Intel AMT Audio support Security	None High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 2 watt / volume up, down, mute buttons / dual array microphone, mic input jack, headphone jack Power-on password, hard disk password, supervisor password, security keyhole	ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973				
	None r Fingerprint reader on palm rest, swipe sensor, supports the security chip  2 1-year - EasyServ <sup>™,19</sup> depot repair service / service upgrades <sup>22</sup> available	ThinkPlus 5-year LOR 9x5 NBD 45K5975 ThinkPlus 2-year P&L P/U Depot				
1GB PC2-5300 E 2GB PC2-5300 E	DDR2 SODIMM 40Y7734 T/R/W/SL Series Li-Ion Battery 6-cell 40Y6799 T/R/W/SL Series Li-Ion Battery 9-cell 40Y6797	45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot				
USB 2.0 Ultra Se USB 2.0 Portable USB Port Replica ThinkPad Conve Laser Tilt Wheel	SATA 1.5Gb/s (5400 rpm) 43N3405 peure Memory Key 8GB 45J5918 de Secure 320GB Hard Disk 43R2019 attor with Digital Video 45K1610 ThinkPad Business Topload Case 43R2476 downward 40Y7620 trible Monitor Stand 40Y7620 ThinkVision® L2240p Wide 22" Monitor 4422HB6 Travel Mouse (Bluetooth) 41U5008 ThinkVision L2440x Wide 24" Monitor 4421HB2 other accessories at lenovo.com/accessories	ThinkPlus 4-year P&L P/O Depot 45K5974 ThinkPlus 5-year P&L P/U Depot 45K5976 Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty				
	1					

	Wide-		isk	Mini PCle	Mini Mini PCle Finger Bat-	
Proc-	screen	or Screen Cam-Integrated S		802.11		ail
Type-model essor GHz Memory	display	LED type era graphics GB	rpm optical	wireless	WWAN or Turbo tooth reader cells load da	ate

4413-23U T5870 2.00 2GB 14.1" WXGA LED Glossy None GMA 160G 5400 DVD±RW \* Intel 5100<sup>28</sup> None None None Fing 6 Bus 32 Aug 09 4413-27U P8700 2.53 2GB 14.1" WXGA LED Glossy None GMA 250G 5400 DVD±RW \*Intel 5100 None None None Fing 6 Bus 32 Aug 09

- Entry price point ThinkPad notebooks available for bid to relationship accounts
- These models have an depot repair service 3-year limited warranty

Processor	Intel® Core™ 2 Duo processor T5870 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P8700 with dual-core, Intel HD boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system <sup>20</sup> - Genuine Windows® Vista® Business 32
Memory	<b>2GB</b> std / 4GB max <sup>7</sup> / PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; Non-italics: standard memory in one socket; one socket available	Preloaded applications¹⁴ (only some listed)  • Lenovo Care™ Tools
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in <b>160GB</b> <sup>8</sup> (5400 rpm) or <b>250GB</b> (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™	<ul> <li>Rescue and Recovery™</li> <li>Access Connections™</li> <li>Password Manager</li> <li>ThinkVantage System Update</li> </ul>
Widescreen display Camera	14.1" (358.1mm) WXGA (1280x800) color, VibrantView (glossy), LED backlight, high brightness 680 nits, 16:10 aspect ratio, 300:1 contrast ratio None	Fingerprint Software (fingerprint models)     McAfee VirusScan® Plus with SiteAdvisor™ (30 days of
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content; Max external resolution: 2048x1536@75Hz (VGA); 1920x1080 (HDMI)	virus definitions)  Lenovo System Toolbox  ThinkPad Utilities (Power Manager
Keyboard TrackPoint® Touch pad Lighting FX	6-row, Lenovo® Care button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar¹³, magnifying glass UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label Illuminated power button, Lenovo Care button, and red dot on ThinkPad logo	and Presentation Director)  • Adobe® Reader®  • Microsoft® Office 2007 Trial (60-day)  • Roxio® Creator® Small Business Edition (DVD±RW)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	6-cell 14.1W" (WxDxH): 13.2" x 9.7" x 1.34–1.46"; 336mm x 247mm x 34–37mm 6-cell: starting at 5.5 lb (2.5kg) black scratch-resistant ABS plastic, high-gloss top cover Lithium Ion 6-cell: up to 4.1 hr; 9-cell: up to 6 hr	Roxio MyDVD® (DVD±RW)     Corel® WinDVD® (DVD±RW)
Chipset  ExpressCard Multicard Reader	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), LPC bus (IT8752 Super I/O) One slot (ExpressCard/34, ExpressCard/54) 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)	
PC Card Smart Card Read Ports	None None Four USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	65-watt (GMA graphics) AC adapter RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support
Mini PCI Express Intel 5100 <sup>28</sup> WWAN upg	Three Mini PCI Express slots 11a/b/g/n wireless <sup>4</sup> , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None	during the warranty period <sup>12</sup> via 800-426-7378 ThinkPlus™. <sup>22</sup> 3-year LOR <sup>24</sup> 9x5 NBD
2G Turbo UWB Modem Bluetooth™	None None 56K V.92 <sup>6</sup> modem	45K6021 ThinkPlus 4-year LOR 9x5 NBD 45K6022
Ethernet Intel AMT Audio support	None Realtek RTL8111C Gigabit Network Connection, PHY, PCIe x1 None High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 1.5 watt / volume	ThinkPlus 5-year LOR 9x5 NBD 45K6024 ThinkPlus 4-year P&L P/U Depot
Security Security chip	up, down, mute buttons / dual array microphone, mic input jack, headphone jack Power-on password, hard disk password, supervisor password, security keyhole None	45K6023 ThinkPlus 5-year P&L P/U Depot 45K6025
Fingerprint reader	Fingerprint reader on palm rest, swipe sensor	Post-warranty annual maintenance   agreements at
Limited warranty <sup>12</sup>	3-years/1-yr battery - depot repair service / service upgrades <sup>22</sup> available	lenovo.com/thinkplus/warranty

See footnotes for important warranty information US models announced August 4, 2009 US models withdrawn effective April 2010

★ Intel Centrino® processor technology

♣ Intel Centrino 2 processor technology

## ThinkPad® SL400, SL400c Accessories

•				
Memory 1GB PC2-5300 DDR2 SODIMM 1GB PC2-5300 DDR2 SODIMM (25-Pack) 2GB PC2-5300 DDR2 SODIMM 2GB PC2-5300 DDR2 SODIMM (25-Pack)	51J0502	ann 01/05/06 ann 03/17/09 ann 11/28/06 ann 03/17/09	Batteries ThinkPad Battery 41+ (6-cell) ThinkPad Battery 41++ (9-cell) ThinkPad External Battery Charger <sup>44</sup> <sup>44</sup> Requires the <i>ThinkPad 90W AC Adapter</i> 40Y7659 or the adapter provided with the second control of the seco	40Y6799 ann 01/05/06 40Y6797 ann 09/20/05 40Y7625 ann 09/20/05 ysystem.
Storage and removable storage SL 320GB Disk SATA 1.5Gb/s (5400 rpm)	43N3405	ann 07/15/08	More information at www.lenovo.com/allda	ycomputing
USB 2.0 Essential Memory Key 4GB USB 2.0 Essential Memory Key 8GB USB 2.0 Essential Memory Key 32GB USB 2.0 Ultra Secure Memory Key 1GB USB 2.0 Ultra Secure Memory Key 2GB USB 2.0 Ultra Secure Memory Key 4GB USB 2.0 Ultra Secure Memory Key 8GB	45J5915	ann 10/28/08 ann 08/26/08 ann 08/26/08 ann 08/26/08	ThinkPad 65W AC Adapter <sup>45</sup> <sup>45</sup> Only compatible with the integrated graph ThinkPad 90W AC Adapter 90W Ultraslim AC/DC Combo Adapter More info at www.lenovo.com/support/pow Charging tips for 90W Ultraslim AC/DC Com •Palm device charge tip (L7)	40Y7659 ann 09/20/05 41R4493 ann 09/22/09 veradapters
USB 2.0 Portable 320GB Hard Disk USB 2.0 Portable 500GB Hard Disk USB 2.0 Portable Secure 160GB Hard Disk USB 2.0 Portable Secure 320GB Hard Disk eSATA/USB 2.0 Secure 500GB Hard Drive	45K1690 43R2018 43R2019 57Y4400	ann 03/17/09 ann 05/26/09 ann 11/18/08 ann 11/18/08 ann 01/07/10	Blackberry charge tip (L8a)  In ordinate the charge tip (L8a)  Ordinate the charge tip (L10a)  Generic Micro USB charge tip (L10a)  More information at www.lenovopowertips.	41R4478 ann 12/18/07 41R4481 ann 12/18/07 41R4490 ann 01/06/09
USB 2.0 Super Multi-Burner Drive USB 2.0 Portable DVD Burner  Wireless WAN (Mini PCI Express)		ann 01/23/07 ann 01/05/10	Carrying Cases Up to 14" widescreen models: ThinkPad 14W Case Sleeve	57Y4294 ann 03/16/10
Only WWAN upgradable models: Verizon® WWAN UNDP Broadband Mini PCle AT&T® WWAN HSPA Broadband Mini PCle		ann 08/05/08 ann 08/26/08	Up to 15.4" widescreen models: ThinkPad 15W Case Sleeve Lenovo Business Messenger Case Lenovo Messenger Max	51J0477 ann 08/18/09 51J0475 ann 08/18/09 41U5253 ann 05/01/07
ThinkPad Expansion Lenovo® Essential Notebook Stand USB Port Replicator with Digital Video	45J9292 45K1610	ann 05/12/09 ann 07/28/09	Lenovo Performance BackPack Checkpoint Friendly Business Topload Case ThinkPad Business Topload Case ThinkPad Business Backpack	41U5254 ann 05/01/07
Keyboard TrackPoint Cap Collection USB Numeric Keypad Preferred Pro USB Keyboard Enhanced Performance USB Keyboard Ultraslim Wireless Keyboard and Mouse <sup>52</sup> <sup>52</sup> Wireless via 2.4GHz technology using a m ThinkPad USB Keyboard with TrackPoint Preferred Pro USB Fingerprint Keyboard	33L3225 73P5220 73P2620 57Y4700 iicro-size U 55Y9003 73P4730	ann 08/18/09 ann 02/22/05	ThinkPad Deluxe Expander Case ThinkPad Executive Leather Case Up to 15.6" widescreen models: Wenger Backpack for Lenovo Wenger Slim Case for Lenovo Wenger Deluxe Slim Case for Lenovo Lenovo luxury cases at www.lenovoluxuryc Monitors	43R2478 ann 05/13/08 43R2480 ann 05/13/08 57Y4271 ann 01/07/10 57Y4272 ann 01/07/10 57Y4273 ann 01/07/10
Mouse Lenovo USB Smartcard Keyboard  Mouse Lenovo Mini Optical Mouse - Black (USB) Lenovo Optical Mouse - White (USB) Lenovo Optical Mouse (USB) Lenovo Laser Mouse (USB) ThinkPad USB Laser Mouse Lenovo ScrollPoint® Mouse (USB, Optical) ThinkPad Travel Mouse (USB, Optical) ThinkPad Bluetooth Laser Mouse	55Y9308 55Y9309 06P4069 41U3074 57Y4635 31P7405 31P7410	ann 03/24/09 ann 05/19/09 ann 05/19/09 ann 05/19/03 ann 01/23/07 ann 12/15/09 ann 08/27/02 ann 06/04/02 ann 01/22/08	ThinkVision® L1711p 17" Monitor ThinkVision L1900p 19" Monitor ThinkVision L1951p Wide 19" Monitor ThinkVision L2250p Wide 22" Monitor ThinkVision L2251p Wide 22" Monitor ThinkVision L2251x Wide 22" Monitor ThinkVision L2440p Wide 24" Monitor  Monitor Accessories46 ThinkVision USB Soundbar ThinkVision Soundbar	5047HB2 ann 10/20/09 4431HE1 ann 11/11/08 2448HB6 ann 10/20/09 2572HB6 ann 10/20/09 2572HD6 ann 10/20/09 2578HB6 ann 10/20/09 4420HB2 ann 09/17/08
Security Kensington® MicroSaver® Cable Lock Kensington Twin Head Cable Lock USB Gemplus GemPC Smart Card Reader ExpressCard Gemplus Smart Card Reader 47 Requires ExpressCard slot	45K1620 41N3040	ann 12/29/03 ann 09/30/08 ann 02/21/06 ann 06/27/06	Kensington MicroSaver Cable Lock Kensington Twin Head Cable Lock Lenovo Easy Reach Monitor Stand Radial Arm  46 Compatible on selected Lenovo and Thinl More information at www.lenovo.com/supp	
Multimedia ThinkPad In-Ear Headphones	57Y4488	ann 01/07/10	For more information on ThinkPad SL access www.lenovo.com/support/accessories www.lenovo.com/support/notebookacces www.lenovo.com/support/security	
			Other accessories at www.lenovo.com/acce Accessories Guide pdf at www.lenovo.com/a	
			i	