



Lenovo® ThinkPad S531



Lenovo ThinkPad S531



Lenovo ThinkPad S531



Lenovo ThinkPad S531



Lenovo ThinkPad S531



Lenovo ThinkPad S531

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB ⁸ rpm	PCIe Mini Card WLAN / BT	M.2 Card WWAN /SSD		Finger print reader	Bat- tery cells	Bat- tery /Wh	Preload	Ann date (mm/yy)
20B00004++	i5-3337U	4+2GB	15.6" HD	720p	500G 7200	Intel 2230 + BT	24G	Black	Finger	4	62.8	Win8 64	06/13
20B00003++	i3-3227U	2+2GB	15.6" HD	720p	500G 7200	TP 11a/b/g/n + BT	None	Black	Finger	4	62.8	Win7 Pro64	06/13
20B00006++	i5-3337U	2+2GB	15.6" HD	720p	500G 7200	TP 11a/b/g/n + BT	24G	Black	Finger	4	62.8	Win7 Pro64	06/13
20B00051++	i3-3217U	2+2GB	15.6" HD	720p	500G 7200	Intel 2230 + BT	None	Black	Finger	4	62.8	Win7 Pro64	07/13
20B00008++	i5-3337U	2+4GB	15.6" FHI	720p	128G SSD	TP 11a/b/g/n + BT	None	Black	Finger	4	62.8	Win7 Pro64	07/13

Country Code"++": AT (Austria), FR (France), GB (Germany w/ English OS), GE (Germany w/ German OS), IV (Israel), IW (Iceland), IX (Italy), MB (Belgium), MD (Denmark), MH (Netherlands), ML (Luxembourg), MN (Norway), MS (Sweden), MZ (Switzerland), NX (Netherlands), PG (Portugal), SP (Spain), UK (United Kingdom) Note: models listed above might not be available in all WE countries

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; one spindles Intel® Core™ i3-3217U processor (2 cores, 1.80GHz, 3MB Cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), HT technology Intel Core i3-3227U processor (2 cores, 1.90GHz, 3MB Cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), HT technology Intel Core i5-3337U processor (2 cores, 1.80GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (2.70GHz), HT technology	Preloaded operating system ²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 64-bit Preloaded applications (only some				
Memory	10GB max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, 2GB memory on board, one 204-pin SO-DIMM socket	listed) - Windows 7 models				
Optical SATA disk	None Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, removable, upgradable, Active Protection System™ Some: M.2 Solid State Drive (SSD), via M.2 Card slot	Access Connections™ ThinkVantage Power Manager ThinkVantage Tools Adobe® Reader®				
Widescreen display	Some: 15.6" (396mm) HD (1366x768) color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio Some: 15.6" (396mm) FHD (1920x1080) color, anti-glare, LED backlight, 300 nits, 16:9 aspect ratio HD720p resolution, low light sensitive, fixed focus, LED indicator	- Windows 8 models • Lenovo Support • Lenovo Companion • Lenovo Cloud Storage - All models (exclude DOS models) • ThinkVantage System Update • Norton™ Internet Security (30 days of virus definitions)				
Graphics	Intel HD Graphics 4000 in processor, external digital monitor support via HDMI™ (supporting HDCP to output protected content); Max external resolution: 1920x1200 (HDMI) © 60Hz					
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, spill-resistant, multimedia Fn keys, LED backlight, numeric keypad TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, wide touchpad below keyboard, integrated five buttons, multi-touch None	Skype ^{fM} Microsoft Office preloaded; purchase a product key to activate				
Dimensions ³ Weight ² Case color Case material Battery - type ³⁷ Battery - life ¹⁰	15.6W" (WxDxH): 14.92" x 9.94" x 0.81"; 379.0mm x 252.4mm x 20.7mm 4-cell: from 5.06 lb (2.29kg) Black (top); black bottom Sand Blast Aluminum Li-Polymer 4-cell (62.8Whr) MobileMark 2007: Windows 7: up to 10.5 hr MobileMark 2012: Windows 8: up to 7.2 hr					
Chipset ExpressCard Multicard Reader Ports	Mobile Intel HM76 Express Chipset None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0 (one powered), OneLink Docking port (supports optional 4X10A06077) external monitor (HDMI), ethernet (RJ-45)					
PCIe Mini Card PCIe WLAN ⁴	One PCI Express Mini Card slot Some: 11a/b/g/n, PCIe Half Mini Card, ThinkPad a/b/g/n, 2x2, Wi-Fi / BT combo adapter Some: 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2230, 2x2, Wi-Fi / BT combo adapter					
M.2 Card M.2 WWAN	One M.2 Card slot for support of WWAN card or SSD None					
Bluetooth™ Ethernet	Bluetooth 4.0 wireless, integrated in selected WLAN PCIe Half Mini Card Realtek® RTL8111F Gigabit Network Connection	Supports ThinkVantage® technologies				
	High Definition (HD) Audio, ALC3202 codec / JBL® stereo speakers, 1.5 watt x 2 / Dolby® Home Theater® v4 / dual array microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant UPEK Fingerprint reader on palm rest, swipe sensor	65-watt AC adapter ENERGY STAR® compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²				
toa warranty	. Jean appet topali doi vido / doi vido apgrados available	3 · · · · · · · · · · · · · · · ·				

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe Mini Card WLAN / BT	M.2 Card WWAN /SSD		Finger print reader	tery	tery	Preload	Ann date (mm/yy)
20B0004L++	i7-3537U	2+8GB	15.6" FHD	720p	256G SSD OPAL	Intel 2230 + BT	None	Black	Finger	4	62.8	Win8 64	07/13
20B00050++	i5-3337U	2+4GB	15.6" FHD	720p	500G 7200	Intel 2230 + BT	None	Black	Finger	4	62.8	DOS-Lic.	07/13
20B0004K++	i7-3537U	2+8GB	15.6" FHD	720p	256G SSD OPAL	TP 11a/b/g/n + BT	None	Black	Finger	4	62.8	Win7 Pro64	07/13

Country Code"++": AT (Austria), FR (France), GB (Germany w/ English OS), GE (Germany w/ German OS), IV (Israel), IW (Iceland), IX (Italy), MB (Belgium), MD (Denmark), MH (Netherlands), ML (Luxembourg), MN (Norway), MS (Sweden), MZ (Switzerland), NX (Netherlands), PG (Portugal), SP (Spain), UK (United Kingdom) Note: models listed above might not be available in all WE countries

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; one spindles Intel® Core™ i5-3337U processor (2 cores, 1.80GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (2.70GHz), HT technology Intel Core i7-3537U processor (2 cores, 2.0GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology	Preloaded operating system ²⁰ - Some: DOS-Lic Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit				
Memory	10GB max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, 2GB memory on board, one 204-pin SO-DIMM socket	- Some: Windows 8 64-bit				
Optical SATA disk	None Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, removable, upgradable, Active Protection System™	Preloaded applications (only some listed, exclude DOS models) - Windows 7 models • Access Connections™				
M.2 SSD	None	ThinkVantage Power Manager ThinkVantage Power Manager				
Widescreen display	Some: 15.6" (396mm) HD (1366x768) color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio Some: 15.6" (396mm) FHD (1920x1080) color, anti-glare, LED backlight, 300 nits, 16:9 aspect ratio HD720p resolution, low light sensitive, fixed focus, LED indicator	ThinkVantage Tools Adobe® Reader® Windows 8 models Lenovo Support				
Graphics		Lenovo Companion				
Graphics	AMD Radeon™ HD 8670M Graphics, 2GB memory external digital monitor support via HDMI™; Max external resolution: 1920x1200 (HDMI) @ 60Hz	Lenovo Cloud Storage All models (exclude DOS models) ThinkVantage System Update Norton™ Internet Security (30 days of virus definitions) Skype™				
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, spill-resistant, multimedia Fn keys, LED backlight, numeric keypad TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, wide touchpad below keyboard, integrated five buttons, multi-touch None					
Dimensions ³ Weight ² Case color Case material Battery - type ³⁷ Battery - life ¹⁰	15.6W" (WxDxH): 14.92" x 9.94" x 0.81"; 379.0mm x 252.4mm x 20.7mm 4-cell: from 5.06 lb (2.29kg) Black (top); black bottom Sand Blast Aluminum Li-Polymer 4-cell (62.8Whr) MobileMark 2007: Windows 7: up to 8.4 hr MobileMark 2012: Windows 8: up to 5.9 hr	Microsoft Office preloaded; purchase a product key to activate				
Chipset ExpressCard Multicard Reader Ports	Mobile Intel HM76 Express Chipset None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0 (one powered), OneLink Docking port (supports optional 4X10A06077) external monitor (HDMI), ethernet (RJ-45)					
PCIe Mini Card PCIe WLAN ⁴	One PCI Express Mini Card slot Some: 11a/b/g/n, PCIe Half Mini Card, ThinkPad a/b/g/n, 2x2, Wi-Fi / BT combo adapter Some: 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2230, 2x2, Wi-Fi / BT combo adapter					
M.2 Card M.2 WWAN	One M.2 Card slot for support of WWAN card or SSD None	Supports ThinkVantage® technologies				
Bluetooth™ Ethernet Audio support	Bluetooth 4.0 wireless, integrated in selected WLAN PCIe Half Mini Card Realtek® RTL8111F Gigabit Network Connection High Definition (HD) Audio, ALC3202 codec / JBL® stereo speakers, 1.5 watt x 2 / Dolby® Home Theater® v4 / dual array microphone, combo audio/mic jack	65-watt AC adapter ENERGY STAR® compliant (exclude DOS models)				
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant UPEK Fingerprint reader on palm rest, swipe sensor	RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support				
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available	during the warranty period ¹²				