







Lenovo ThinkPad Edge E420s



ThinkVision® LT1421 with ThinkPad Edge E420s



Lenovo ThinkPad Edge E420s

Lenovo ThinkPad Edge E420s

ThinkPad® Edge E420s 4401 (TopSeller) - withdrawn

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe I Mini Card WLAN	PCIe Mini Car WWAN /mSATA	rd Carrier	Finger print reader	Blue- tooth	Bat- tery cells	Preload
4401-5BG	i3-2330M	4GBx1	14.0" HD	720p	320G 7200	Intel 1000	None	None	Finger	Blue	4	Prem 64
4401-5DG	i5-2430M	4GBx1	14.0" HD	720p	128G SSD	Intel 1000	Ericsson	selectable	Finger	Blue	4	Pro 64
4401-7PG	i3-2350M	4GBx1	14.0" HD	720p	320G 7200	Intel 1000	None	None	Finger	Blue	4	Prem 64
4401-8YG	i3-2350M	4GBx1	14.0" HD	720p	320G 5400	Intel 1000	None	None	Finger	Blue	4	Prem 64

- Small and medium business (SMB) model(s), part of the WE TopSeller™ Program
 Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Elegant design with quality, reliability, and portability for SMB customers; two spindles Intel® Core™ i3-2330M processor (dual-core, 2.20GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i3-2350M processor (dual-core, 2.30GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i5-2430M processor (dual-core, 2.40GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology	Preloaded operating system ²⁰ - Some: Genuine Windows® 7 Home Premium 64 - Some: Genuine Windows 7 Professional 64 Ready to install applications ¹⁴ (only some listed)				
Memory	8GB max ⁷ / PC3-10600 1333MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	 Rescue and Recovery[™] Access Connections[™] 				
Optical SATA disk mSATA	DVD burner, 9.5mm high, fixed, not removable, slot-in Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ All: removable, upgradable, Shock Mounted Hard Drive None	Fingerprint Software (fingerprint models) Password Manager (fingerprint models) ThinkVantage System Update				
Widescreen display Camera	14.0" (355mm) HD (1366x768) color, anti-glare display with glossy infinity glass, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, fixed focus	 ThinkVantage Power Manager ThinkVantage Toolbox Preloaded applications¹⁴ (only some 				
Graphics	Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Max external resolution: 2048x1536 (VGA)@75Hz; 1920x1200 (HDMI)@60Hz	 Norton™ Internet Security 2011 (30 days of virus definitions) Adobe® Reader® Skype™ for Windows Windows Live™ Essentials 				
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, Tap Zones, scrolling regions, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	Microsoft Office 2010 preloaded; purchase product key to activate Adobe Acrobat® X Standard (bundled with Microsoft Office)				
Dimensions ³ Weight ² Case color Case material Battery - type ³⁷ Battery - life ¹⁰	14.0W" (WxDxH): 13.74" x 9.29" x 0.91-1.23"; 349mm x 236mm x 23.1-31.2mm starting at 4.14 lb (1.88kg) Moss Black soft touch finish, authentic metal accents Magnesium/Aluminum + PPS Integrated Lithium Ion 4-cell, 1000 cycle battery 4-cell (48.8Whr): up to 7.0 hr	Corel® WinDVD® (DVD±RW) Corel Burn.Now™ Lenovo Edition (DVD±RW) Corel DVD MovieFactory® Lenovo Edition (DVD±RW)				
Chipset ExpressCard/34 Multicard Reader Ports	Mobile Intel HM65 Express Chipset None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)					
PCIe Mini Card WLAN ⁴ WWAN Carrier	Two PCI Express Mini Card slots 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Some: Wireless WAN, Ericsson® F5521gw Mobile Broadband Module, PCIe Mini Card, GPRS/WCDMA/HSPA+, GPS Some: User selectable, contract required with service provider					
Modem Bluetooth™ Ethernet	None Bluetooth 3.0 wireless Realtek® RTL8111E Gigabit Network Connection	Supports ThinkVantage® technologies				
	None High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole None UPEK Fingerprint reader on palm rest, swipe sensor 1-year - depot repair service / service upgrades ²² available	65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service¹ 24 hour x 7 day¹8 toll-free support during the warranty period¹2				

See footnotes for more detailed information

WE model(s) announced January 17, 2012; previous model(s) on October 4, 2011 WE model(s) withdrawn effective May 2012

© Lenovo

(G-PCD1-1) February 2013

Type-model P	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCle F Mini Card WLAN	PCIe Mini Ca WWAN /mSATA	rd Carrier	Finger print reader	Blue- tooth	Bat- tery cells	Preload
	5-2430M 5-2450M	4GBx1 4GBx1	14.0" HD 14.0" HD	720p 720p	320G 7200 320G 7200	Intel 1000 Intel 1000	None None	None None	Finger Finger	Blue Blue	4	Pro 64 Pro 64

- Small and medium business (SMB) model(s), part of the WE TopSeller™ Program
 Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor Intel® Core** in E-gapt design with quality, reliability, and portability for SMB customers; two spindles Intel® Core** in E-940M processor (dual-ocre, 2.40GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel Core is 2-940M processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology intel Core is 2-950MP and processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology intel Core is 2-950MP, and processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology intel Core is 2-950MP, and processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1335MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology intel Core is 2-950MP, and processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1335MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology intel Core is 2-950MP, and processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1350MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology intel Core is 2-950MP, and an analysis of the processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 150MP), and the processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 150MP), and the processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 150MP), and the processor (dual-ocre, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 150MP), and the processor (dual-ocre, 2.50GHz, 3MB Cache), and the processor (dual-oc						
Memory SGB max* / PC3* 10600 1333MHz DDH3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets Optical Obtical SATA disk Some: Solid State Drive (SSD) / SATA 3, OlGb/s, 2.5° wide, 7mm high, 5cme: Hard Disk Drive / SATA 3, OlGb/s, 2.5° wide, 7mm high, Active Protection System™ All: removable, uppradable, Shock Mounted Hard Drive Widescreen display Hugescreen		Intel® Core™ i5-2430M processor (dual-core, 2.40GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB Cache),	- Genuine Windows 7 Professional 64 Ready to install applications ¹⁴ (only			
SATA disk Some: Solid State Drive (SSD) / SATA 3.05db/s, 2.5° wide, 7mm high Some: All: removable, upgradable, Shock Mounted Hard Drive None Widescreen display Camera HD720p resolution, wide view angle, low light sensitive, fixed focus Barbara analog motine support via VGA DB-15 connector and danger analog motine support via VGA DB-15 connector and supports dual independent display, with analog motine support via VGA DB-15 connector and supports dual independent display, wax external resolution: 2048x1536 (VGA) @ 75Hz Keyboard TrackPoint* TrackPoi	Memory		 Rescue and Recovery[™] Access Connections[™] 			
Widescreen display Camera 14.0° (355mm) HD (1366x768) color, anti-glare display with glossy infinity glass, display Camera 14.0° (355mm) HD (1366x768) color, anti-glare display with glossy infinity glass, display Camera 14.0° (355mm) HD (1366x768) color, anti-glare display with glossy infinity glass, display ED backlight, 200 nits, 16: 9 aspect ratio, 300:1 contrast ratio Problems of the pro	SATA disk	Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ All: removable, upgradable, Shock Mounted Hard Drive	models) • Password Manager (fingerprint models)			
ThinkVantage Toolbox	mSATA	None				
Switches between discrete and integrated graphics, Intel HD Graphics 3000 in processor, and AMD Radeon™ HD 6630M graphics, 2GB memory, external analog monitor support via VOKA DB-15 connector and digital monitor support via HDM™ (supporting HDCP to output protected content); supports dual independent display; Max external resolution: 2048x1536 (VGA)@75Hz Keyboard TrackPoint® TrackPo	display	LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio	ThinkVantage Toolbox			
Acyboard Frow, spill-resistant, multimedia Fn keys FrackPoint TrackPoint	Graphics	Switches between discrete and integrated graphics, Intel HD Graphics 3000 in processor, and AMD Radeon™ HD 6630M graphics, 2GB memory, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;	listed) • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Windows Live™ Essentials • Microsoft Office 2010 preloaded;			
Dimensions³ Weight² Case color Case color Case material Battery - type³ Battery - tipfe¹ Chipset ExpressCard/3⁴ Multicard Reader Ports PCIe Mini Card WLAN⁴ WWAN Modem Bluetooth¹™ Bluetooth 3.0 wireless Ethernet Intel AMT Audio support Security Security Security Security Security chip Fingerprint reader UPEK Fingerprint reader on palm rest, swipe sensor 14.0W" (WxDxH): 13.74" x 9.29" x 0.91-1.23"; 349mm x 23.1-31.2mm starting at 4.22 lb (1.92kg) Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactory® Lenovo Edition (DVD±RW) *Corel DVD MovieFactors *Edition (DVD±RW) *Corel DVD	TrackPoint® Touch pad	TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, Tap Zones, scrolling regions, multi-touch	Adobe Acrobat® X Standard (bundled with Microsoft Office) Corel® WinDVD® (DVD±RW)			
ExpressCard/34 Multicard Reader Ports	Weight ² Case color Case material Battery - type ³⁷	starting at 4.22 lb (1.92kg) Moss Black soft touch finish, authentic metal accents Magnesium/Aluminum + PPS Integrated Lithium Ion 4-cell, 1000 cycle battery	(DVD±RW) • Corel DVD MovieFactory® Lenovo			
WLAN⁴ WWAN None Modem None Bluetooth™ Bluetooth™ Bluetooth™ Audio support Audio support Audio support Security Power-on password, hard disk password, supervisor password, security keyhole Security Chip Fingerprint reader Fingerprint reader WLAN⁴ None Bluetooth 3.0 wireless Supports ThinkVantage® technologies Power-on password, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Security Security chip Fingerprint reader UPEK Fingerprint reader on palm rest, swipe sensor	ExpressCard/34 Multicard Reader	None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 2.0 (one powered), one USB 2.0/eSATA combo port,				
Ethernet Intel AMT Audio support High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Security Security chip Fingerprint reader UPEK Fingerprint reader on palm rest, swipe sensor Supports ThinkVantage® technologies 90-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service¹ 24 hour x 7 day¹® toll-free support	WLAN ⁴ WWAN	11b/g/n, PCle Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 None				
Intel AMT Audio support High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Security Security chip Fingerprint reader UPEK Fingerprint reader on palm rest, swipe sensor Power-on palm rest, swipe sensor 100 90-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service¹ 24 hour x 7 day¹8 toll-free support			Supports ThinkVantage® technologies			
Audio support High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Security Security chip Fingerprint reader None Fingerprint reader High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Power-on password, hard disk password, security keyhole None Fingerprint reader UPEK Fingerprint reader on palm rest, swipe sensor High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/ mono digital microphone, combo audio/mic jack Power-on password, hard disk password, security keyhole None The part MC adapter EPEAT M Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support						
Fingerprint reader UPEK Fingerprint reader on palm rest, swipe sensor 24 hour x 7 day ¹⁸ toll-free support	Audio support Security	High Definition (HD) Audio, Conexant 20671 codec / stereo speakers, 1 watt x 2/mono digital microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole	EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant			
	Fingerprint reade					
	Limited warranty ¹²	² 1-year - depot repair service / service upgrades ²² available				

See footnotes for more detailed information

WE model(s) announced January 17, 2012; previous model(s) on October 4, 2011 WE model(s) withdrawn effective May 2012

© Lenovo

(G-PCD1-2) February 2013