ThinkPad_®



Lenovo® ThinkPad Edge 13"




Lenovo ThinkPad Edge 13" (Glossy black model)



Lenovo ThinkPad Edge 13" (Glossy red model)



ThinkPad Battery 73+ (6-cell) ThinkPad Battery 73 (4-cell)





USB 2.0 Portable DVD Burner 43N3264



Lenovo ThinkPad Edge 13"

ThinkPad® Edge 13" 0196 (Intel) - TS (XP with Win 7 License) - withdrawn Personal Systems Reference (PSREF)

Type-model Processor GHz	Memory	Wide- screen display		ntegrated graphics	Disk SATA GB [®] rpm	PCle Mini Card 802.11	PCIe Mini Card WWAN	Top color		Battery cells	Preload	Avail date
0196-5QU SU7300 1.30	4GB	13.3" HD	0.3M	GMA :	320G 7200	Intel 1000	None	Matte black	Blue	6	XP Pro	Jul 10

• This small and medium business (SMB) model is part of the US TopSeller™ Program

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; one spindle Intel® Core™ 2 Duo processor SU7300 with ultra low voltage, dual-core, 800MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Windows® XP Professional preinstalled through downgrade
Memory	4GB std / 4GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	rights in Genuine Windows 7 Professional 32 Preloaded applications ¹⁴ (only some
Optical drive SATA disk	None (use optional USB Portable DVD Burner 43N3264) 320GB ⁸ (7200 rpm) / SATA 1.5Gb/s or 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™	listed) ■ Rescue and Recovery [™] ■ Access Connections [™] ■ Password Manager
Widescreen display Camera	13.3" (338mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 200 nits, 16:9 aspect ratio, 400:1 contrast ratio Camera on top of screen, 0.3-megapixel, low light sensitive	ThinkVantage Power Manager ThinkVantage System Update ThinkVantage Toolbox Adobe® Reader®
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GS45, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Max external resolution: 2048x1536@75Hz	 Adobe Flash® Player Skype™ for Windows
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch	
ThinkLight™	None	Supports ThinkVantage® technologies
Dimensions ³ Weight ² Case color Case material Battery - type ³⁷ Battery - life ¹⁰	13.3W" (WxDxH): 12.7" x 9.0" x 1.0"; 322 x 228mm x 25.4mm (excluding battery bump) 4-cell: starting at 3.59 lb (1.63kg); 6-cell: starting at 3.81 lb (1.73kg) Matte black (top), trimmed with a thin silver band (side); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium lon 6-cell 4-cell: up to 5.3 hr; 6-cell: up to 8.0 hr	65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service¹7 24 hour x 7 day¹8 toll-free support
Chipset	Mobile Intel GS45 Express Chipset (Graphics Memory Controller Hub); ICH9M I/O Controller Hub	during the warranty period ¹² via 800-426-7378
ExpressCard Smart Card Read Multicard Reader Ports	None None 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, XD) Three USB 2.0 (one powered), external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	ThinkPlus ^{TM. 22} 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969
PCIe Mini Card Intel 1000 WWAN upg	Two PCI Express Mini Card slots 11b/g/n wireless ⁴ , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 None	ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD
Modem Bluetooth™ Ethernet	None Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection	45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971
Intel AMT Audio support	None High Definition (HD) Audio, Conexant® CX20582 codec / stereo speakers, 1 watt x 2/ mono microphone, combo audio/mic jack	ThinkPlus 3-year P&L P/U Depot 45K5972
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole None	ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance
	² 1-year - depot repair service / service upgrades ²² available	agreements at lenovo.com/thinkplus/warranty
		·

See footnotes for important warranty information US model announced July 6, 2010 US model withdrawn effective October 2010

© Lenovo (PAR1-3) October 2010

Type-model	Processor	GHz	Memory	Wide- screen display		Integrated graphics		PCIe Mini Card 802.11	PCIe Mini Card WWAN	Top color	Blue- tooth	Battery cells	/ Preload	Avail date
0196-24U	SU7300	1.30	3GB	13.3" HD	0.3M	GMA	320G 7200	Intel 1000	None	Matte black	Blue	6	Pro 32	Jan 10
0196-4YU	SU7300	1.30	3GB	13.3" HD	0.3M	GMA	320G 7200	Intel 1000	None	Glossy black	Blue	6	Pro 32	Jan 10
0196-5DU	SU7300	1.30	2GB	13.3" HD	0.3M	GMA	250G 5400	Intel 1000	None	Glossy red		6	Pro 32	Apr 10
0196-5EU	SU7300	1.30	3GB	13.3" HD	0.3M	GMA	250G 5400	WiMAX	None	Matte black	Blue	6	Pro 32	Apr 10
0196-5FU	SU7300	1.30	2GB	13.3" HD	0.3M	GMA	250G 5400	Intel 1000	None	Matte black		6	Home P 64	Apr 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
 These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; one spindle Intel® Core™ 2 Duo processor SU7300 with ultra low voltage, dual-core, 800MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Some: Genuine Windows® 7 Home Premium 64
Memory	2GB or 3GB std / 4GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available	- Some: Genuine Windows 7 Professional 32 Preloaded applications ¹⁴ (only some
Optical drive SATA disk	None (use optional USB Portable DVD Burner 43N3264) 250GB ⁸ (5400 rpm) or 320GB (7200 rpm) / SATA 1.5Gb/s or 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™	listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager
Widescreen display Camera	13.3" (338mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 200 nits, 16:9 aspect ratio, 400:1 contrast ratio Camera on top of screen, 0.3-megapixel, low light sensitive	 ThinkVantage System Update ThinkVantage Toolbox Norton™ Internet Security 2009 (30 days of virus definitions)
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GS45, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Max external resolution: 2048x1536@75Hz	Adobe® Reader® Adobe Reader® Adobe Flash® Player Skype™ for Windows Microsoft Office 2010 preloaded; purchase product key to activate
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch None	Microsoft Research AutoCollage Touch
Dimensions ³ Weight ² Case color	13.3W" (WxDxH): 12.7" x 9.0" x 1.0"; 322 x 228mm x 25.4mm (excluding battery bump) 4-cell: starting at 3.59 lb (1.63kg); 6-cell: starting at 3.81 lb (1.73kg) Matte black (top), glossy black (top), or glossy red (top),	Supports ThinkVantage® technologies 65-watt AC adapter
Case material Battery - type ³⁷ Battery - life ¹⁰	trimmed with a thin silver band (side); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell 4-cell: up to 5.3 hr; 6-cell: up to 8.0 hr	EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
Chipset ExpressCard Smart Card Read	Mobile Intel GS45 Express Chipset (Graphics Memory Controller Hub); ICH9M I/O Controller Hub None None	International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Multicard Reader Ports	5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, XD) Three USB 2.0 (one powered), external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	ThinkPlus™.22 1-year LOR24 9x5 NBD 45K5968
PCIe Mini Card Intel 1000 WiMAX	Two PCI Express Mini Card slots Some: 11b/g/n wireless ⁴ , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Some: 11a/b/g/n and WiMAX wireless, PCIe Half Mini Card,	ThinkPlus 2-year LOR 9x5 NBD 45K5969
WWAN upg	Intel Centrino Advanced-N + WiMAX 6250, 2x2 AGN + 1x2 WiMAX None	ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD
Modem Bluetooth™ Ethernet	None Some: Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection	45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971
Intel AMT Audio support	None High Definition (HD) Audio, Conexant® CX20582 codec / stereo speakers, 1 watt x 2/ mono microphone, combo audio/mic jack	ThinkPlus 3-year P&L P/U Depot 45K5972
Security Security chip Fingerprint reade	Power-on password, hard disk password, supervisor password, security keyhole None	ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance
	² 1-year - depot repair service / service upgrades ²² available	agreements at lenovo.com/thinkplus/warranty

ThinkPad® Edge 13" 0197 (AMD) - TS (XP with Win 7 License) - withdrawn Personal Systems Reference (PSREF)

Type-model	Proc- essor	GHz	Memory	Wide- screen display	Cam- era	Integrated graphics	Disk SATA GB [®] rpm	PCle Mini Card 802.11	PCle Mini Card WWAN	Top color	Blue- tooth	Battery cells	Preload	Avail date
0197-8CU	L325	1.50	3GB	13.3" HD	0.3M	HD 3200	250G 5400	11b/g/n	None	Matte black	None	6	XP Pro	Jul 10

This small and medium business (SMB) model is part of the US TopSeller™ Program

Positioning Processor AMD® Athlon™ Neo X2 Dual-Core processor L325 with dual-core, virtualization technology, integrated DDR2 memory controller, and 1MB L2 cache Memory 3GB std / 4GB max² / PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; ltalics: standard memory in both sockets; no sockets available Optical drive SATA disk None (use optional USB Portable DVD Burner 43N3264) SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™ Widescreen display Camera Integrated graphics ATI™ Radeon™ HD 3200 graphics, in M780G, external analog monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Max external resolution: 2456x1536@60Hz Preloaded operating system²0 - Windows® XP Professional preinstalled through downgrade rights in Genuine Windows 7 Professional 32 Preloaded applications¹4 (only som listed) • Rescue and Recovery™ • Access Connections™ • Access Connections™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Adobe® Reader® • Adobe ® Reader® • Adobe Flash® Player • Skype™ for Windows
dual-channel capable, two 200-pin SO-DIMM sockets; Italics: standard memory in both sockets; no sockets available Optical drive SATA disk Optical drive SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™ Widescreen display Camera Integrated graphics ATI™ Radeon™ HD 3200 graphics, in M780G, graphics ATI™ Radeon™ HD 3200 graphics, in M780G, digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Professional 32 Preloaded applications¹⁴ (only som listed) • Rescue and Recovery™ • Access Connections™ • Access Connections™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows
SATA disk 250GB³ (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™ Widescreen display Camera Integrated graphics ATI™ Radeon™ HD 3200 graphics, in M780G, external analog monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; - Rescue and Recovery™ - Access Connections™ - Password Manager - ThinkVantage Power Manager - ThinkVantage System Update - ThinkVantage Toolbox - Adobe® Reader® - Adobe® Reader® - Adobe Flash® Player - Skype™ for Windows
display Camera Camera on top of screen, 0.3-megapixel, low light sensitive Integrated graphics ATI™ Radeon™ HD 3200 graphics, in M780G, external analog monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; ThinkVantage System Update ThinkVantage Syst
Integrated graphics ATI™ Radeon™ HD 3200 graphics, in M780G, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; • Adobe Flash® Player • Skype™ for Windows
Keyboard 6-row, spill-resistant, multimedia Fn keys TrackPoint® TrackPoint® pointing device, Internet Scroll Bar ¹³
Touch pad UltraNav™, Supports ThinkVantage® technologie
wide touch pad below keyboard, Tap Zones, multi-touch ThinkLight™ None 65-watt AC adapter
Dimensions³ Weight² Case color Matte black (top), trimmed with a thin silver band (side); Battery - life¹⁰ Battery - life¹⁰ Arylonitrile-Butadiene-Styrene (ABS) plastic Lithium lon 6-cell: Battery - life¹⁰ Battery - life¹⁰ Battery - life¹⁰ Bilance Arylonitrile-Butadiene-Styrene (ABS) plastic Lithium lon 6-cell: up to 3.3 hr; 6-cell: up to 5.0 hr Bilance Arylonitrile-Butadiene-Styrene (ABS) plastic Lithium lon 6-cell: up to 3.3 hr; 6-cell: up to 5.0 hr
Chipset AMD M780G Chipset, SB710 south bridge ExpressCard None ThinkPlus™.22 1-year LOR24 9x5 NBI
Smart Card Read None Multicard Reader 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, XD) Ports Three USB 2.0 (one powered), external monitor (VGA DB-15, HDMI), ethernet (RJ-45) 45K5969
PCIe Mini Card Two PCI Express Mini Card slots ThinkPlus 3-year LOR 9x5 NBD 45K5970
11b/g/n 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card, Realtek® RTL8191SE ThinkPlus 4-year LOR 9x5 NBD 45K5973
Modem None Bluetooth™ None ThinkPlus 2-year P&L P/U Depot 45K5971
Ethernet Realtek RTL8111DL Gigabit Network Connection Audio cupport Lich Definition (JD) Audio Connection ThinkPlus 3-year P&L P/U Depot
mono microphone, combo audio/mic jack Security Security ThinkPlus 4-year P&L P/U Depote 45K5974 45K5974
Security chip None Post-warranty annual maintenance agreements at
Limited warranty ¹² 1-year - depot repair service / service upgrades ²² available lenovo.com/thinkplus/warranty

See footnotes for important warranty information US model announced July 6, 2010 US model withdrawn effective October 2010

Type-model	Proc- essor	GHz	Memory	Wide- screen display	Cam- era	Integrated graphics	Disk SATA GB [®] rpm	PCle Mini Card 802.11	PCle Mini Card WWAN	Top color		Battery cells	Preload	Avail date
0197-26U 0197-27U 0197-6XU	L325 L325 L325	1.50 1.50 1.50	3GB	13.3" HD	0.3M	HD 3200	250G 5400 250G 5400 250G 5400	11b/g/n	None	Matte black Matte black Glossy black	None None None	4 6 6	Home P 64 Pro 32 Pro 32	Jan 10 Jan 10 Jan 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
 These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; one spindle AMD® Athlon™ Neo X2 Dual-Core processor L325 with dual-core, virtualization technology, integrated DDR2 memory controller, and 1MB L2 cache	Preloaded operating system ²⁰ - Some: Genuine Windows® 7 Home Premium 64
Memory	2GB or 3GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available	- Some: Genuine Windows 7 Professional 32 Preloaded applications ¹⁴ (only some listed)
Optical drive SATA disk	None (use optional USB Portable DVD Burner 43N3264) 250GB ⁸ (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™	Rescue and Recovery™ Access Connections™ Password Manager ThinkVantage Power Manager ThinkVantage Power Manager
Widescreen display Camera	13.3" (338mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 200 nits, 16:9 aspect ratio, 400:1 contrast ratio Camera on top of screen, 0.3-megapixel, low light sensitive	ThinkVantage System Update ThinkVantage Toolbox Adobe® Reader® Adobe Flash® Player
Integrated graphics	ATI™ Radeon™ HD 3200 graphics, in M780G, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Max external resolution: 2456x1536@60Hz	Skype™ for Windows Microsoft Office 2010 preloaded; purchase product key to activate Microsoft Research AutoCollage Touch
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch	Supports ThinkVantage® technologies
ThinkLight™	None	65-watt AC adapter
Dimensions ³ Weight ² Case color	13.3W" (WxDxH): 12.7" x 9.0" x 1.0"; 322 x 228mm x 25.4mm (excluding battery bump) 4-cell: starting at 3.61 lb (1.64kg); 6-cell: starting at 3.83 lb (1.74kg) Matte black (top) or glossy black (top), trimmed with a thin silver band (side); black bottom	EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service¹7
Case material Battery - type ³⁷ Battery - life ¹⁰	Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 4-cell or 6-cell <i>L325 models with 4-cell:</i> up to 3.3 hr; <i>6-cell:</i> up to 5.0 hr	24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Chipset ExpressCard Smart Card Read	AMD M780G Chipset, SB710 south bridge None None	ThinkPlus™.22 1-year LOR24 9x5 NBD 45K5968
Multicard Reader Ports	5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, XD) Three USB 2.0 (one powered), external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	ThinkPlus 2-year LOR 9x5 NBD 45K5969
PCIe Mini Card 11b/g/n WWAN upg	Two PCI Express Mini Card slots 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card, Realtek® RTL8191SE None	ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973
Modem Bluetooth™ Ethernet	None None Realtek RTL8111DL Gigabit Network Connection	ThinkPlus 2-year P&L P/U Depot 45K5971
Audio support	High Definition (HD) Audio, Conexant® CX20582 codec / stereo speakers, 1 watt x 2/mono microphone, combo audio/mic jack	ThinkPlus 3-year P&L P/U Depot 45K5972
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole None	ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance
Fingerprint reader		agreements at
Limited warranty ¹²	² 1-year - depot repair service / service upgrades ²² available	lenovo.com/thinkplus/warranty

See footnotes for important warranty information US models announced January 5, 2010 US models withdrawn effective February 2011

ThinkPad® Edge 13" Accessories

Memory				Batteries ³⁷			
0196 with Intel processors:				ThinkPad Battery 73 (4-cell)	57Y4564		
1GB PC3-8500 DDR3 Low-Halogen SODIMN				ThinkPad Battery 73+ (6-cell)	57Y4565		
1GB PC3-8500 DDR3 L-H SODIMM (25-Pack				ThinkPad External Battery Charger ⁴⁴	40Y7625	ann	09/20/05
2GB PC3-8500 DDR3 Low-Halogen SODIMN				44 Requires the <i>ThinkPad 90W AC Adapter</i>			
2GB PC3-8500 DDR3 L-H SODIMM (25-Pack	55Y3709			40Y7659 or the adapter provided with the	system.		
1GB PC3-10600 DDR3 L-H SODIMM 1GB PC3-10600 DDR3 L-H SODIMM (25Pac				More information at www.lenovo.com/allda	ycomputir	ng	
2GB PC3-10600 DDR3 L-H SODIMM	55Y3710			ThinkPad 65W AC Adapter 45	40Y7696	ann	01/05/06
2GB PC3-10600 DDR3 L-H SODIMM (25Pac				45 Only compatible with the integrated graph			01/03/00
,	1,0014410	am	00/02/10	ThinkPad 90W AC Adapter	40Y7659		09/20/05
0197 with AMD processors:	40)/7704		04/05/00	Lenovo Power Hub	57Y4600		
1GB PC2-5300 DDR2 SODIMM	40Y7734			90W Ultraslim AC/DC Combo Adapter	41R4493		
1GB PC2-5300 DDR2 SODIMM (25-Pack)	51J0502			•			00,22,00
2GB PC2-5300 DDR2 SODIMM	40Y7735			More info at www.lenovo.com/support/pov	veradaptei	rs	
2GB PC2-5300 DDR2 SODIMM (25-Pack)	51J0548	ann	03/17/09	Charging tips for 90W Ultraslim AC/DC Com	bo Adapte	r 41R	4493
Storage and removable storage				 iPod and iPhone Charge Tip (L10a) 	41R4481	ann	12/18/07
USB 2.0 Portable 320GB Hard Disk	45K1689	ann	03/17/00	 Generic Micro USB charge tip (L18) 	41R4490	ann	01/06/09
USB 2.0 Portable 500GB Hard Disk	45K1690			More information at www.lenovopowertips	com		
USB 2.0 Portable Secure 320GB Hard Disk	43R2019			More information at www.ienovopowertips.	COIII		
eSATA/USB 2.0 Secure 500GB Hard Drive ⁵³	57Y4400			Carrying Cases			
USB 2.0 Portable DVD Burner	43N3264			ThinkPad 15W Case Sleeve	51J0477	ann	08/18/09
53 USB-only attach.		C	0 17 0 07 1 0	Lenovo Business Messenger Case			08/18/09
··· , -·······				Lenovo Messenger Max	41U5253		
ThinkPad Expansion				Lenovo Performance BackPack	41U5254		
Lenovo® Essential Notebook Stand	45J9292	ann	05/12/09	ThinkPad Business Topload Case	43R2476		
USB Port Replicator with Digital Video	45K1610			ThinkPad Business Backpack	43R2482		
3 ··· · · · · · · · · · · · · · · · · ·				ThinkPad Deluxe Expander Case	43R2478	ann	05/13/08
Keyboard				ThinkPad Executive Leather Case	43R2480	ann	05/13/08
TrackPoint Cap Collection	73P2698	ann	12/16/03	More information at www.lenovo.com/supp	ort/cases		
USB Numeric Keypad	33L3225			More information at www.ienovo.com/supp	oi veases		
Preferred Pro USB Keyboard	73P5220			Monitors			
Enhanced Performance USB Keyboard	73P2620		03/23/04	Lenovo L2230x Wide 21.5" Monitor	5453HB1	ann	06/10/10
Lenovo Mini Wireless Keyboard N5901 ⁵² (blk)				ThinkVision® L1711p 17" Monitor	5047HB2		
Ultraslim Wireless Keyboard and Mouse ⁵²	57Y4700			ThinkVision L1900p 19" Monitor	4431HE1		
52 Wireless via 2.4GHz technology using a m				ThinkVision L1951p Wide 19" Monitor	2448HB6		
ThinkPad USB Keyboard with TrackPoint	55Y9003			ThinkVision L2250p Wide 22" Monitor	2572HB6		
Lenovo USB Fingerprint Keyboard	73P4730			ThinkVision L2251p Wide 22" Monitor	2572HD6		
Lenovo USB Smartcard Keyboard	51J0155	ann	03/24/09	ThinkVision L2251x Wide 22" Monitor	2578HB6	ann	10/20/09
Mouse				ThinkVision L2321x Wide 23" Monitor	4014HB6	ann	06/10/10
Lenovo Optical Mouse (USB)	06P4069	ann	05/21/03	ThinkVision L2440p Wide 24" Monitor	4420HB2	ann	09/17/08
Lenovo Laser Mouse (USB)	41U3074						
ThinkPad USB Laser Mouse	57Y4635			Monitor Accessories ⁴⁶			
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405			Lenovo USB-to-DVI Monitor Adapter	45K5296		
ThinkPad Travel Mouse (USB, Optical)	31P7410			ThinkVision USB Soundbar	40Y7616		
ThinkPad Bluetooth Laser Mouse	41U5008			ThinkVision Soundbar	45K1263		
Lenovo Wireless Laser Mouse - Black ⁵²	45K1696			Kensington MicroSaver Cable Lock	73P2582		
Lenovo Wireless Laser Mouse - Red/Black ⁵²	51J0198			Kensington Twin Head Cable Lock	45K1620		
Lenovo Optical Mouse A6010 (black)	57Y6255			Lenovo Security Cable Lock	57Y4303		
Lenovo Mini Optical Mouse M20B	55Y2091			Lenovo Easy Reach Monitor Stand	55Y9258		
Lenovo Wireless Mouse N30B (black)	55Y9360			46 Compatible on selected Lenovo and Thin	KVISION MO	riitors	5.
` '				More information at www.lenovo.com/supp	ort/monite	oracc	essories
Security	700000		10/06/55	word information at www.ieiiovo.com/supp	- CI WIIIOIIII	Jiact	C33011C3
Kensington® MicroSaver® Cable Lock	73P2582	ann	12/29/03				
Kensington Twin Head Cable Lock	45K1620						
Lenovo Security Cable Lock	57Y4303						
USB Gemplus GemPC Smart Card Reader	41N3040	ann	02/21/06				
Multimedia				For more information on ThinkPad accessori	معمما عما	vicit·	
ThinkPad In-Ear Headphones	57Y4488	ann	01/07/10	www.lenovo.com/support/accessories	cs, picase	vioit.	
Lenovo Mini Speaker M220	55Y2033	ailli	01/0//10	www.lenovo.com/support/notebookacces	sories		
Lenovo Headphone P550	55Y2065			www.lenovo.com/support/security			
	55.2000			The state of the s			
Modem				Other accessories at www.lenovo.com/acc			
USB 2.0 Lenovo Modem	43R1814	ann	02/26/08	Accessories Guide pdf at www.lenovo.com/	accessorie	esgui	de
						-	