ThinkPad W540

Product Specifications Reference (PSREF)



Lenovo® ThinkPad W540



Lenovo ThinkPad W540



Lenovo ThinkPad W540



Lenovo ThinkPad W540



Lenovo ThinkPad W540

# ThinkPad W540 Platform Specifications

| Positioning  | Mobile workstation; two spindles   | Audio support  | HD Audio, Realtek® ALC3232 codec, Dolby® Home Theater® v4 /  |
|--|--|--|--|
| Processor  | 4th Generation Intel® Core™ i5 / i7 / i7 Extreme Processor   | <u> </u>   | stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack   |
|  | Processor Number Cores Threads Frequency Frequency Frequency Cache Speed Graphics    S-4200M   S-4200M   2   4   2.6 GHz   3.2 GHz   3.8 | WLAN <sup>4</sup>  | One of the following, configurable by model:  • ThinkPad 11b/g/n, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 card  • Intel Wireless-N 7260, 2x2, Wi-Fi + BT combo adapter, M.2 card  • Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT combo adapter, M.2 card  • Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT combo adapter, M.2 card  |
|  | 15-4330M   | WWAN (optional)  SIM card                                | One of the following, configurable by model (mutually exclusive with M.2 SSD):  • Wireless WAN upgradable  • Wireless WAN, Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/HSPA+/EVDO/GSM/GPRS/EDGE, GPS, M.2 card (US models)  • Wireless WAN, Ericsson® N5321, HSPA+ 21Mbps/GSM/GPRS/EDGE, GPS, M.2 card (WE models)  • Wireless WAN, Sierra Wireless EM7345, Intel 4G LTE/HSPA/GSM/GPRS/EDGE, GPS, M.2 card (WE models)  One of the following, configurable by model:      |
| Memory   | dual-core model: 16GB max <sup>7</sup> , two 204-pin SO-DIMM sockets quad-core model: 32GB max, four 204-pin SO-DIMM sockets, only 4+4, 8+8, 4+4+4+4, and 8+8+8 combinations supported   | (optional)   | <ul> <li>AT&amp;T® or Verizon® LTE (4G), contract required with service provider (US models)</li> <li>Lenovo SIM, out-of-box service, pay-as-you-go via credit card, no contract required (WE models)</li> <li>User selectable, contract required with service provider</li> </ul>   |
| Optical (optional)<br>Ultrabay   | All: PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable DVD burner, 9.5mm Ultrabay slim, removable One modular bay for removable devices (right side, cold swap), 9.5mm high, bottom access   | Bluetooth™<br>Ethernet<br>NFC                            | Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Intel Ethernet Connection I217-LM (Clarkville)  Optional: Near Field Communication   |
| Storage  | Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high  Some: Hard Disk Drive (HDD) / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™  All: removable, upgradable, supports the second disk, Shock Mounted  | Security Security chip vPro (optional) Fingerprint reade | Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant Intel vPro Technology r Optional: Fingerprint reader on the palm rest, swipe sensor  |
| M.2 SSD  | Some: M.2 Solid State Drive (SSD), via M.2 card slot, exclusive with WWAN card   | Limited warranty <sup>1</sup>                            | <sup>2</sup> One of the following, configurable by model:  |
| Widescreen<br>display  | Some: 15.6" (396mm) FHD (1920x1080), anti-glare, LED backlight, 300 nits, 16:9 aspect ratio, 500:1 contrast ratio  Some: 15.5" (394mm) 3K (2880x1620), anti-glare, LED backlight, 350 nits, 16:9 aspect ratio, 1000:1 contrast ratio, IPS  |  | <ul> <li>1-year depot repair service</li> <li>3-year/1-yr battery depot repair service</li> <li>3-year/1-yr battery limited onsite service<sup>24</sup></li> <li>3-year/1-yr battery limited onsite service, IWS (International Warranty Service<sup>17</sup>)</li> </ul>  |
| Multi-touch<br>Color calibration   | None  Optional: Pantone® color calibrator by X-Rite® color calibration sensor in palm rest,  LED indicator   | Preload  | Windows® 7 Professional 64 Some: Windows 8 / 8.1 64-bit Some: Windows 8 / 8.1 Pro 64-bit enovo Solution Center   |
|  | )HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus   |  | <ul> <li>Lenovo Solution Center</li> <li>ThinkVantage Product Recovery</li> <li>Lenovo Support</li> <li>Lenovo Companion</li> </ul>  |
| Graphics   | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4600 in processor, and NVIDIA Quadro® K1100M or K2100M, PCI Express® x16, 2GB memory, supports external analog monitor via VGA and digital monitor via Mini DisplayPort / Thunderbolt™; supports three independent displays; Max external resolution: 3840x2160@60Hz (DisplayPort via MiniDP cable); 3840x2160@60Hz (Thunderbolt); 1920x1200@60Hz (VGA)   |  | <ul> <li>Rescue and Recovery™</li> <li>ThinkVantage System Update</li> <li>Lenovo Cloud Storage by SugarSync</li> <li>PC Device Stage</li> <li>Adobe® Reader®</li> <li>Nitro Pro</li> <li>Evernote®</li> <li>ThinkVantage System Update</li> <li>Lenovo Reach (Windows 8.1 model)</li> <li>Hightail - Metro (Windows 8.1 model)</li> <li>Lenovo Cloud Storage by SugarSync - Metro (Windows 8 model)</li> <li>Lenovo Cloud Storage by SugarSync (Windows 8 model)</li> </ul> |
| Keyboard<br>UltraNav™<br>ThinkLight™   | 6-row, spill-resistant, multimedia Fn keys, numeric keypad, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch None   |  | <ul> <li>Skype™</li> <li>Microsoft® Office preloaded; purchase a product key to activate</li> <li>Norton™ Internet Security</li> <li>PC Device Stage</li> <li>AccuWeather</li> <li>Amazon Kindle</li> <li>Nitro Pro</li> </ul>   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery type Max battery life <sup>10</sup> AC adapter | 15.6W" (WxDxH): 14.83" x 9.77" x 1.10-1.16"; 376.6mm x 248.1mm x 27.9-29.5mm 6-cell: starting at 5.57 lb (2.53kg); 9-cell: starting at 5.95 lb (2.70kg) Glass-Fiber Reinforced Plastic Li-lon 6-cell (56Wh) or 9-cell (99.9Wh), HW Authentication 6-cell: up to 6.2 hr; 9-cell: up to 11.1 hr dual-core: 135-watt AC adapter; quad-core: 170-watt AC adapter   |  | <ul> <li>(30 days of virus definitions)</li> <li>Cyberlink PowerDVD (DVD±RW)</li> <li>Cyberlink PowerPcducer (DVD±RW)</li> <li>Cyberlink PowerProducer (DVD±RW)</li> <li>Norton Studio</li> <li>Microsoft Office preloaded; purchase a product key to activate</li> <li>Norton Internet Security</li> </ul>  |
| Chipset<br>ExpressCard<br>Smart card reade<br>Media reader<br>Ports  | Mobile Intel QM87 Express Chipset One slot (ExpressCard/34) rOptional: Smart card reader 4-in-1 reader (MMC, SD, SDHC, SDXC), supports UHS-II SD card Two USB 3.0, two USB 2.0 (one Always On), VGA, Mini DisplayPort / Thunderbolt, Ethernet (RJ-45), Dock connector  | Environment  | (30 days of virus definitions)  • Cyberlink PowerDVD(DVD±RW)  • Cyberlink Power2Go (DVD±RW)  • Cyberlink PowerProducer (DVD±RW)  For ISV certifications, please visit www.lenovo.com/support/ISV   |
|  |  | Environment  | EPEAT™ Gold; ENERGY STAR® 6.0; GREENGUARD®; RoHS-compliant   |

### ThinkPad W540 20BG (Optimus) - TopSeller

|            |                         |        |           |          |      |         |                 | WWAN  |      | Smart  |      | Backlit | Finger- |      | Color    | Bat-   | Power   |                | Base       |       | Ann   |
|------------|-------------------------|--------|-----------|----------|------|---------|-----------------|-------|------|--------|------|---------|---------|------|----------|--------|---------|----------------|------------|-------|-------|
|            |                         |        |           |          |      |         | WLAN &          | / M.2 | SIM  | card   | Cam- | key-    | print   |      | cali-    | tery a | adapter |                | warranty ( | Glob- | date  |
| Model      | Processor vPro Graphics | Memory | Display   | Storage  | RAID | Optical | Bluetooth       | SSD   | card | reader | era  | board   | reader  | NFC  | brator o | cells  | (watt)  | Preload        | (year)     | al    | (m/y) |
| 20BG003X++ | i7-4810MQ vPro K1100M   | 8GBx2  | 15.6" FHD | 1T 5400  | No   | DVD±RW  | 7260 a/b/g/n+BT | Upg   | None | Smart  | 720p | None    | Finger  | None | None     | 9      | 170W    | Win8.1 DG Win7 | 3-depot    | No    | 06/14 |
| 20BG003Y++ | i7-4710MQ No K1100M     | 8GBx1  | 15.6" FHD | 1T 5400  | No   | DVD±RW  | 7260 a/b/g/n+BT | Upg   | None | Smart  | 720p | None    | Finger  | None | None     | 9      | 170W    | Win8.1 DG Win7 | 3-depot    | No    | 06/14 |
| 20BG0040++ | i7-4810MQ vPro K1100M   | 8GBx1  | 15.6" FHD | 1T 5400  | No   | DVD±RW  | 7260 a/b/g/n+BT | Upg   | None | Smart  | 720p | None    | Finger  | None | None     | 9      | 170W    | Win8.1 DG Win7 | 3-depot    | No    | 06/14 |
| 20BG0041++ | i7-4810MQ vPro K1100M   | 8GBx2  | 15.6" FHD | 512G SSD | No   | DVD±RW  | 7260 a/b/g/n+BT | Upg   | None | Smart  | 720p | None    | Finger  | None | None     | 9      | 170W    | Win8.1 DG Win7 | 3-depot    | No    | 06/14 |

Country Code"++": AT (Austria), FR (France), GB (Germany w/ English OS), GE (Germany w/ German OS), IV (Israel), IW (Iceland), IX (Italy), MB (Belgium), MD (Denmark), MH (Netherlands), ML (Luxembourg), MN (Norway), MS (Sweden), MZ (Switzerland), NX (Netherlands), PG (Portugal), SP (Spain), UK (United Kingdom) Note: models listed above might not be available in all WE countries

#### • For detailed platform specifications, please see ThinkPad W540 Platform Specifications sheet

| Processor                      | 4th General                 | tion Intel® C  | Core™ i5 / i7 / i7                              | Extreme Processor  |                       |                                   | Dimensions <sup>3</sup>                         | 15.6W" (WxDxH): 14.83" x 9.77" x 1.10-1.16"; 376.6mm x 248.1mm x 27.9-29.5mm  |
|--------------------------------|-----------------------------|--|---|--|-----------------------|-----------------------------------|---|---|
|                                | Processor                   | # of Cores   | Base Frequency                                  | Max Turbo Frequency  | Cache                 | Memory Speed                      | Weight <sup>2</sup>                             | 6-cell: starting at 5.57 lb (2.53kg); 9-cell: starting at 5.95 lb (2.70kg)  |
|                                | i5-4200M                    |  | 2.5 GHz   | 3.1 GHz  | 3MB                   |                                   | Case material<br>Battery type                   | Glass-Fiber Reinforced Plastic Li-lon 6-cell (56Wh) or 9-cell (99.9Wh), HW Authentication   |
|                                | i5-4210M                    | 2  | 2.6 GHz   | 3.2 GHz  | 3MB                   |                                   | Max battery life <sup>10</sup>                  | 6-cell: up to 6.2 hr; 9-cell: up to 11.1 hr   |
|                                | i5-4330M                    |  | 2.8 GHz   | 3.5 GHz  | 3MB                   |                                   | AC adapter                                      | dual-core: 135-watt AC adapter; quad-core: 170-watt AC adapter  |
|                                | i7-4600M                    |  | 2.9 GHz   | 3.6 GHz  | 4MB                   |                                   | Audio support                                   | HD Audio, Realtek® ALC3232 codec, Dolby® Home Theater® v4 /   |
|                                | i7-4700MQ                   |  | 2.4 GHz   | 3.4 GHz  | 6MB                   |                                   | / ladio support                                 | stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack  |
|                                | i7-4710MQ                   |  | 2.5 GHz   | 3.5 GHz  | 6MB                   | DDR3L-1600                        | Chipset   | Mobile Intel QM87 Express Chipset   |
|                                | i7-4800MQ                   |  | 2.7 GHz   | 3.7 GHz  | 6MB                   |                                   | ExpressCard                                     | One slot (ExpressCard/34)   |
|                                | i7-4810MQ                   | 4  | 2.8 GHz   | 3.8 GHz  | 6MB                   |                                   |   | er Optional: Smart card reader  |
|                                | i7-4900MQ                   |  | 2.8 GHz   | 3.8 GHz  | 8MB                   |                                   | Media reader                                    | 4-in-1 reader (MMC, SD, SDHC, SDXC), supports UHS-II SD card  |
|                                | i7-4910MQ                   |  | 2.9 GHz   | 3.9 GHz  | 8MB                   |                                   | Ports   | Two USB 3.0, two USB 2.0 (one Always On), VGA, Mini DisplayPort / Thunderbolt, Ethernet (RJ-45), Dock connector   |
|                                | i7-4930MX                   |  | 3 GHz   | 3.9 GHz  | 8MB                   |                                   | WLAN <sup>4</sup>                               |   |
| Memory                         | quad-core r                 | <i>nodel:</i> 32G<br>only  | B max, four 204<br>4+4, 8+8, 4+4+               | -pin SO-DIMM socke<br>-pin SO-DIMM socke<br>4+4, and 8+8+8+8 | ts,<br>ombinati       |                                   | WLAIN   | 11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card |
| Optical (optional)             | All:                        |  | trabay slim, rem                                | z DDR3L, non-parity  | , duai-ci             | iannei capable                    | WWAN (optional)                                 | Upg: Wireless WAN upgradable  |
| Ultrabay '                     | One modula                  | ar bay for re  | emováble device                                 | s (right side, cold sw                                       | ap), 9.5ı             | nm high                           |   | EM7345: Sierra Wireless EM7345, Intel 4G LTE/HSPA/GSM/GPRS/EDGE, GPS N5321: Ericsson® N5321, HSPA+ 21Mbps/GSM/GPRS/EDGE, GPS  |
| Storage M.2 SSD (opt)          | Some: HDI                   | ) / SATA 6.  |   | , 7mm nign<br>-, 7mm or 9.5mm hig<br>ard slot, exclusive wi  |                       | N card                            | SIM card (opt)                                  | Lenovo: Lenovo SIM, out-of-box service, pay-as-you-go, no contract required Select: User selectable, contract required with service provider  |
| Widescreen display Multi-touch |                             |  |   | 80), 300 nits, 500:1 co                                      |                       |                                   | Bluetooth™<br>Ethernet<br>NFC <i>(optional)</i> | Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Intel Ethernet Connection I217-LM (Clarkville) Near Field Communication   |
| Color calibration              | Optional: Pa<br>)HD720p res | antone® col<br>solution, wi  | or calibrator by $\lambda$<br>de view angle, lo | K-Rite® color calibration light sensitive, fac               | on sense<br>e trackin | or in palm rest<br>g, fixed focus | Security<br>Security chip                       | Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant   |
| Graphics                       | integrated c                | raphics, In  | tel HD Graphic                                  | witch between discre   | and                   |                                   |   | Intel vPro Technology r Optional: Fingerprint reader on the palm rest, swipe sensor   |
| -                              | NVIDIA Qua                  | adro® K110   | 00M or <b>K2100M</b> ,                          | PCI Express® x16, 2  | <b>GB</b> me          | mory                              | Preload   | Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled   |
| Keyboard<br>UltraNav™          | TrackPoint®                 | spill-resistant, multimedia Fn keys, numeric keypad, optional LED ba<br>oint® pointing device and Mylar surface touchpad,<br>ted five buttons, multi-touch |   |  |                       |                                   |   | through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 P64: Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit Windows 8 / 8.1 Pro 64-bit  |
| ThinkLight™                    | None                        |  |   |  |                       |                                   | Limited warranty <sup>13</sup>                  | <sup>2</sup> 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite  |

See footnotes for more detailed information (G-KM1W-1) ⊚ Lenovo

## ThinkPad W540 20BG (Optimus) - TopSeller (Onsite)

|            |                             |                 |                |      |         | WLAN &     | wwan /  | SIM    | Smart |      |         | Finger-<br>print |        |        |   | Power adapte |                | Base warranty |      | Ann   |
|------------|-----------------------------|-----------------|----------------|------|---------|------------|---------|--------|-------|------|---------|------------------|--------|--------|---|--------------|----------------|---------------|------|-------|
| Model      | Processor vPro GraphicsMem  | ory Display     | Storage        | RAID | Optical |            | M.2 SSD |        |       |      |         |                  |        |        |   |              |                | (year)        |      | (m/y) |
| 20BG0045++ | i7-4710MQ No K1100M 4GE     | 8x1 15.6" FHD   | 256G SSD eDriv | e No | DVD±RW  | 7260 ac+BT | Upg     | None   | Smart | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8.1 DG Win7 | 3-onsite      | No ( | J6/14 |
| 20BG0046++ | i7-4710MQ No K1100M 4GE     | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | Smart | 720p | Backlit | Finger           | None 1 | None   | 9 | 170W         | Win8.1 DG Win7 | 3-onsite      | No ( | J6/14 |
| 20BG0047++ | i5-4210M No K1100M 4GE      | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | None  | 720p | Backlit | Finger           | None 1 | None   | 9 | 135W         | Win8.1 DG Win7 | 3-onsite      | No ( | J6/14 |
| 20BG001E++ | i7-4700MQ No K1100M 4GE     | 8x1 15.6" FHD   | 256G SSD eDriv | e No | DVD±RW  | 7260 ac+BT | Upg     | None   | Smart | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG001H++ | i5-4200M No K1100M 4GE      | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | None  | 720p | Backlit | Finger           | None 1 | None   | 9 | 135W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG001K++ | i7-4700MQ No K1100M 4GE     | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | Smart | 720p | Backlit | Finger           | None 1 | None   | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG001T++ | i5-4330M vPro K1100M 8GI    | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | None  | 720p | Backlit | Finger           | None 1 | None   | 9 | 135W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG002W++ | +i7-4700MQ No K1100M 4GE    | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | EM7345  | Select | Smart | 720p | Backlit | Finger           | None 1 | Vone   | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No ( | J1/14 |
| 20BG0032++ | i7-4700MQ No K1100M 4GE     | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | EM7345  | Select | Smart | None | Backlit | Finger           | None 1 | None   | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No ( | )3/14 |
| 20BG0042++ | i7-4910MQ vPro K2100M 8GB   | 8x1 15.5" 3K IF | S 512G SSD     | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | Smart | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8.1 DG Win7 | 3-onsite      | No ( | J6/14 |
| 20BG0044++ | i7-4810MQ vPro K2100M 8GB   | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | Smart | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8.1 DG Win7 | 3-onsite      | No ( | J6/14 |
| 20BG001B++ | i7-4800MQ vPro K2100M 8GI   | 8x1 15.6" FHD   | 500G 7200      | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | None  | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG001C++ | - i7-4900MQ vPro K2100M 8GI | 3x1 15.5" 3K IF | S 512G SSD     | No   | DVD±RW  | 7260 ac+BT | Upg     | None   | None  | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG001S++ | i7-4930MX vPro K2100M 8GI   | 3x2 15.5" 3K IF | S 2x512G SSD   | 0    | None    | 7260 ac+BT | N5321   | Select | Smart | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No 1 | 11/13 |
| 20BG002V++ | i7-4900MQ vPro K2100M 8GI   | 3x1 15.5" 3K IF | S 512G SSD     | No   | DVD±RW  | 7260 ac+BT | EM7345  | Select | None  | 720p | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No ( | 01/14 |
| 20BG0031++ | i7-4900MQ vPro K2100M 8GE   | 8x1 15.5" 3K IF | S 512G SSD     | No   | DVD±RW  | 7260 ac+BT | EM7345  | Select | None  | None | Backlit | Finger           | None X | (-Rite | 9 | 170W         | Win8 DG Win7   | 3-onsite      | No ( | ე3/14 |

|   | 411 0                            |  | THE / 12 / 12                                   | · · · · ·   |                       |                                   | lp: : 2   | 45 OM (AL D. I.) 44 ON 10 THE 44 ON 10 THE  |
|---|----------------------------------|--|---|---|-----------------------|-----------------------------------|---|---|
| Processor                                 |                                  |  |   | Extreme Processor   |                       |                                   | Dimensions <sup>3</sup><br>Weight <sup>2</sup>  | 15.6W" (WxDxH): 14.83" x 9.77" x 1.10-1.16"; 376.6mm x 248.1mm x 27.9-29.5mm  |
|   | Processor                        | # of Cores   |   | Max Turbo Frequency   | Cache                 | Memory Speed                      | Case material                                   | 6-cell: starting at 5.57 lb (2.53kg); 9-cell: starting at 5.95 lb (2.70kg) Glass-Fiber Reinforced Plastic   |
|   | i5-4200M                         |  | 2.5 GHz   | 3.1 GHz   | 3MB                   |                                   | Battery type                                    | Li-lon 6-cell (56Wh) or 9-cell (99.9Wh), HW Authentication  |
|   | i5-4210M                         | 2  | 2.6 GHz   | 3.2 GHz   | 3MB                   |                                   | Max battery life <sup>10</sup>                  | 6-cell: up to 6.2 hr; 9-cell: up to 11.1 hr   |
|   | i5-4330M                         |  | 2.8 GHz   | 3.5 GHz   | 3MB                   |                                   | AC adapter                                      | dual-core: 135-watt AC adapter; quad-core: 170-watt AC adapter  |
|   | i7-4600M                         |  | 2.9 GHz   | 3.6 GHz   | 4MB                   |                                   | Audio support                                   | HD Audio, Realtek® ALC3232 codec, Dolby® Home Theater® v4 /   |
|   | i7-4700MQ                        |  | 2.4 GHz   | 3.4 GHz   | 6MB                   |                                   |   | stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack  |
|   | i7-4710MQ                        |  | 2.5 GHz   | 3.5 GHz   | 6MB                   | DDR3L-1600                        | Chipset   | Mobile Intel QM87 Express Chipset   |
|   | i7-4800MQ                        |  | 2.7 GHz   | 3.7 GHz   | 6MB                   |                                   | ExpressCard                                     | One slot (ExpressCard/34)   |
|   | i7-4810MQ                        | 4  | 2.8 GHz   | 3.8 GHz   | 6MB                   |                                   |   | er Optional: Smart card reader  |
|   | i7-4900MQ                        |  | 2.8 GHz   | 3.8 GHz   | 8MB                   |                                   | Media reader<br>Ports                           | 4-in-1 reader (MMC, SD, SDHC, SDXC), supports UHS-II SD card<br>Two USB 3.0, two USB 2.0 (one Always On),   |
|   | i7-4910MQ                        |  | 2.9 GHz   | 3.9 GHz   | 8MB                   |                                   | PORS  | VGA, Mini DisplayPort / Thunderbolt, Ethernet (RJ-45), Dock connector   |
|   | i7-4930MX                        |  | 3 GHz   | 3.9 GHz   | 8MB                   |                                   | WLAN <sup>4</sup>                               | 11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card   |
| Memory                                    |                                  | <i>nodel:</i> 32Gl<br>only   | B max, four 204<br>4+4, 8+8, 4+4+               | -pin SO-DIMM socke<br>pin SO-DIMM socke<br>I+4, and 8+8+8+8 co<br>z DDR3L, non-parity   | ts,<br>ombinati       |                                   | VLAN  | 7260 a/b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card |
| Optical (optional)<br>Ultrabay<br>Storage | DVD burner                       | , 9.5mm Ul   | trabay slim, rem                                | ovable<br>s (right side, cold sw  | -                     |                                   | WWAN (optional)                                 | <ul> <li>Upg: Wireless WAN upgradable</li> <li>EM7345: Sierra Wireless EM7345, Intel 4G LTE/HSPA/GSM/GPRS/EDGE, GPS</li> <li>N5321: Ericsson® N5321, HSPA+ 21Mbps/GSM/GPRS/EDGE, GPS</li> </ul>                       |
| M.2 SSD (opt)                             | Some: HDI                        | ) / SATA 6.0   | OGb/s, 2.5" wide                                | , 7mm or 9.5mm high<br>ard slot, exclusive wi   | h, APS<br>th WWA      | N card                            | SIM card (opt)                                  | Lenovo: Lenovo SIM, out-of-box service, pay-as-you-go, no contract required Select: User selectable, contract required with service provider  |
| Widescreen<br>display<br>Multi-touch      | Some: 15.5<br>Some: 15.5<br>None | 5" (396mm)<br>5" (394mm)   | FHD (1920x108<br>3K (2880x1620                  | 30), 300 nits, 500:1 c<br>), 350 nits, 1000:1 c   | ontrast ontrast r     | ratio<br>atio, IPS                | Bluetooth™<br>Ethernet<br>NFC <i>(optional)</i> | Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Intel Ethernet Connection I217-LM (Clarkville) Near Field Communication   |
| Color calibration<br>Camera (optional     | Optional: Pa<br>HD720p res       | antone® colo<br>solution, wid  | or calibrator by $\lambda$<br>de view angle, lo | C-Rite® color calibration with the sensitive, factorial | on sense<br>e trackin | or in palm rest<br>g, fixed focus | Security<br>Security chip                       | Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant   |
| Graphics                                  | integrated c                     | raphics. Int   | tel HD Graphics                                 | vitch between discre <b>4600</b> in processor,  | and                   |                                   | I— <u> </u>                                     | Intel vPro Technology<br>r <i>Optional:</i> Fingerprint reader on the palm rest, swipe sensor   |
|   | NVIDIA Qua                       | adro® K110   | 00M or K2100M,                                  | PCI Express® x16, 2   | GB me                 | mory                              | Preload   | Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled   |
| Keyboard<br>UltraNav™                     | TrackPoint®                      | IDIA Quadro® K1100M or K2100M, PCI Express® x16, 2GB memory ow, spill-resistant, multimedia Fn keys, numeric keypad, optional LED ckPoint® pointing device and Mylar surface touchpad, egrated five buttons, multi-touch |   |   |                       | LED backlight                     |   | through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 P64: Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit Windows 8 / 8.1 Pro 64-bit  |
| ThinkLight™                               | None                             |  |   |   |                       |                                   | Limited warranty <sup>13</sup>                  | <sup>2</sup> 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite  |
|   |                                  |  |   | ·   |                       |                                   |   |   |

### ThinkPad W540 20BG (Optimus) - TopSeller (Onsite) - II

|            |             |                      |           |                               |      |         |            | wwan/   |        | Smart  | Cam- |         | print    |        | Color E  | ery ad  | apter |                | Base warranty | Glob- | Ann<br>date |
|------------|-------------|----------------------|-----------|-------------------------------|------|---------|------------|---------|--------|--------|------|---------|----------|--------|----------|---------|-------|----------------|---------------|-------|-------------|
| Model      | Processor   | vPro Graphics Memory | Display   | Storage                       | RAID | Optical | Bluetooth  | M.2 SSD | card   | reader | era  | board   | reader   | NFC I  | brator c | ells (v | vatt) | Preload        | (year)        | al    | (m/y)       |
| 20BG001U++ | - i7-4600M  | vPro K1100M 8GBx1    | 15.6" FHD | 256G SSD eDriv<br>+ 500G 7200 | e No | None    | 7260 ac+BT | N5321   | Select | None   | 720p | Backlit | Finger I | None 2 | X-Rite   | 9 1     | 35W   | Win8 DG Win7   | 3-onsite      | No ·  | 11/13       |
| 20BG0043++ | i7-4810MC   | vPro K2100M 8GBx1    | 15.6" FHD | 256G SSD eDriv<br>+ 1T 5400   | e No | None    | 7260 ac+BT | Upg     | None   | Smart  | 720p | Backlit | Finger I | None 2 | X-Rite   | 9 1     | 70W   | Win8.1 DG Win7 | 3-onsite      | No (  | 06/14       |
| 20BG001D++ | - i7-4800MC | vPro K2100M 8GBx1    | 15.6" FHD | 256G SSD eDriv<br>+ 1T 5400   | e No | None    | 7260 ac+BT | Upg     | None   | None   | 720p | Backlit | Finger I | None 2 | X-Rite   | 9 1     | 70W   | Win8 DG Win7   | 3-onsite      | No ·  | 11/13       |

Country Code"++": AT (Austria), FR (France), GB (Germany w/ English OS), GE (Germany w/ German OS), IV (Israel), IW (Iceland), IX (Italy), MB (Belgium), MD (Denmark), MH (Netherlands), ML (Luxembourg), MN (Norway), MS (Sweden), MZ (Switzerland), NX (Netherlands), PG (Portugal), SP (Spain), UK (United Kingdom) Note: models listed above might not be available in all WE countries

| Processor                             | 4th Genera                  | tion Intel® C                 | Core™ i5 / i7 / i7                              | Extreme Processor  |                       |                                   | Dimensions <sup>3</sup>                         | 15.6W" (WxDxH): 14.83" x 9.77" x 1.10-1.16"; 376.6mm x 248.1mm x 27.9-29.5mm  |
|---------------------------------------|-----------------------------|-------------------------------|---|--|-----------------------|-----------------------------------|---|---|
|                                       | Processor                   | # of Cores                    | Base Frequency                                  | Max Turbo Frequency  | Cache                 | Memory Speed                      | Weight <sup>2</sup>                             | 6-cell: starting at 5.57 lb (2.53kg); 9-cell: starting at 5.95 lb (2.70kg)  |
|                                       | i5-4200M                    |                               | 2.5 GHz   | 3.1 GHz  | 3MB                   |                                   | Case material<br>Battery type                   | Glass-Fiber Reinforced Plastic Li-lon 6-cell (56Wh) or 9-cell (99.9Wh), HW Authentication   |
|                                       | i5-4210M                    | 2                             | 2.6 GHz   | 3.2 GHz  | 3MB                   |                                   | Max battery life <sup>10</sup>                  | 6-cell: up to 6.2 hr; 9-cell: up to 11.1 hr   |
|                                       | i5-4330M                    |                               | 2.8 GHz   | 3.5 GHz  | 3MB                   |                                   | AC adapter                                      | dual-core: 135-watt AC adapter; quad-core: 170-watt AC adapter  |
|                                       | i7-4600M                    |                               | 2.9 GHz   | 3.6 GHz  | 4MB                   |                                   | Audio support                                   | HD Audio, Realtek® ALC3232 codec, Dolby® Home Theater® v4 /   |
|                                       | i7-4700MQ                   | ]                             | 2.4 GHz   | 3.4 GHz  | 6MB                   |                                   | / laare capper                                  | stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack  |
|                                       | i7-4710MQ                   |                               | 2.5 GHz   | 3.5 GHz  | 6MB                   | DDR3L-1600                        | Chipset   | Mobile Intel QM87 Express Chipset   |
|                                       | i7-4800MQ                   |                               | 2.7 GHz   | 3.7 GHz  | 6MB                   |                                   | ExpressCard                                     | One slot (ExpressCard/34)   |
|                                       | i7-4810MQ                   | 4                             | 2.8 GHz   | 3.8 GHz  | 6MB                   |                                   |   | rOptional: Smart card reader  |
|                                       | i7-4900MQ                   |                               | 2.8 GHz   | 3.8 GHz  | 8MB                   |                                   | Media reader                                    | 4-in-1 reader (MMC, SD, SDHC, SDXC), supports UHS-II SD card  |
|                                       | i7-4910MQ                   |                               | 2.9 GHz   | 3.9 GHz  | 8MB                   |                                   | Ports   | Two USB 3.0, two USB 2.0 (one Always On), VGA, Mini DisplayPort / Thunderbolt, Ethernet (RJ-45), Dock connector   |
|                                       | i7-4930MX                   |                               | 3 GHz   | 3.9 GHz  | 8MB                   |                                   | WLAN <sup>4</sup>                               | ,   |
| Memory                                |                             | model: 32G<br>only            | B max, four 204<br>4+4, 8+8, 4+4+               | -pin SO-DIMM socke<br>pin SO-DIMM socke<br>1+4, and 8+8+8+8  | ts,<br>ombinati       |                                   | TVLAIN'   | 11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card |
| Optical (optional)<br>Ultrabay        | DVD burner                  | r, 9.5mm Ul                   | trabay slim, rem                                | z DDR3L, non-parity<br>ovable<br>s (right side, cold swa   | ,                     |                                   | WWAN (optional)                                 | Upg: Wireless WAN upgradable EM7345: Sierra Wireless EM7345, Intel 4G LTE/HSPA/GSM/GPRS/EDGE, GPS N5321: Ericsson® N5321, HSPA+ 21Mbps/GSM/GPRS/EDGE, GPS   |
| Storage M.2 SSD (opt)                 | Some: HDI                   | D / SATA 6.0                  |   | , 7mm high<br>, 7mm or 9.5mm higl<br>ard slot, exclusive wit   |                       | N card                            | SIM card (opt)                                  | Lenovo: Lenovo SIM, out-of-box service, pay-as-you-go, no contract required Select: User selectable, contract required with service provider  |
| Widescreen display Multi-touch        |                             |                               |   | 30), 300 nits, 500:1 co), 350 nits, 1000:1 co  |                       |                                   | Bluetooth™<br>Ethernet<br>NFC <i>(optional)</i> | Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Intel Ethernet Connection I217-LM (Clarkville) Near Field Communication   |
| Color calibration<br>Camera (optional | Optional: Pa<br>)HD720p res | antone® colo<br>solution, wid | or calibrator by $\lambda$<br>de view angle, lo | K-Rite® color calibration with the cali | on sense<br>e trackin | or in palm rest<br>g, fixed focus | Security<br>Security chip                       | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant  |
| Graphics                              | integrated of               | raphics, In                   | tel HD Graphics                                 | witch between discress 4600 in processor,  | and                   |                                   |   | Intel vPro Technology r Optional: Fingerprint reader on the palm rest, swipe sensor   |
|                                       | NVIDIA Qua                  | adro® K110                    | 00M or K2100M,                                  | PCI Express® x16, 2  | <b>GB</b> me          | mory                              | Preload   | Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled   |
| Keyboard<br>UltraNav™                 |                             | pointing de                   | vice and Mylar                                  | ys, numeric keypad, o<br>surface touchpad,   | optional              | LED backlight                     |   | through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 P64: Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit Windows 8 / 8.1 Pro 64-bit  |
| ThinkLight™                           | None                        |                               |   |  |                       |                                   | Limited warranty <sup>13</sup>                  | <sup>2</sup> 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite  |

## ThinkPad W540 20BH (Optimus) - Windows 8

|            |           |            |       |         |       |        |                 |      |         | 14/1 4 1 1 0     | WWAN |      | Smart |      |               | Finger- |      |        |   | Power             |          | Base    | Ann                    |
|------------|-----------|------------|-------|---------|-------|--------|-----------------|------|---------|------------------|------|------|-------|------|---------------|---------|------|--------|---|-------------------|----------|---------|------------------------|
| Model      | Processor | vPro Grapi | ics N | /lemory | Dis   | splay  | Storage         | RAID | Optical | WLAN & Bluetooth |      |      |       |      | key-<br>board |         | NFC  |        |   | adapter<br>(watt) | Preload  |         | Glob- date<br>al (m/y) |
| 20BH002C++ | i7-4800MQ | vPro K110  | OM 4  | 4GBx2   | 15.6" | FHD    | 180G SSD Opal   | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH002D++ | i7-4800MQ | vPro K110  | 0M 4  | 4GBx2   | 15.5" | 3K IPS | 256G SSD eDrive | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH002F++ | i7-4800MQ | vPro K110  | OM 4  | 4GBx2   | 15.6" | FHD    | 500G 7200       | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH002H++ | i7-4800MQ | vPro K110  | OM 4  | 4GBx2   | 15.6" | FHD    | 256G SSD eDrive | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH002R++ | i7-4800MQ | vPro K110  | OM 8  | 8GBx1   | 15.6" | FHD    | 240G SSD Opal   | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH002T++ | i7-4800MQ | vPro K110  | OM 8  | 8GBx1   | 15.5" | 3K IPS | 240G SSD Opal   | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH004M++ | i7-4800MQ | vPro K110  | OM 4  | 4GBx2   | 15.6" | FHD    | 180G SSD Opal   | No   | DVD±RW  | 7260 a/b/g/n+BT  | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 04/14              |
| 20BH004N++ | i7-4800MQ | vPro K110  | OM 4  | 4GBx2   | 15.6" | FHD    | 500G 7200       | No   | DVD±RW  | 7260 a/b/g/n+BT  | Upg  | None | None  | 720p | None          | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 04/14              |
| 20BH004Q++ | i7-4800MQ | vPro K110  | OM 4  | 4GBx2   | 15.6" | FHD    | 128G SSD        | No   | DVD±RW  | 7260 a/b/g/n+BT  | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 04/14              |
| 20BH002K++ | i7-4800MQ | vPro K210  | OM 4  | 4GBx2   | 15.6" | FHD    | 256G SSD eDrive | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | None   | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH002P++ | i7-4800MQ | vPro K210  | OM 4  | 4GBx2   | 15.5" | 3K IPS | 512G SSD        | No   | DVD±RW  | 7260 ac+BT       | Upg  | None | None  | 720p | Backlit       | Finger  | None | X-Rite | 9 | 170W              | Win8 P64 | 3-depot | Yes 11/13              |
| 20BH004P++ | i7-4800MQ | vPro K210  | OM 4  | 4GBx2   | 15.5" | 3K IPS | 512G SSD        | No   | DVD±RW  | 7260 a/b/g/n+BT  | Upg  | None | None  | 720p | Backlit       | Finger  | None | X-Rite | 9 | 170W              | Win8 P64 | 3-depot | Yes 04/14              |
| 20BH004R++ | i7-4900MQ | vPro K210  | OM 8  | 8GBx1   | 15.5" | 3K IPS | 512G SSD        | No   | DVD±RW  | 7260 a/b/g/n+BT  | Upg  | None | None  | 720p | Backlit       | Finger  | NFC  | X-Rite | 9 | 170W              | Win8 P64 | 3-depot | Yes 04/14              |

Country Code"++": AT (Austria), FR (France), GB (Germany w/ English OS), GE (Germany w/ German OS), IV (Israel), IW (Iceland), IX (Italy), MB (Belgium), MD (Denmark), MH (Netherlands), ML (Luxembourg), MN (Norway), MS (Sweden), MZ (Switzerland), NX (Netherlands), PG (Portugal), SP (Spain), UK (United Kingdom) Note: models listed above might not be available in all WE countries

| Processor                      | 4th Genera    | tion Intel® C       | ore™ i5 / i7 / i7                 | Extreme Processor  |                |                | Dimensions <sup>3</sup>                         | 15.6W" (WxDxH): 14.83" x 9.77" x 1.10-1.16"; 376.6mm x 248.1mm x 27.9-29.5mm  |
|--------------------------------|---------------|---------------------|-----------------------------------|--|----------------|----------------|---|---|
|                                | Processor     | # of Cores          | Base Frequency                    | Max Turbo Frequency  | Cache          | Memory Speed   | Weight <sup>2</sup>                             | 6-cell: starting at 5.57 lb (2.53kg); 9-cell: starting at 5.95 lb (2.70kg)  |
|                                | i5-4200M      |                     | 2.5 GHz                           | 3.1 GHz  | 3MB            |                | Case material<br>Battery type                   | Glass-Fiber Reinforced Plastic Li-lon 6-cell (56Wh) or 9-cell (99.9Wh), HW Authentication   |
|                                | i5-4210M      | 2                   | 2.6 GHz                           | 3.2 GHz  | 3MB            |                | Max battery life <sup>10</sup>                  | 6-cell: up to 6.2 hr; 9-cell: up to 11.1 hr   |
|                                | i5-4330M      |                     | 2.8 GHz                           | 3.5 GHz  | 3MB            |                | AC adapter                                      | dual-core: 135-watt AC adapter; quad-core: 170-watt AC adapter  |
|                                | i7-4600M      |                     | 2.9 GHz                           | 3.6 GHz  | 4MB            |                | Audio support                                   | HD Audio, Realtek® ALC3232 codec, Dolby® Home Theater® v4 /   |
|                                | i7-4700MQ     | ]                   | 2.4 GHz                           | 3.4 GHz  | 6MB            |                | / laare capper                                  | stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack  |
|                                | i7-4710MQ     |                     | 2.5 GHz                           | 3.5 GHz  | 6MB            | DDR3L-1600     | Chipset   | Mobile Intel QM87 Express Chipset   |
|                                | i7-4800MQ     |                     | 2.7 GHz                           | 3.7 GHz  | 6MB            |                | ExpressCard                                     | One slot (ExpressCard/34)   |
|                                | i7-4810MQ     | 4                   | 2.8 GHz                           | 3.8 GHz  | 6MB            |                |   | rOptional: Smart card reader  |
|                                | i7-4900MQ     | _                   | 2.8 GHz                           | 3.8 GHz  | 8MB            |                | Media reader<br>Ports                           | 4-in-1 reader (MMC, SD, SDHC, SDXC), supports UHS-II SD card<br>Two USB 3.0, two USB 2.0 (one Always On),   |
|                                | i7-4910MQ     |                     | 2.9 GHz                           | 3.9 GHz  | 8MB            |                | FOILS   | VGA, Mini DisplayPort / Thunderbolt, Ethernet (RJ-45), Dock connector   |
|                                | i7-4930MX     |                     | 3 GHz                             | 3.9 GHz  | 8MB            |                | WLAN <sup>4</sup>                               | 11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card   |
| Memory                         | quad-core i   | model: 32G<br>only  | B max, four 204<br>4+4, 8+8, 4+4+ | -pin SO-DIMM socke<br>pin SO-DIMM socke<br>1+4, and 8+8+8+8 co   | ts,<br>mbinati |                | VVEAIN  | 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card |
|                                | All:          |                     |                                   | z DDR3L, non-parity,   | , duai-cr      | nannei capable | WWAN (optional)                                 | Upg: Wireless WAN upgradable  |
| Optical (optional) Ultrabay    | One modula    | ar bay for re       |                                   | s (right side, cold swa  | ap), 9.5ı      | mm high        | (*)   | EM7345: Sierra Wireless EM7345, Intel 4G LTE/HSPA/GSM/GPRS/EDGE, GPS N5321: Ericsson® N5321, HSPA+ 21Mbps/GSM/GPRS/EDGE, GPS  |
| Storage M.2 SSD (opt)          | Some: HDI     | D / SATA 6.0        |                                   | , 7mm nigh<br>, 7mm or 9.5mm high<br>ard slot, exclusive wit   |                | N card         | SIM card (opt)                                  | Lenovo: Lenovo SIM, out-of-box service, pay-as-you-go, no contract required  Select: User selectable, contract required with service provider   |
| Widescreen display Multi-touch | Some: 15.6    | <b>6"</b> (396mm)   | FHD (1920x10                      | <b>30)</b> , 300 nits, 500:1 co), 350 nits, 1000:1 co  | ontrast        | ratio          | Bluetooth™<br>Ethernet<br>NFC <i>(optional)</i> | Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Intel Ethernet Connection I217-LM (Clarkville) Near Field Communication   |
| Color calibration              |               |                     |                                   | K-Rite® color calibration with the calibratio |                |                | Security<br>Security chip                       | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant  |
| Graphics                       | integrated of | graphics, <b>In</b> | tel HD Graphics                   | witch between discrete 4600 in processor,  | and            |                |   | Intel vPro Technology<br>r <i>Optional:</i> Fingerprint reader on the palm rest, swipe sensor   |
|                                | NVIDIA Qua    | adro® K110          | 00M or K2100M,                    | PCI Express® x16, 2  | GB me          | mory           | Preload   | Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled   |
| Keyboard<br>UltraNav™          |               | pointing de         | vice and Mylar                    | ys, numeric keypad, o<br>surface touchpad,   | optional       | LED backlight  |   | through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 P64: Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit Windows 8 / 8.1 Pro 64-bit  |
| ThinkLight™                    | None          |                     |                                   |  |                |                | Limited warranty <sup>13</sup>                  | <sup>2</sup> 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite  |

# ThinkPad W540 20BH (Optimus) - Onsite (Windows 8)

|            |           |            |         |      |              |                 |      |           |            | WWAN |      | Smart  |      | Backlit |        |      |        |       | Power   |          | Base     | Ann        |
|------------|-----------|------------|---------|------|--------------|-----------------|------|-----------|------------|------|------|--------|------|---------|--------|------|--------|-------|---------|----------|----------|------------|
|            |           |            |         |      |              |                 |      |           | WLAN &     |      |      |        |      |         |        |      |        |       | adapter |          | warranty | Glob- date |
| Model      | Processor | vPro Graph | ics Mei | mory | Display      | Storage         | RAIL | D Optical | Bluetooth  | SSD  | card | reader | era  | board   | reader | NFC  | brator | cells | (watt)  | Preload  | (year)   | al (m/y)   |
| 20BH002E++ | i7-4800MQ | vPro K110  | )M 4G   | Bx2  | 15.6" FHD    | 2x500G 7200     | 0    | None      | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002J++ | i7-4800MQ | vPro K110  | )M 4G   | Bx2  | 15.5" 3K IPS | 256G SSD eDrive | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002M++ | i7-4800MQ | vPro K110  | )M 4G   | Bx2  | 15.6" FHD    | 256G SSD eDrive | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002N++ | i7-4800MQ | vPro K110  | )M 4G   | Bx2  | 15.6" FHD    | 500G 7200       | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002Q++ | i7-4800MQ | vPro K110  | )M 4G   | Bx2  | 15.6" FHD    | 180G SSD Opal   | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002S++ | i7-4800MQ | vPro K110  | )M 8G   | Bx1  | 15.6" FHD    | 240G SSD Opal   | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002U++ | i7-4800MQ | vPro K110  | )M 8G   | Bx1  | 15.5" 3K IPS | 240G SSD Opal   | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002G++ | i7-4800MQ | vPro K210  | )M 4G   | Bx2  | 15.6" FHD    | 256G SSD eDrive | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | None   | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |
| 20BH002L++ | i7-4800MQ | vPro K210  | )M 4G   | Bx2  | 15.5" 3K IPS | 5 512G SSD      | No   | DVD±RW    | 7260 ac+BT | Upg  | None | None   | 720p | Backlit | Finger | None | X-Rite | 9     | 170W    | Win8 P64 | 3-onsite | Yes 11/13  |

Country Code"++": AT (Austria), FR (France), GB (Germany w/ English OS), GE (Germany w/ German OS), IV (Israel), IW (Iceland), IX (Italy), MB (Belgium), MD (Denmark), MH (Netherlands), ML (Luxembourg), MN (Norway), MS (Sweden), MZ (Switzerland), NX (Netherlands), PG (Portugal), SP (Spain), UK (United Kingdom) Note: models listed above might not be available in all WE countries

| Processor                      | 4th Genera    | tion Intel® C       | ore™ i5 / i7 / i7                 | Extreme Processor  |                |                | Dimensions <sup>3</sup>                         | 15.6W" (WxDxH): 14.83" x 9.77" x 1.10-1.16"; 376.6mm x 248.1mm x 27.9-29.5mm  |
|--------------------------------|---------------|---------------------|-----------------------------------|--|----------------|----------------|---|---|
|                                | Processor     | # of Cores          | Base Frequency                    | Max Turbo Frequency  | Cache          | Memory Speed   | Weight <sup>2</sup>                             | 6-cell: starting at 5.57 lb (2.53kg); 9-cell: starting at 5.95 lb (2.70kg)  |
|                                | i5-4200M      |                     | 2.5 GHz                           | 3.1 GHz  | 3MB            |                | Case material<br>Battery type                   | Glass-Fiber Reinforced Plastic Li-lon 6-cell (56Wh) or 9-cell (99.9Wh), HW Authentication   |
|                                | i5-4210M      | 2                   | 2.6 GHz                           | 3.2 GHz  | 3MB            |                | Max battery life <sup>10</sup>                  | 6-cell: up to 6.2 hr; 9-cell: up to 11.1 hr   |
|                                | i5-4330M      | ] -                 | 2.8 GHz                           | 3.5 GHz  | 3MB            |                | AC adapter                                      | dual-core: 135-watt AC adapter; quad-core: 170-watt AC adapter  |
|                                | i7-4600M      |                     | 2.9 GHz                           | 3.6 GHz  | 4MB            |                | Audio support                                   | HD Audio, Realtek® ALC3232 codec, Dolby® Home Theater® v4 /   |
|                                | i7-4700MQ     | ]                   | 2.4 GHz                           | 3.4 GHz  | 6MB            |                | / laare capper                                  | stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack  |
|                                | i7-4710MQ     | 1                   | 2.5 GHz                           | 3.5 GHz  | 6MB            | DDR3L-1600     | Chipset   | Mobile Intel QM87 Express Chipset   |
|                                | i7-4800MQ     |                     | 2.7 GHz                           | 3.7 GHz  | 6MB            |                | ExpressCard                                     | One slot (ExpressCard/34)   |
|                                | i7-4810MQ     | 4                   | 2.8 GHz                           | 3.8 GHz  | 6MB            |                |   | rOptional: Smart card reader  |
|                                | i7-4900MQ     | _                   | 2.8 GHz                           | 3.8 GHz  | 8MB            |                | Media reader<br>Ports                           | 4-in-1 reader (MMC, SD, SDHC, SDXC), supports UHS-II SD card<br>Two USB 3.0, two USB 2.0 (one Always On),   |
|                                | i7-4910MQ     |                     | 2.9 GHz                           | 3.9 GHz  | 8MB            |                | FOILS   | VGA, Mini DisplayPort / Thunderbolt, Ethernet (RJ-45), Dock connector   |
|                                | i7-4930MX     |                     | 3 GHz                             | 3.9 GHz  | 8MB            |                | WLAN <sup>4</sup>                               | 11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card   |
| Memory                         | quad-core i   | model: 32G<br>only  | B max, four 204<br>4+4, 8+8, 4+4+ | -pin SO-DIMM socke<br>pin SO-DIMM socke<br>1+4, and 8+8+8+8 co   | ts,<br>mbinati |                | VVEAIN  | 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card |
|                                | All:          |                     |                                   | z DDR3L, non-parity,   | , duai-cr      | nannei capable | WWAN (optional)                                 | Upg: Wireless WAN upgradable  |
| Optical (optional) Ultrabay    | One modula    | ar bay for re       |                                   | s (right side, cold swa  | ap), 9.5ı      | mm high        | (*)   | EM7345: Sierra Wireless EM7345, Intel 4G LTE/HSPA/GSM/GPRS/EDGE, GPS N5321: Ericsson® N5321, HSPA+ 21Mbps/GSM/GPRS/EDGE, GPS  |
| Storage M.2 SSD (opt)          | Some: HDI     | D / SATA 6.0        |                                   | , 7mm nigh<br>, 7mm or 9.5mm high<br>ard slot, exclusive wit   |                | N card         | SIM card (opt)                                  | Lenovo: Lenovo SIM, out-of-box service, pay-as-you-go, no contract required  Select: User selectable, contract required with service provider   |
| Widescreen display Multi-touch | Some: 15.6    | <b>6"</b> (396mm)   | FHD (1920x10                      | <b>30)</b> , 300 nits, 500:1 co), 350 nits, 1000:1 co  | ontrast        | ratio          | Bluetooth™<br>Ethernet<br>NFC <i>(optional)</i> | Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Intel Ethernet Connection I217-LM (Clarkville) Near Field Communication   |
| Color calibration              |               |                     |                                   | K-Rite® color calibration with the calibratio |                |                | Security<br>Security chip                       | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant  |
| Graphics                       | integrated of | graphics, <b>In</b> | tel HD Graphics                   | witch between discrete 4600 in processor,  | and            |                |   | Intel vPro Technology<br>r <i>Optional:</i> Fingerprint reader on the palm rest, swipe sensor   |
|                                | NVIDIA Qua    | adro® K110          | 00M or K2100M,                    | PCI Express® x16, 2  | GB me          | mory           | Preload   | Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled   |
| Keyboard<br>UltraNav™          |               | pointing de         | vice and Mylar                    | ys, numeric keypad, o<br>surface touchpad,   | optional       | LED backlight  |   | through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 P64: Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit Windows 8 / 8.1 Pro 64-bit  |
| ThinkLight™                    | None          |                     |                                   |  |                |                | Limited warranty <sup>13</sup>                  | <sup>2</sup> 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite  |