Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	in	ThinkPad Ultrab Series 3	key-	PCIe Mini Card WLAN		Finger d print reader	Blue-			Pre- load	Ann date (mm/yy)
2320-2DG	i3-2370M	4GBx1	12.5" HD	720p	320G 7200	Opt	Opt	Backlit	Intel 6205 ²⁸	upa	Fina	ВТ	6	None	Pro 64	06/12

- Small and medium business (SMB) model(s), part of the WE TopSeller™ Program
 A depot repair service 3-year limited warranty

Positioning Processor	An ultraportable for the executive on the move; one spindle Intel® Core™ i3-2370M processor (dual-core, 2.40GHz, 3MB Cache), Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), HT technology	Preloaded operating system ²⁰ - Genuine Windows® 7 Professional 64			
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™			
Optical Ultrabay SATA disk	Option for ThinkPad Ultrabase Series 3 Supports Ultrabay Slim devices in optional or standard ThinkPad Ultrabase Series 3 (0A33932) Some: Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ removable, upgradable, Shock Mounted Hard Drive, supports the second disk in optional or standard ThinkPad Ultrabase Series 3	 Password Manager Preloaded applications¹⁴ (only some listed) Access Connections™ ThinkVantage Power Manager Fingerprint Software (fingerprint 			
mSATA™ SSD	None	models)			
Widescreen display Camera	12.5" (317.5mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	 ThinkVantage System Update Microsoft® Office preloaded; purchase a product key to activate 			
Graphics	Intel HD Graphics 3000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; Maximum external resolution: 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	 Skype™ for Windows 			
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint pointing device, "Press-to-Select," Internet Scroll Bar¹³, magnifying glass UltraNav™, buttonless touchpad below keyboard, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	Comparts Think/outs as @ to also also signs			
Dimensions ³	without UltraBase; 4/6-cell: 12.0" x 8.13" x 0.75-1.05"; 305mm x 206.5mm x 19.0-26.6mm	Supports ThinkVantage® technologies			
Weight ² Case material	4-cell: from 2.96 lb (1.34kg); 6-cell: from 3.31 lb (1.50kg); 9-cell: from 3.67 lb (1.67kg) Display cover: Magnesium + PCABS; Bottom: Magnesium alloy	ThinkPad Ultrabase Series 3 • Provides desktop expansion and			
Standard Battery	Li-Ion 4-cell, 6-cell, or 9-cell, HW Authentication; optional external battery as 2nd battery	cable management for X230 and			
External Battery Battery - life ¹⁰	None 4-cell (28.8Whr): up to 4.6 hr; 6-cell (62.4Whr): up to 10.3 hr; 9-cell (93.6Whr): up to 15.5 hr; external battery (64Whr): up to 10.6 hr; 9-cell plus external battery: up to 26.1 hr	 X230 Tablet Easily connects to the bottom of th X230 or X230 Tablet for traveling 			
Chipset Ultrabase Multicard reader	Mobile Intel QM77 Express Chipset Option: ThinkPad Ultrabase Series 3 (see right side) 4-in-1 reader (SD, SDHC, SDXC, MMC)	 Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side 			
ExpressCard	One slot (ExpressCard/34, ExpressCard/54)	Other features:			
Smart Card Read Ports	Two USB 3.0, one powered USB 2.0	Power button (front)Security key lock, security keyhole			
PCIe Mini Card PCIe WLAN⁴ PCIe WWAN SIM card Modem Bluetooth™ Ethernet	external monitor (VGA DB-15, Mini DisplayPort), ethernet (RJ-45) Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	 Analog VGA DB-15 monitor port DisplayPort (supports single-link DVI-D via cable 45J7915) Four USB 2.0 ports Gigabit ethernet (RJ-45) port Microphone in and headphone out Requires 65W or 90W AC adapter 1.39 lb; 630g 			
Intel AMT Audio support Security Security chip Fingerprint reader	None High Definition (HD) Audio, Realtek® ALC3202 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	65-watt AC Adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified ROHS-compliant International Warranty Service¹7			
Limited warranty ¹²	3-years /1-yr battery - depot repair service / service upgrades ²² available	24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²			
		- · · ·			

	Widescreen	Disk Optical ThinkPad Backlit SATA in Ultrabase kev-			PCle Mini Card	Finger Bat- print tery Intel	Ann Pre- Date	
Type-model Processor Memory	display Camera	GB ⁸ rpm	UltraBase Series 3	board WLAN	WWAN	reader cells vPro	load (mm/yy)	
2324-97G Cel 877 4GBx1	12.5" HD 720p	320G 7200	Optional Opt	Backlit Intel 2200	WWAN upg	Finger 6 No	Pro 64 03/13	

• A depot repair service 3-year limited warranty

Positioning Processor	An ultraportable for the executive on the move; one spindle Intel® Celeron® 877 processor (2 cores, 1.40GHz, 2MB cache), Intel HD Graphics, DDR3 memory controller (up to 1333MHz)	Preloaded operating system ²⁰ - Genuine Windows® 7 Professional 64
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	Ready to install applications ¹⁴ (only some listed)
Optical Ultrabay SATA disk	Option for ThinkPad Ultrabase Series 3 Supports Ultrabay Slim devices in optional or standard ThinkPad Ultrabase Series 3 (0A33932) Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ removable, upgradable, Shock Mounted Hard Drive, supports the second disk in optional or standard ThinkPad Ultrabase Series 3	Rescue and Recovery™ Password Manager Preloaded applications¹⁴ (only some listed) Norton™ Internet Security 2012 (30 days of virus definitions)
mSATA™ SSD	None	Access Connections™ Third No. 100 Access Con
Widescreen display Camera	12.5" (317.5mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	ThinkVantage Power ManagerThinkVantage ToolsFingerprint Software (fingerprint
Graphics	Intel HD Graphics in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; Maximum external resolution: 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	models) ■ ThinkVantage System Update ■ Adobe® Reader® ■ Microsoft® Office preloaded; purchase a product key to activate ■ Skype™ for Windows
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass	Supports ThinkVantage® technologies
Touchpad ThinkLight™	UltraNav™, buttonless touchpad below keyboard, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	ThinkPad Ultrabase Series 3
Dimensions ³ Weight ² Case material Standard Battery External Battery Battery - life ¹⁰	without UltraBase; 4/6-cell: 12.0" x 8.13" x 0.75-1.05"; 305mm x 206.5mm x 19.0-26.6mm 4-cell: from 2.96 lb (1.34kg); 6-cell: from 3.31 lb (1.50kg); 9-cell: from 3.67 lb (1.67kg) Display cover: Magnesium + PCABS; Bottom: Magnesium alloy Li-lon 4-cell, 6-cell, or 9-cell, HW Authentication; optional external battery as 2nd battery None 4-cell (28.8Whr): up to 4.6 hr; 6-cell (62.4Whr): up to 10.3 hr; 9-cell (93.6Whr): up to 15.5 hr; external battery (64Whr): up to 10.6 hr; 9-cell plus external battery: up to 26.1 hr	Provides desktop expansion and cable management for X230 and X230 Tablet Easily connects to the bottom of the X230 or X230 Tablet for traveling Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side
Chipset Ultrabase Multicard reader ExpressCard Smart Card Read Ports	Two USB 3.0, one powered USB 2.0 external monitor (VGA DB-15, Mini DisplayPort), ethernet (RJ-45)	Other features: Power button (front) Security key lock, security keyhole Analog VGA DB-15 monitor port DisplayPort (supports single-link DVI-D via cable 45J7915) Four USB 2.0 ports
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN SIM card	Two PCI Express Mini Card slots 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2200, 2x2 Wireless WAN upgradable None	 Gigabit ethernet (RJ-45) port Microphone in and headphone out Requires 65W or 90W AC adapter 1.39 lb, 630g
Modem Bluetooth™ Ethernet Intel AMT Audio support Security Security chip Fingerprint reader	None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 None High Definition (HD) Audio, Realtek® ALC3202 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 5.0-compliant (except Celeron models) GREENGUARD® certified (except Celeron models) ROHS-compliant International Warranty Service¹7 24 hour x 7 day¹8 toll-free support
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available	during the warranty period ¹²

ThinkPad X230i (2324) - Windows 8

Type-model	Processor	Memory	Wide- screen display	Disk SATA GB [®] rpm	in	ThinkPad Ultrab Series 3	key-	PCIe Mini Card WLAN	PCle Mini Card WWAN	Finger print reader	tery	Intel	Preload	Ann Date (mm/yy)
2324-7PG	i3-3110M	4GBx1	12.5" HD	320G 7200	Optional	Opt	Backlit	Intel 6205 ²⁸	WWAN upg	Finger	6	None	Win7 Pro64	10/12
2324-6SG	i3-3110M	4GBx1	12.5" HD	320G 7200	Optional	Opt	Backlit	Intel 6205	WWAN upg	Finger	6	None	Win8 Pro64	10/12
2324-96G	i3-3120M	4GBx1	12.5" HD	320G 7200	Optional	Opt	Backlit	Intel 6205	WWAN upg	Finger	6	None	Win8 Pro64	03/13
2324-95G	i3-3120M	4GBx1	12.5" HD	320G 7200	Optional	Opt	Backlit	Intel 6205	WWAN upg	Finger	6	None	Win7 Pro64	03/13
2324-9GG	i3-3120M	4GBx1	12.5" HD	320G 7200	Optional	Opt	Backlit	Intel 6205	WWAN upg	None	6	None	Win8 Pro64	06/13
2324-9FG	i3-3120M	4GBx1	12.5" HD	320G 7200	Optional	Opt	Backlit	Intel 6205	WWAN upg	None	6	None	Win7 Pro64	06/13

• A depot repair service 3-year limited warranty

Positioning Processor	An ultraportable for the executive on the move; one spindle Intel® Core™ i3-3110M processor (2 cores, 2.40GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Hyper-Threading technology Intel Core i3-3120M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Hyper-Threading technology	preinstalled through downgrade rights in Windows 8 Pro 64-bit			
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	- Some: Windows 8 Pro 64-bit Preloaded applications ⁵ (only some listed)			
Optical Ultrabay SATA disk	Option for ThinkPad Ultrabase Series 3 Supports Ultrabay Slim devices in optional or standard ThinkPad Ultrabase Series 3 (0A33932) Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ removable, upgradable, Shock Mounted Hard Drive, supports the second disk in optional or standard ThinkPad Ultrabase Series 3	Windows 7 models Lenovo® Message Center Plus ThinkVantage Product Recovery ThinkVantage Power Manager Lenovo SimpleTap			
mSATA™ SSD	None	- Windows 8 models			
Widescreen display Camera	12.5" (317.5mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	Lenovo Support Lenovo Companion Lenovo QuickLaunch			
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; Maximum external resolution: 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	All models Lenovo Solution Center Password Manager Microsoft® Office preloaded; purchase a product key to activate			
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint pointing device, "Press-to-Select," Internet Scroll Bar¹³, magnifying glass UltraNav™, buttonless touchpad below keyboard, multi-touch Illuminates the keyboard to improve visibility in low-light conditions				
Dimensions ³	without UltraBase; 4/6-cell: 12.0" x 8.13" x 0.75-1.05"; 305mm x 206.5mm x 19.0-26.6mm	Supports ThinkVantage® technologies			
Weight ² Case material Standard Battery External Battery	4-cell: from 2.96 lb (1.34kg); 6-cell: from 3.31 lb (1.50kg); 9-cell: from 3.67 lb (1.67kg) Display cover: Magnesium + PCABS; Bottom: Magnesium alloy Li-lon 4-cell, 6-cell, or 9-cell, HW Authentication; optional external battery as 2nd battery None	ThinkPad Ultrabase Series 3 Provides desktop expansion and cable management for X230 and X230 Tablet.			
Battery - life ¹⁰	4-cell (28.8Whr): up to 4.6 hr; 6-cell (62.4Whr): up to 10.3 hr; 9-cell (93.6Whr): up to 15.5 hr; external battery (64Whr): up to 10.6 hr; 9-cell plus external battery: up to 26.1 hr	 X230 Tablet Easily connects to the bottom of the X230 or X230 Tablet for traveling 			
Chipset Ultrabase Multicard reader	Mobile Intel QM77 Express Chipset Option: ThinkPad Ultrabase Series 3 (see right side) 4-in-1 reader (SD, SDHC, SDXC, MMC)	Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side			
ExpressCard Smart Card Read	One slot (ExpressCard/34, ExpressCard/54)	Other features:			
Ports	Two USB 3.0, one powered USB 2.0 external monitor (VGA DB-15, Mini DisplayPort), ethernet (RJ-45)	Power button (front) Security key lock, security keyhole Analog VGA DB-15 monitor port			
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN SIM card	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None	DisplayPort (supports single-link DVI-D via cable 45J7915) Four USB 2.0 ports Gigabit ethernet (RJ-45) port			
Modem Bluetooth™ Ethernet	None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	Microphone in and headphone out Requires 65W or 90W AC adapter 1.39 lb; 630g			
Intel AMT Audio support	None High Definition (HD) Audio, Realtek® ALC3202 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array microphone, combo audio/mic jack	65-watt AC Adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant			
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant	GREENGUARD® certified ROHS-compliant			
	r Some: AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support			
Limited warranty ¹²	² 3-years/1-yr battery - depot repair service / service upgrades ²² available	during the warranty period ¹²			

ThinkPad X230i (2325) - Onsite (Windows 8)

Type-model	Processor	Memory	Widescreen display			ThinkPad Ultrabase Series 3	key-	PCIe Mini Card WLAN	PCIe Mini Card WWAN		Bat- tery cells	Intel vPro	Preload	Ann Date (mm/yy)
2325-A9G	i3-3130M	4GBx1	12.5" HD	500G 7200	Optional	Opt	Backlit	Intel 6205 ²⁸	WWAN upg	None	6	None	Win7 Pro64	02/13
2325-A8G	i3-3120M	4GBx1	12.5" HD	500G 7200	Optional	Opt	Backlit	Intel 6205	WWAN upg	None	6	None	Win7 Pro64	02/13

Positioning Processor	An ultraportable for the executive on the move; one spindle Intel® Core™ i3-3120M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Hyper-Threading technology Intel Core i3-3130M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Hyper-Threading technology	Preloaded operating system ²⁰ - Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	Preloaded applications ⁵ (only some listed)
Optical Ultrabay SATA disk	Option for ThinkPad Ultrabase Series 3 Supports Ultrabay Slim devices in optional or standard ThinkPad Ultrabase Series 3 (0A33932) Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ ### removable, upgradable, Shock Mounted Hard Drive, supports the second disk in optional or standard ThinkPad Ultrabase Series 3	- Windows 7 models • Lenovo® Message Center Plus • ThinkVantage Product Recovery • ThinkVantage Power Manager • Lenovo SimpleTap
mSATA™ SSD	None	- Windows 8 models • Lenovo Support
Widescreen display Camera	12.5 " (317.5mm) HD (1366x768) TFT color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	- All models - Lenovo Solution Center
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; Maximum external resolution: 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	 Password Manager Microsoft® Office preloaded; purchase a product key to activate
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint pointing device, "Press-to-Select," Internet Scroll Bar¹³, magnifying glass UltraNav™, buttonless touchpad below keyboard, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	Supports ThinkVantage® technologies ThinkPad Ultrabase Series 3 Provides desktop expansion and cable management for X230 and
Dimensions ³ Weight ² Case material Standard Battery External Battery Battery - life ¹⁰	without UltraBase; 4/6-cell: 12.0" x 8.13" x 0.75-1.05"; 305mm x 206.5mm x 19.0-26.6mm 4-cell: from 2.96 lb (1.34kg); 6-cell: from 3.31 lb (1.50kg); 9-cell: from 3.67 lb (1.67kg) Display cover: Magnesium + PCABS; Bottom: Magnesium alloy Li-lon 4-cell, 6-cell, or 9-cell, HW Authentication; optional external battery as 2nd battery None 4-cell (28.8Whr): up to 4.6 hr; 6-cell (62.4Whr): up to 10.3 hr; 9-cell (93.6Whr): up to 15.5 hr; external battery (64Whr, 0A36280): up to 10.6 hr; 9-cell plus external battery: up to 26.1 hr	X230 Tablet Easily connects to the bottom of the X230 or X230 Tablet for traveling Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side: Serial ATA Hard Drive
Chipset Ultrabase Multicard reader ExpressCard Smart Card Read		9.5mm Bay Adapter III 43N3412 Disks supported (some): • 128GB SSD 6.0Gb/s 0A65629 • 180GB SSD 6.0Gb/s 0A65630 • 500GB Disk 7200 rpm 0A65632
Ports	Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, Mini DisplayPort), ethernet (RJ-45)	Other features: • Power button (front)
PCIe Mini Card PCIe WLAN⁴ PCIe WWAN SIM card Modem Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 None High Definition (HD) Audio, Realtek® ALC3202 codec / stereo speakers, 1 watt x 2 /	Security key lock, security keyhole Analog VGA DB-15 monitor port DisplayPort (supports single-link DVI-D via cable 45J7915) Four USB 2.0 ports Gigabit ethernet (RJ-45) port Microphone in and headphone out Requires 65W or 90W AC adapter 1.39 lb; 630g
Security Security chip Fingerprint reade	volume up, down, mute buttons / dual array microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant r AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	65-watt AC Adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant GREENGUARD® certified ROHS-compliant
Limited warranty ¹³	² 3-years/1-year battery, limited onsite service ²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding public and national holidays. Calls received after 3 pm will require an additional next business day for service dispatch / service upgrades available	International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²

See footnotes for more detailed information