Lenovo ThinkPad X131e



Lenovo ThinkPad X131e

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA		Top color	Finger print reader	Blue- tooth	Bat- tery cells	Preload (Ann Date mm/yy)
3368-2DU	Cel 877	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3368-2EU	Cel 877	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3368-2GU	Cel 877	4GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3368-2HU	Cel 877	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3368-2JU	i3-2367M	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	07/12
3368-2KU	i3-2367M	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3368-2LU	i3-2367M	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3368-2MU	i3-2367M	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Pro 64	07/12
3368-33U	i3-2367M	4GBx1	11.6" HD	720p	320G 7200	Intel 2230	WWAN upg	None	Black	None	BT	6	Pro 64	09/12
3368-2XU	Cel 877	4GBx1	11.6" HD	720p	320G 7200	Intel 2230	WWAN upg	None	Black	None	BT	6	Pro 64	09/12
3368-2VU	Cel 877	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	09/12
3368-2TU	i3-2367M	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	09/12

- Small and medium business (SMB) model(s), part of the US TopSeller™ Program
 Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Entry ultraportable for excellent usability and reliability; one spindle Intel® Celeron® 877 processor (2 cores, 1.40GHz, 2MB cache), Intel HD Graphics, DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2367M processor (2 cores, 1.40GHz, 3MB cache), Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Hyper-Threading technology	Preloaded operating system ²⁰ Some: Genuine Windows® 7 Home Premium 64 Some: Genuine Windows 7 Professional 64
Memory	8GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™
Optical SATA disk	None (use optional USB-based optical drive) Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™	Password Manager Preloaded applications ¹⁴ (only some listed)
mSATA™ SSD	None	Lenovo® Solution Center Lenovo Message Center Plus
Widescreen display Camera	11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	ThinkVantage Product Recovery Access Connections™ ThinkVantage System Update
Graphics	Intel HD Graphics or Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Maximum external resolution: 2048x1536 (VGA) @ 75Hz; 1920x1200 (HDMI) @ 60Hz	ThinkVantağe Pówer Manager Lenovo Cloud Storage by SugarSync Lenovo SimpleTap Norton™ Internet Security 2012 (30 days of virus definitions)
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, multi-touch None	Adobe® Reader® Skype™ for Windows Evernote® Intel Small Business Advantage
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	11.6W" (WxDxH): 11.6" x 8.5" x 1.27"; 293.4mm x 216mm x 32.3mm 6-cell: from 3.92 lb (1.78kg) Midnight black or Heatwave red (top); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell, HW Authentication 6-cell (62.4Whr): up to 8.5 hr	Symantec™ VIP Windows Live™ Essentials Microsoft® Office 2010 preloaded; purchase product key to activate
Chipset Multicard reader ExpressCard Ports	Mobile Intel HM77 Express Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN ⁴	Two PCI Express Mini Card slots Some: 11b/g/n, PCIe Half Mini Card, ThinkPad 11b/g/n, 1x1, Wi-Fi + Bluetooth combo adapter Some: 11a/b/g/n, PCIe Half Mini Card, ThinkPad 11a/b/g/n, 2x2, Wi-Fi + BT combo adapter Some: 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 2230, 2x2,	Supports ThinkVantage® technologies
PCIe WWAN	Wi-Fi + BT combo adapter Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCle Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 6.0-compliant
Carrier	Some: User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider	(except Celeron models) GREENGUARD® certified
Modem Bluetooth™ Ethernet Intel AMT Audio support	None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection None HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 /	(except Celeron models) ROHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip	stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant	For compatible accessories, please go to O-X131-E sheet;
Fingerprint reade Limited warranty ¹	² 1-year - depot repair service / service upgrades ²² available	For Lenovo service ²² upgrade options, please go to S-TA sheet

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Top color	Finger print reader	Blue- tooth		Preload	Ann Date (mm/yy)
3368-5AU	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Prem 64	08/13

Small and medium business (SMB) model(s), part of the US TopSeller™ Program

Positioning Processor	Entry ultraportable for excellent usability and reliability; one spindle Intel® Celeron® 1007U processor (2 cores, 1.50GHz, 2MB cache), Intel HD Graphics, DDR3 memory controller (up to 1600MHz)	Preloaded operating system ²⁰ - Genuine Windows [®] 7 Home Premium 64
Memory	8GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™
Optical SATA disk	None (use optional USB-based optical drive) Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™	Password Manager Preloaded applications ¹⁴ (only some listed) Lenovo Message Center Plus
mSATA™ SSD	None	ThinkVantage Product Recovery
Widescreen display Camera	11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	Access Connections™ Fingerprint Software (fingerprint models) Thickly Contact Hadden
Graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Maximum external resolution: 2048x1536 (VGA)@75Hz; 1920x1200 (HDMI)@60Hz	ThinkVantage System Update ThinkVantage Power Manager Microsoft® Office preloaded; purchase a product key to activate Norton™ Internet Security 2012 (30 days of virus definitions)
Keyboard TrackPoint [®] Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, multi-touch None	Adobe® Reader® Skype™ for Windows Windows Live™ Essentials
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	11.6W" (WxDxH): 11.6" x 8.5" x 1.27"; 293.4mm x 216mm x 32.3mm 6-cell: from 3.92 lb (1.78kg) Midnight black or Heatwave red (top); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell, HW Authentication 6-cell (62.4Whr): up to 8.5 hr	
Chipset Multicard reader ExpressCard	Mobile Intel HM77 Express Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None	Supports ThinkVantage® technologies
Ports PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN	Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45) Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, ThinkPad 11a/b/g/n, 2x2, Wi-Fi + BT combo adapter Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV DO BOY A GRESSWCOMA/HSBA GRES	65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 6.0-compliant
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection None HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack	(except Celeron models) GREENGUARD® certified (except Celeron models) ROHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reade	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant	For compatible accessories, please go to O-X131-E sheet; For Lenovo service ²² upgrade options,
	² 1-year - depot repair service / service upgrades ²² available	please go to S-TA sheet
	• • • • • • • • • • • • • • • • • • • •	

See footnotes for more detailed information

© Lenovo (JT1-7) June 2014

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Top color	Finger print			Preload	Ann Date (mm/yy)		
	i3-3227U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select	<u> </u>	None	BT	6	Win7 Pro64			
3368-3GU			11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select		None	BT	6	Win7 Pro64			
3368-3DU			11.6" HD	720p	320G 7200	TP 11a/b/g/n		select		None	BT.	6	Win7 Pro64			
3368-3CU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select		None	BT	6	Win7 Pro64	10/12		
	Cel 887		11.6" HD	720p	128G SSD	TP 11a/b/g/n	1 0	None	Black	None	BT	6	Win7 Pro64			
	i3-2365M		11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64			
	i3-2365M		11.6" HD	720p	320G 7200		WWAN upg	None	Black	None	BT	6	Win7 Pro64			
	Cel 887 i3-2367M		11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n Intel 2230	WWAN upg WWAN upg	None None	Black Black	None None	BT BT	6	Win7 Pro64 Win8 Pro64			
	Cel 877		11.6" HD	720p	320G 7200	Intel 2230	WWAN upg	None	Black	None	BT	6	Win8 Pro64			
	i3-2367M		11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT.	6	Win8 Pro64			
3368-2WU			11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64			
3368-2UU	Cel 877	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	10/12		
3368-2SU	i3-2367M	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	10/12		
Positioning Processor	Intel DDR Intel DDR Intel DDR Intel DDR Intel	© Celeron 3 memory Celeron 3 memory Celeron 3 memory Core™ i3 3 memory Core i3-2 3 memory Core i3-3	** 877 procy controller 887 proces controller 1007U procy controller 1-2365M procy controller 2367M procy controller 3227U proces	essor (2 (up to 13 ssor (2 cc (up to 13 cessor (2 (up to 16 ocessor (up to 13 essor (2 (up to 13 essor (2	corés, 1.406 33MHz) ores, 1.50GH 33MHz) 2 cores, 1.50 00MHz) (2 cores, 1.4 33MHz), Hyp cores, 1.400 33MHz), Hyp	z, 2MB cache) GHz, 2MB cacl OGHz, 3MB cac er-Threading te GHz, 3MB cach er-Threading te GHz, 3MB cach	e), Intel HD Grap , Intel HD Grap ne), Intel HD G che), Intel HD G chnology ne), Intel HD G	ohics, raphics Graphic raphics	s, es 3000, : 3000,	- Som Preloa listed) - Win Lend Thir	ne: W prodo W ne: W aded a dows ovo® N nkVani	indow einsta wngra indow indow applic 7 mo Messa tage F	ige Center Pl Product Reco	onal 64 t t , some us		
Memory	8GB dual-	max ⁷ / PC	23-12800 10 capable, two	600MHz 204-pin	00MHz), HT t DDR3, non-p SO-DIMM so n for process	arity, ckets	Hz DDR3 mem	orv con	troller	ThirLendAdo	nkVant ovo Si be® R	tage F imple leadei	-®			
Optical SATA disk	None Som	e (use opti e: Solid S e: Hard D	ional USB-b State Drive Disk Drive /	pased op (SSD) / S SATA 3.0	tical drive) SATA 3.0Gb/s,	2.5" wide, 7mr de, 7mm, upgra	n, upgradable	019 0011	troller	purc	hase dows	produ 8 ma				
mSATA™ SS	SD None		Protection S	system						• Len						
Widescreen) HD (1366	v768) TF	T color anti-	glare, LED bacl	diaht			• Len						
display Camera	200 ו	nits, 16:9	aspect ratio	, 300:1 c	ontrast ratio		cking, fixed foc	us			chase	produ	e 2013 prelo ict key to acti			
Graphics	exter digita supp	nal analogal monitor orts dual	g monitor s support via independer	upport vi≀ ı HDMI™ nt display	a VGA DB-15 (supporting I ;	connector and HDCP to output	hics 4000 in portion p	ent);	r,	All rLendPassThir	nodel ovo S sword nkVant	I s olution Mana tage S	n Center			
Keyboard TrackPoint® Touch pad ThinkLight™	Track Ultra	(Point poi Nav™, bu	istant, mult nting device ttonless tou	e, Interne	n keys t Scroll Bar ¹³ elow keyboard	I, multi-touch				Lendby SNorth	lels) ovo C Sugar ton™ l	loud S Sync Intern	Storage et Security			
Dimensions: Weight ² Case color Case materi Battery - typ Battery - life	6-ce Midn al Acry e Lithiu	ll: from 3.9 ight black lonitrile-Buum lon 6-c	92 [°] lb (1.78k	g) ve red (to yrene (Al thenticati	p); black botto BS) plastic	nm x 216mm x om	32.3mm			(30 • Sky		of viru	s definitions)			
Chipset Multicard re- ExpressCare Ports	ader 4-in- d None	1 reader (IM77 Expre MMC, SD, S one powere	SDHC, S	DXC)	onitor (VGA DE	3-15, HDMI), et	hernet ((RJ-45)							
PCIe Mini C PCIe WLAN	Som	<i>e:</i> 11a/b/	ess Mini Ca g/n, PCIe H	lalf Mini (Card, ThinkPa	d 11a/b/g/n, 2x	2, Wi-Fi + BT c	ombo a	dapter	Supports ThinkVantage® technologie						
PCIe WWAN	N Som Som	Wi-Fí - e: Wirele e: Wirele: EV-DC	F Bluetooth ss WAN up ss WAN, Qu) Rev. A, GF	combo a gradable ualcomm PRS/WCI	dapter ® Gobi™ 3000 DMA/HSPA, 0		Mini Card,			65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 6.0-compliant (except Celeron models)						
Carrier Modem Bluetooth™ Ethernet Intel AMT	None Blue Real None	e tooth 4.0 v tek® RTL8	wireless, int 3111F Gigal	egrated i	n Wi-Fi + Blue ork Connection	etooth combo a	•	vice pro	ovider	GREE (exc ROHS Interna 24 hou	NGU cept C com ationa ur x 7	ARD® eleror pliant Il War day¹8	certified (n models) ranty Service toll-free supp			
Security	stere Powe	o speake er-on pass	rs, 2 watt x sword, hard	2 / mona disk pas	ural digital mi sword, super		v2 / oo audio/mic jac security keyho				mpatil	ble ac	anty period ¹² cessories, pl	ease		
Security chip Fingerprint	eader None	9	m Module,			2 avail-ble				•	novo :	servic	e ²² upgrade o	options,		
Limited war	anly" 1-ye	ar - aepot	repair serv	ice / serv	ice upgrades ²	- available				piease	90 to	J-IA	आएटर			

Ŧ			Wide- screen	0	Disk SATA	PCle Mini Card	PCIe Mini Card WWAN	0		Finger print	Blue-			Ann Date
Type-model		Memory	display	Camera	GB ⁸ rpm	WLAN	/mSATA	Carrier	Top color					(mm/yy)
3368-55U	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n		None	Black	None	BT	6	Win8 Pro64	02/13
3368-53U	i3-3227U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3368-4UU	i3-3227U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3368-4SU	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3368-4RU	i3-3227U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3368-4QU	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/13
3368-4MU	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/13
3368-4HU	Cel 1007U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3368-4FU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3368-48U	Cel 1007U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3368-46U	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	ВТ	6	Win7 Pro64	02/13
3368-44U	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3368-3PU	Cel 1007U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select	Black	None	ВТ	6	Win8 Pro64	05/13
3368-3NU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Win8 Pro64	05/13
3368-3MU	i3-3227U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select	Black	None	ВТ	6	Win8 Pro64	05/13
3368-3LU	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Win8 Pro64	05/13
3368-5EU	Cel 1007U	4GBx1	11.6" HD	720p	500G 7200	TP 11a/b/g/n		None	Black	None	ВТ	6	Win8 64	02/14
3368-5DU	Cel 1007U	2GBx1	11.6" HD	720p	500G 7200	TP 11a/b/g/n	10	None	Black	None	BT	6	Win8 64	02/14
3368-5CU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	- 1 3	None	Black	None	BT	6	Win8 64	02/14
3368-5BU	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n		None	Black	None	BT	6	Win8 64	02/14

 $\bullet \ Small \ and \ medium \ business \ (SMB) \ model(s), part \ of \ the \ US \ Top Seller^{\text{\tiny{TM}}} \ Program$

Positioning Processor	Entry ultraportable for excellent usability and reliability; one spindle Intel® Celeron® 1007U processor (2 cores, 1.50GHz, 2MB cache), Intel HD Graphics, DDR3 memory controller (up to 1600MHz) Intel Core™ i3-3227U processor (2 cores, 1.90GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), HT technology	Preloaded operating system ²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit
Memory	8GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	- Some: Windows 8 64-bit - Some: Windows 8 Pro 64-bit Preloaded applications ⁵ (only some
Optical SATA disk mSATA™ SSD	None (use optional USB-based optical drive) Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™ None	listed) - Windows 7 models - Lenovo® Message Center Plus - ThinkVantage Product Recovery - Access Connections™
Widescreen display Camera	11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	ThinkVantage Power Manager Windows 8 models Lenovo Support
Graphics	Intel HD Graphics or Intel HD Graphics 4000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Maximum external resolution: 2048x1536 (VGA)@75Hz; 1920x1200 (HDMI)@60Hz	Lenovo Companion Lenovo QuickLaunch PC Device Stage All models Lenovo Solution Center
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, multi-touch None	Password Manager ThinkVantage System Update Fingerprint Software (fingerprint models)
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	11.6W" (WxDxH): 11.6" x 8.5" x 1.27"; 293.4mm x 216mm x 32.3mm 6-cell: from 3.92 lb (1.78kg) Midnight black or Heatwave red (top); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell, HW Authentication 6-cell (62.4Whr): up to 8.5 hr	Lenovo Cloud Storage by SugarSync Microsoft® Office preloaded; purchase a product key to activate Skype™
Chipset Multicard reader ExpressCard Ports	Mobile Intel HM77 Express Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Supports This West ago to shool aging a
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, ThinkPad 11a/b/g/n, 2x2, Wi-Fi + BT combo adapter Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	Supports ThinkVantage® technologies 65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 6.0-compliant (except Celeron models)
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	Some: User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection None HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack	(except Celeron models) GREENGUARD® certified (except Celeron models) ROHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reade	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant	For compatible accessories, please go to O-X131-E sheet; For Lenovo service ²² upgrade options,
	² 1-year - depot repair service / service upgrades ²² available	please go to S-TA sheet

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Top color	Finger print reader	Blue- tooth	Bat- tery cells		Ann Date (mm/yy)
3367-2ZU	Cel 877	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-32U	Cel 877	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-33U	Cel 877	4GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-34U	Cel 877	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-35U	i3-2367M	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	07/12
3367-36U	i3-2367M	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-37U	i3-2367M	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-38U	i3-2367M	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3367-3AU	i3-2367M	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Pro 64	07/12

• Microsoft® Office 2010 Product Key Ready (O10PKR)

dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller Optical None (use optional USB-based optical drive) SATA disk Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™ None Widescreen display Camera display Camera dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller • Reserved • Prelo listed • Ler • Ler • Ler • Ler • Acc • Acc • Acc • Thi	ovo® Solution Center novo Message Center Plus nkVantage Product Recovery sess Connections™ nkVantage System Update
SATA disk Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™ MSATA™ SSD None Widescreen display Camera None 11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, Thi Acc Acc Thi	aded applications¹⁴ (only some) novo® Solution Center novo Message Center Plus nkVantage Product Recovery sess Connections™ nkVantage System Update
mSATA™ SSD None Widescreen display Camera MODE None 11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio Acc HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus Ler Thi	novo Message Center Plus nkVantage Product Recovery cess Connections™ nkVantage System Update
display 200 nits, 16:9 aspect ratio, 300:1 contrast ratio Camera HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus • Acc • Thi	cess Connections™ nkVantage System Update
external analog monitor support via HDMI TM (supporting HDCP to output protected content); supports dual independent display; Maximum external recolution: 2048x1536 (VCA) @ 75Hz; 1020x1200 (HDMI) @ 60Hz	nkVantage Power Manager novo Cloud Storage SugarSync novo SimpleTap rton™ Internet Security 2012 days of virus definitions)
Keyboard 6-row, spill-resistant, multimedia Fn keys TrackPoint® TrackPoint pointing device, Internet Scroll Bar¹³ Touch pad UltraNav™, buttonless touchpad below keyboard, multi-touch None None • Àdd • Sky • Eve	obe [®] Reader [®] /pe™ for Windows ernote [®] el Small Business Advantage
Weight ² 6-cell: from 3.92 lb (1.78kg) Case color Midnight black or Heatwaye red (top): black bottom • Midnight black or Heatwaye red (top): black bottom	mantec™ VIP ndows Live™ Essentials crosoft® Office 2010 preloaded; chase product key to activate
Chipset Mobile Intel HM77 Express Chipset Multicard reader ExpressCard Ports Mobile Intel HM77 Express Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	
PCIe WLAN ⁴ Some: 11b/g/n, PCIe Half Mini Card, ThinkPad 11b/g/n, 1x1, Wi-Fi + Bluetooth combo adapter 65-Wi	orts ThinkVantage® technologies att AC Adapter
PCIe WWAN Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EN DO BOXA CRESSWODMA/USBA CRES	AT™ Gold rating cept Celeron models) Rept STAR® 6.0-compliant
Carrier Modem None Bluetooth™ Ethernet Intel AMT None Some: User selectable, AT&T®, Verizon®, or Śprint®, contract required with service provider None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection None Audio Realtek ALC2000 codes Pollow® Advanced Audio™ x2 /	cept Celeron models) ENGUARD® certified cept Celeron models) S-compliant national Warranty Service ¹⁷ our x 7 day ¹⁸ toll-free support ing the warranty period ¹²
Security Power-on password, hard disk password, supervisor password, security keyhole Security chip Trusted Platform Module, TCG 1.2-compliant go to	ompatible accessories, please O-X131-E sheet;
Fingerprint reader None Limited warranty ¹² 1-year - depot repair service / service upgrades ²² available For Le	enovo service ²² upgrade options,

			Wide- screen		Disk SATA	PCle Mini Card	PCle Mini Card WWAN			Finger print	Blue-	Bat- tery		Ann Date	
Type-model	Processor	Memory	display	Camera	GB [®] rpm	WLAN	/mSATA		Top color			cells		(mm/yy)	
3367-8CU 3367-8BU	i3-3227U Cel 1007U	4GBx1	11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n TP 11a/b/g/n		select	Black Black	None None	BT BT	6	Win7 Pro64 Win7 Pro64		
3367-86U	i3-3227U		11.6" HD	720p	128G SSD	TP 11a/b/g/n		select	Black	None	BT	6	Win7 Pro64		
3367-85U	Cel 1007U		11.6" HD	720p	128G SSD	TP 11a/b/g/n		select	Black	None	BT	6	Win7 Pro64		
3367-84U	i3-2365M	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	- 1- 3	None	Black	None	BT	6	Win7 Pro64		
3367-83U	i3-2365M		11.6" HD	720p	320G 7200	TP 11a/b/g/n		None	Black	None	BT	6	Win7 Pro64		
3367-82U	Cel 887		11.6" HD	720p	128G SSD	TP 11a/b/g/n	- 1- 3	None	Black	None	BT	6	Win7 Pro64		
3367-7ZU 3367-8TU	Cel 887 i3-2365M		11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n TP 11a/b/g/n	- 1- 3	None None	Black	None None	BT BT	6	Win7 Pro64 Win7 Pro64		
3367-85U	i3-2365M		11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black Black	None	BT	6	Win7 Pro64		
3367-8RU	Cel 887		11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64		
3367-8QU	Cel 887		11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	12/12	
3367-8PU	Cel 887	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	No	6	Win7 Pro64		
3367-8NU	i3-2365M	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	No	6	Win8 64	12/12	
Positioning Processor	Intel DDF Intel DDF Intel DDF Intel	© Celeron 3 memory Celeron 3 memory Core™ i3 3 memory Core i3-3	887 proces to controller to controller to controller controller to controller to controller to controller to controller c	essor (2 (up to 13 cessor (3 (up to 16 ocessor (up to 13 essor (2	2 corés, 1.500 333MHz) 2 cores, 1.50 600MHz) (2 cores, 1.4 333MHz), Hyp	GHz, 2MB ca loGHz, 3MB c per-Threading GHz, 3MB cac	che), Intel HD G che), Intel HD (ache), Intel HD	Graphic Graphi	s, cs 3000,	- Soi	me: W pr do W me: W paded	indow einsta wngr indow indow	ating system ys® 7 Profess alled through ade rights in ys 8 Pro 64-b ys 8 64-bit cations ⁵ (only	ional 64	
Memory	8GB dual	max ⁷ / PC channel c	3-12800 1 apable, two	600MHz 204-pin	DDR3, non-p	parity, ockets	MHz DDR3 mer	nory cor	ntroller	• Lei	inkVan	Messa tage l	odels age Center P Product Reco ctions™		
Optical SATA disk	Som	<i>e:</i> Solid S <i>e:</i> Hard D		(SSD) / S SATA 3.0	SATA 3.0Gb/s DGb/s, 2.5" w	, 2.5" wide, 7n ide, 7mm, upgi	nm, upgradable radable,			Thie Lei Mice	inkVan novo S crosoft	tage I imple ® Offic	Power Manag	aded;	
mSATA™ SS	SD None		1010011011) you									•	ivale	
Widescreen	11.6	" (295mm)	HD (1366	x768) TF	T color, anti-	glare, LED ba	cklight,				ndows novo S				
display Camera	HD7	20p resolu	ıtion, wide	view ang			racking, fixed fo			• Lei	novo C novo C	ompa JuickL	inion aunch		
Graphics	exte digita supp	nal analog al monitor orts dual i	g monitor s support via ndepender	upport vi ı HDMI™ ıt display	a VGA DB-15 (supporting (;	connector an HDCP to outp	aphics 4000 in pd d ut protected cor 0x1200 (HDMI)	ntent);	or,	- All	rchase mode	prodi Is olutio	ce 2013 prelouct key to act n Center		
Keyboard TrackPoint® Touch pad ThinkLight™	Tracl Ultra	(Point poir Nav™, but		e, Interne	et Scroll Bar13	d, multi-touch				• Thi	inkVan Igerprii Idels)	tage (nt Sof	System Upda tware (finger Storage		
Dimensions ^s Weight ² Case color Case materi Battery - typ Battery - life	<i>6-ce</i> Midr al Acry e Lithi	ll: from 3.9 light black lonitrile-Bu um Ion 6-c	2 lb (1.78k or Heatwa	g) ve red (to yrene (A thenticat	op); black bot BS) plastic	mm x 216mm :	x 32.3mm				Sugar		S		
Chipset Multicard rea ExpressCard Ports	Mob ader 4-in- d None Two	1 reader (I e USB 3.0, o		SDHC, S ed USB 2	DXC)	nonitor (VGA [DB-15, HDMI), є	ethernet	(RJ-45)						
PCIe Mini C PCIe WLAN	4 Som	<i>e:</i> 11b/g/r	ss Mini Ca n, PCIe Hal n. PCIe Hal	f Mini Ca	ard, ThinkPad	11b/g/n, 1x1	Wi-Fi + Bluetoo	oth comb	o adapte				antage® techr	nologies	
PCIe WWAN	Som Som Som	e: 11a/b/g e: Wireles e: Wireles EV-DO	g/n, PCIe H ss WAN up ss WAN, Qu Rev. A, GF	lalf Mini (gradable ualcomm PRS/WC	Card, ThinkPa ® Gobi™ 300 DMA/HSPA, 0	ad 11a/b/g/n, 2 0 chipset, PCI GPS	ex2, Wi-Fi + BT e Mini Card,	combo a	dapter	65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 6.0-compliant (except Celeron models)					
Carrier Modem Bluetooth™	None	<i>e:</i> User so	electable, A	AT&T®, Ve	erizon®, or Śp	rint®, contract	required with secombo adapted	•	ovider	GŘE (ex	ENGU	ARD® elero	certified n models)		
Ethernet Intel AMT Audio suppo	Real None ort HD	tek® RTL8 e Audio. Rea	111F Gigal	bit Netwo	ork Connectic c. Dolbv® Adv	n ⁄anced Audio™	^ v2 /			Interi 24 ho	nationa our x 7	al War day ¹⁸	ranty Service toll-free suppranty period ¹²	oort	
Security Security chip	Power Trus	er-on pass ted Platfor	word, hard	disk pas	ssword, super		mbo audio/mic ja d, security keyh			For co		ble ac	cessories, pl		
Security chip Trusted Platform Module, TCG 1.2-compliant Fingerprint reader None Limited warranty ¹² 1-year - depot repair service / service upgrades ²² available										For Lenovo service ²² upgrade options, please go to S-TA sheet					

			Wide- screen		Disk SATA	PCIe Mini Card	PCIe Mini Card WWAN			Finger print	Blue-	Bat- tery		Ann Date
Type-model	Processor	Memory	display	Camera	GB ⁸ rpm	WLAN	/mSATA	Carrier	Top color				Preload	(mm/yy)
3367-9GU	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3367-9FU	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3367-9EU	Cel 1007U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3367-9DU	Cel 1007U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3367-9CU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3367-9BU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3367-9AU	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13
3367-99U	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3367-98U	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13
3367-8HU	i3-3227U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Win8 Pro64	05/13
3367-8GU	Cel 1007U	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Win8 Pro64	05/13
3367-8FU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Win8 Pro64	05/13
3367-8EU	i3-3227U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Win8 Pro64	05/13
3367-A2U	Cel 1007U	4GBx1	11.6" HD	720p	500G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/14
3367-9ZU	Cel 1007U	2GBx1	11.6" HD	720p	500G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/14
3367-9YU	Cel 1007U	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/14
3367-9XU	Cel 1007U	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/14

Positioning Processor	Entry ultraportable for excellent usability and reliability; one spindle Intel® Celeron® 1007U processor (2 cores, 1.50GHz, 2MB cache), Intel HD Graphics, DDR3 memory controller (up to 1600MHz) Intel Core™ i3-3227U processor (2 cores, 1.90GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), HT technology	Preloaded operating system ²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit
Memory	8GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	- Some: Windows 8 64-bit - Some: Windows 8 Pro 64-bit Preloaded applications ⁵ (only some
Optical SATA disk	None (use optional USB-based optical drive) Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™	listed) - Windows 7 models - Lenovo® Message Center Plus - ThinkVantage Product Recovery
mSATA™ SSD Widescreen display Camera	None 11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	Access Connections™ ThinkVantage Power Manager Lenovo SimpleTap Windows 8 models
Graphics	Intel HD Graphics or Intel HD Graphics 4000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Maximum external resolution: 2048x1536 (VGA) @75Hz; 1920x1200 (HDMI) @60Hz	Lenovo Support Lenovo Companion Lenovo QuickLaunch All models Lenovo Solution Center
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, multi-touch None	Password Manager ThinkVantage System Update Fingerprint Software (fingerprint models)
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	11.6W" (WxDxH): 11.6" x 8.5" x 1.27"; 293.4mm x 216mm x 32.3mm 6-cell: from 3.92 lb (1.78kg) Midnight black or Heatwave red (top); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell, HW Authentication 6-cell (62.4Whr): up to 8.5 hr	Lenovo Cloud Storage by SugarSync Microsoft® Office preloaded; purchase a product key to activate Skype™
Chipset Multicard reader ExpressCard	Mobile Intel HM77 Express Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None The ICR Of the Property of ICR Of the ICR Of t	
Ports PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN	Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45) Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, ThinkPad 11a/b/g/n, 2x2, Wi-Fi + Bluetooth combo adapter Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	Supports ThinkVantage® technologies 65-watt AC Adapter EPEAT™ Gold rating (except Celeron models) ENERGY STAR® 6.0-compliant
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	Some: User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection None HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack	(except Celeron models) GREENGUARD® certified (except Celeron models) ROHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reade	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant r None	For compatible accessories, please go to O-X131-E sheet; For Lenovo service ²² upgrade options,
Limited warranty	² 1-year - depot repair service / service upgrades ²² available	please go to S-TA sheet

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN /mSATA	Carrier	Top color	Finger print reader	Blue- tooth		Preload (Ann Date (mm/yy)
3372-29U	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	07/12
3372-2AU	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3372-2BU	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3372-2CU	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	07/12
3372-2DU	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3372-2EU	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3372-2FU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3372-2GU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3372-2UU	E-300	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	09/12
3372-2QU	E-300	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	09/12
3372-2PU	E2-1800	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	09/12
3372-2JU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Pro 64	10/12
3372-3PU	E1-1200	2GBx1	11.6" HD	720p	320G 5400	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	04/13
3372-3NU	E1-1200	4GBx1	11.6" HD	720p	500G 5400	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	04/13

• Small and medium business (SMB) model(s), part of the US TopSeller™ Program

Positioning Processor	Entry ultraportable for excellent usability and reliability; one spindle AMD Accelerated Processor E-300 (2 cores, 1.30GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310 Graphics, integrated DDR3 memory controller (up to 1066MHz) AMD Accelerated Processor E1-1200 (2 cores, 1.40GHz, 1MB L2 cache), integrated AMD Radeon HD 7310 Graphics, integrated DDR3 memory controller (up to 1066MHz) AMD Accelerated Processor E2-1800 (2 cores, 1.70GHz, 1MB L2 cache), integrated AMD Radeon HD 7340 Graphics, integrated AMD Radeon HD 7340 Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system ²⁰ Some: Genuine Windows® 7 Home Premium 64 Some: Genuine Windows 7 Professional 64 Ready to install applications ¹⁴ (only some listed) Rescue and Recovery TM Password Manager
Memory	8GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, two 204-pin SO-DIMM sockets * System clocks down for processors with 1066MHz or 1333MHz DDR3 memory controller	Preloaded applications ¹⁴ (only some listed) • Lenovo® Solution Center
Optical SATA disk	None (use optional USB-based optical drive) Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™	Lenovo Message Center Plus ThinkVantage Product Recovery Access Connections™ ThinkVantage System Update
mSATA™ SSD Widescreen display Camera	None 11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	 ThinkVantage Power Manager Lenovo Cloud Storage by SugarSync Lenovo SimpleTap
Graphics	AMD Radeon HD 6310, 7310, or 7340 graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI TM (supporting HDCP to output protected content); supports dual independent display; Maximum external resolution: 1920x1080 (VGA or HDMI)	 Microsoft® Office preloaded; purchase a product key to activate Norton™ Internet Security 2012 (30 days of virus definitions) Adobe® Reader® Skype™ for Windows
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, multi-touch None	Evernote® Symantec™ VIP Windows Live™ Essentials
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	11.6W" (WxDxH): 11.6" x 8.5" x 1.27"; 293.4mm x 216mm x 32.3mm 6-cell: from 3.92 lb (1.78kg) Midnight black or Heatwave red (top); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell, HW Authentication 6-cell (62.4Whr): up to 8.5 hr	
Chipset Multicard reader ExpressCard Ports	AMD A68M FCH Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN	Two PCI Express Mini Card slots Some: 11b/g/n, PCIe Half Mini Card, ThinkPad 11b/g/n, 1x1, Wi-Fi + Bluetooth combo adapter Some: 11a/b/g/n, PCIe Half Mini Card, ThinkPad 11a/b/g/n, 2x2, Wi-Fi + BT combo adapter Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm [®] Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	Supports ThinkVantage® technologies 65-watt AC Adapter EPEAT™ Gold rating
Carrier Modem Bluetooth™ Ethernet Audio support	Some: User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack	ENERGY STAR® 6.0-compliant GREENGUARD® certified ROHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole None	For compatible accessories, please go to O-X131-E sheet;
Fingerprint reade Limited warranty ¹²	r None ² 1-year - depot repair service / service upgrades ²² available	For Lenovo service ²² upgrade options, please go to S-TA sheet

			Wide- screen		Disk SATA	PCIe Mini Card	PCIe Mini Card WWAN			Finger print	Blue-	Bat- terv		Ann Date		
Type-model			display	Camera	GB [®] rpm	WLAN	/mSATA		Top color	reader	tooth		Preload	(mm/yy)		
3372-32U 3372-2ZU	E2-1800 E-300	4GBx1 4GBx1	11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n TP 11a/b/g/n	Gobi 3000 Gobi 3000	select	Black Black	None None	BT BT	6	Win7 Pro64 Win7 Pro64	10/12 10/12		
3372-22U 3372-2YU	E2-1800		11.6" HD	720p 720p	128G SSD	TP 11a/b/g/n	WWAN upg	select None	Black	None	BT	6	Win7 Pro64	10/12		
3372-2XU	E-300	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	10/12		
3372-2WU		2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	10/12		
3372-2VU 3372-2TU	E2-1800 E-300	4GBx1 4GBx1	11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n TP 11a/b/g/n	WWAN upg WWAN upg	None None	Black Black	None None	BT BT	6	Win7 Pro64 Win8 Pro64	10/12 10/12		
3372-2SU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	10/12		
3372-2RU	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	10/12		
3372-2NU	E2-1800	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	10/12		
3372-2MU 3372-3MU	E-300 E1-1200	4GBx1 4GBx1	11.6" HD 11.6" HD	720p 720p	128G SSD 320G 7200	TP 11a/b/g/n TP 11a/b/g/n	WWAN upg WWAN upg	None None	Black Black	None	BT BT	6	Win8 Pro64 Win8 Pro64	10/12 02/13		
3372-3LU	E1-1200	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13		
3372-3KU	E1-1200	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win8 Pro64	02/13		
3372-3JU	E1-1200	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n TP 11b/g/n	WWAN upg	None	Black	None	BT BT	6	Win7 Pro64	02/13		
3372-3HU 3372-3GU	E1-1200 E1-1200	2GBx1 2GBx1	11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n	WWAN upg WWAN upg	None None	Black Black	None None	BT	6	Win8 64 Win7 Pro64	02/13		
3372-3FU	E1-1200	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13		
3372-3QU	E1-1200	2GBx1	11.6" HD	720p	320G 5400	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	04/13		
Positioning Processor						eliability; one s _i							ating system vs® 7 Profess			
					10 Graphics,	CMII-)	,,						alled through ade rights in			
					ler (up to 106 -1200 (2 cor		MB L2 cache),						vs 8 Pro 64-b	it		
	inte	egrated AN	ID Radeon	HD 7310	Graphics,		,,						vs 8 64-bit			
	inte	egrated DL	DR3 memor	y control	ler (up to 106 -1800 (2 co r	66MHZ) 200 1 70GHz 1	MB L2 cache),						vs 8 Pro 64-b			
	inte	egrated AN	ID Radeon	HD 7340) Graphics, ler (up to 133	,	wid Lz cacile),			Prelo		appli	cations ⁵ (only	y some		
Memory							-pin SO-DIMM s	sockets			ndows					
Wielliery							ИHz DDR3 mem		troller	Lenovo® Message Center Plus ThinkVantage Product Recovery						
Optical	No	ne (use op	tional USB	-based o	ptical drive)								ctions™	very		
SATA disk	So So	<i>me:</i> Solid <i>me:</i> Hard	State Drive	(SSD) / / SATA 3	SAIA 3.0Gb/ .0Gb/s. 2.5" v	s, 2.5" wide, 7r vide, 7mm, upg	nm, upgradable			ThinkVantage Power Manager						
			e Protection			viao, mini, apg	radabio,				- Windows 8 models					
mSATA™ S										Lenovo Support Lenovo Companion Lenovo QuickLaunch						
Widescreer display					FT color, ant contrast ratio	ti-glare, LED ba	acklight,									
Camera							tracking, fixed fo	ocus		- All models						
Graphics						ics in processo				Lenovo Solution Center Password Manager						
						5 connector ar		ntont):		ThinkVantage System Update						
	sur	ports dua	l independe	ent displa	··· (Supporting V:		ut protected co	niem),		Fingerprint Software (fingerprint models)						
					20x1080 (VG	A or HDMI)						loud	Storage			
Keyboard			sistant, mu			3				by SugarSync						
TrackPoint® Touch pad	ira Ult	ckPoint po raNav™. b	uttonless to	e, intern uchpad l	et Scroll Bar¹ below kevboa	rd, multi-touch				Microsoft® Office preloaded; purchase a product key to activate.						
ThinkLight™										purchase a product key to activate • Skype™						
Dimensions					1.27"; 293.4	1mm x 216mm	x 32.3mm									
Weight ² Case color			.92 lb (1.78 k or Heatw		top); black bo	ttom										
Case mater	ial Ac	rylonitrile-E	Butadiene-S	Styrene (<i>i</i>	ABS) plastic											
Battery - typ Battery - life			-cell, HW A <i>(hr):</i> up to 8		tion											
Chipset	AN	,	FCH Chipse							1						
Multicard re	ader 4-ii	n-1 reader	(MMC, SD,		SDXC)											
ExpressCar Ports			one nowe	rad LISB	20 external	monitor (VGA I	DB-15, HDMI), 6	atharnat	(R I-45)							
PCIe Mini C			ress Mini C		Z.O, CAICITIAI	monitor (vaz i	DD-13, 11DIVII), (Strictrict	(110 43)	-						
PCIe WLAN	l⁴ So	<i>me:</i> 11b/g	n, PCle Ha	alf Mini C	ard, ThinkPa	d 11b/g/n, 1x1,	Wi-Fi + Bluetoo	oth comb	o adapte	Cupp	orto Ti	oink\/	antage® techr	aclogica		
PCIe WWAI			o/g/n, PCIe ess WAN u			Pad 11a/b/g/n, 2	2x2, Wi-Fi + BT	combo a	adapter	<u> </u>				lologies		
PCIE WWAI	So	me: Wirel	ess WAN, C	Qualcomr	 n® Gobi™ 300	00 chipset, PCI	e Mini Card,				att AC AT™ G					
0		Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCle Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS									RGY S	TAR®	6.0-compliar	nt		
Carrier Modem	Some: User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None											certified				
Bluetooth™	Bluetooth™ Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter								ROHS-compliant International Warranty Service ¹⁷							
Ethernet Audio supp	t Realtek® RTL8111F Gigabit Network Connection								24 hc	our x 7	day18	toll-free sup	oort			
Audio Suppi		t HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack								during the warranty period ¹²						
Security obj	Po	wer-on pas					d, security keýh				ompati O-X13		ccessories, pl	ease		
Security chi Fingerprint										1 -			ce ²² upgrade (ontions		
			t repair ser	vice / ser	vice upgrade	s ²² available							A sheet			
										-						

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCle Mini Card WLAN	PCle Mini Card WWAN /mSATA	Carrier	Top color	Finger print reader	Blue- tooth		Preload	Ann Date (mm/yy)
3371-2HU	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	07/12
3371-2JU	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3371-2KU	E-300	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3371-2LU	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Prem 64	07/12
3371-2MU	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3371-2NU	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3371-2PU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Pro 64	07/12
3371-2RU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black	None	BT	6	Pro 64	10/12

Positioning Processor	Entry ultraportable for excellent usability and reliability; one spindle AMD Accelerated Processor E-300 (2 cores, 1.30GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310 Graphics, integrated DPR3 memory controller (up to 1066MHz) AMD Accelerated Processor E2-1800 (2 cores, 1.70GHz, 1MB L2 cache), integrated AMD Radeon HD 7340 Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system ²⁰ Some: Genuine Windows® 7 Home Premium 64 Some: Genuine Windows 7 Professional 64 Ready to install applications ¹⁴ (only some listed)
Memory	8GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, two 204-pin SO-DIMM sockets * System clocks down for processors with 1066MHz or 1333MHz DDR3 memory controller	Rescue and Recovery™ Password Manager
Optical SATA disk	None (use optional USB-based optical drive) Some: Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm, upgradable, Active Protection System™	Preloaded applications ¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus
mSATA™ SSD	None	ThinkVantage Product Recovery
Widescreen display Camera	11.6" (295mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	Access Connections™ ThinkVantage System Update ThinkVantage Power Manager
Graphics	AMD Radeon HD 6310 or 7340 graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; Maximum external resolution: 1920x1080 (VGA or HDMI)	Lenovo Cloud Storage by SugarSync Lenovo SimpleTap Microsoft® Office preloaded; purchase a product key to activate Norton™ Internet Security 2012
Keyboard TrackPoint® Touch pad ThinkLight™	6-row, spill-resistant, multimedia Fn keys TrackPoint pointing device, Internet Scroll Bar¹³ UltraNav™, buttonless touchpad below keyboard, multi-touch None	(30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote®
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	11.6W" (WxDxH): 11.6" x 8.5" x 1.27"; 293.4mm x 216mm x 32.3mm 6-cell: from 3.92 lb (1.78kg) Midnight black or Heatwave red (top); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell, HW Authentication 6-cell (62.4Whr): up to 8.5 hr	 Symantec[™] VIP Windows Live[™] Essentials
Chipset Multicard reader ExpressCard	AMD A68M FCH Chipset 4-in-1 reader (MMC, SD, SDHC, SDXC) None	
Ports	Two USB 3.0, one powered USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	
PCIe Mini Card PCIe WLAN ⁴	Two PCI Express Mini Card slots Some: 11b/g/n, PCIe Half Mini Card, ThinkPad 11b/g/n, 1x1, Wi-Fi + Bluetooth combo adapter Some: 11a/b/g/n, PCIe Half Mini Card, ThinkPad 11a/b/g/n, 2x2, Wi-Fi + BT combo adapter	Supports ThinkVantage® technologies
PCIe WWAN	Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCle Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	65-watt AC Adapter EPEAT TM Gold rating
Carrier Modem Bluetooth™ Ethernet Audio support	Some: User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider None Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Realtek® RTL8111F Gigabit Network Connection HD Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack	ENERGY STAR® 6.0-compliant GREENGUARD® certified ROHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole None	For compatible accessories, please go to O-X131-E sheet;
Fingerprint reade Limited warranty ¹³	r None ² 1-year - depot repair service / service upgrades ²² available	For Lenovo service ²² upgrade options, please go to S-TA sheet

Type-model	Processor	Memory	Wide- screen display	Camera	Disk SATA GB [®] rpm	PCle Mini Card WLAN	PCle Mini Card WWAN /mSATA	Carrier	Top colo	Finger print reader	Blue- tooth		Preload	Ann Date (mm/yy)		
3371-7RU	E-300	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	Gobi 3000	select	Black	None	ВТ	6	Win7 Pro64	10/12		
3371-7QU	E-300	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select	Black		BT	6	Win7 Pro64			
3371-7PU	E2-1800	4GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	Gobi 3000	select		None	BT	6	Win7 Pro64			
3371-7NU 3371-7MU	E2-1800 E2-1800	4GBx1 4GBx1	11.6" HD 11.6" HD	720p 720p	128G SSD 128G SSD	TP 11a/b/g/n TP 11a/b/g/n	Gobi 3000 WWAN upg	select None	Black Black	None None	BT BT	6	Win7 Pro64 Win7 Pro64			
3371-7NO	E2-1800	4GBx1	11.6" HD	720p		TP 11a/b/g/n	WWAN upg	None	Black		BT	6	Win7 Pro64			
3371-7KU	E-300	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64			
3371-7JU	E-300	2GBx1	11.6" HD	720p	320G 7200		WWAN upg	None	Black	None	BT	6	Win7 Pro64			
3371-8AU	E-300	2GBx1	11.6" HD	720p		TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	12/12		
3371-89U	E-300 E2-1800	2GBx1	11.6" HD	720p		TP 11a/b/g/n	WWAN upg	None	Black		BT	6	Win7 Pro64 Win7 Pro64			
3371-88U 3371-87U	E2-1800	2GBx1 2GBx1	11.6" HD 11.6" HD	720p 720p	320G 7200 320G 7200	TP 11a/b/g/n	WWAN upg WWAN upg	None None	Black Black	None None	BT BT	6	Win7 Pro64			
3371-86U	E2-1800	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	12/12		
3371-8EU	E1-1200	4GBx1	11.6" HD	720p	128G SSD	TP 11a/b/g/n	WWAN upg	None	Black		ВТ	6	Win7 Pro64	02/13		
3371-8DU	E1-1200	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win8 64	02/13		
3371-8CU	E1-1200	2GBx1	11.6" HD	720p	320G 7200	TP 11a/b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64			
3371-8BU	E1-1200	2GBx1	11.6" HD	720p	320G 7200	TP 11b/g/n	WWAN upg	None	Black	None	BT	6	Win7 Pro64	02/13		
Positioning Processor Entry ultraportable for excellent usability and reliability; one spindle AMD Accelerated Processor E-300 (2 cores, 1.30GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310 Graphics, integrated DDR3 memory controller (up to 1066MHz) AMD Accelerated Processor E1-1200 (2 cores, 1.40GHz, 1MB L2 cache), integrated AMD Radeon HD 7310 Graphics, integrated DDR3 memory controller (up to 1066MHz) AMD Accelerated Processor E2-1800 (2 cores, 1.70GHz, 1MB L2 cache), integrated AMD Radeon HD 7340 Graphics, integrated DDR3 memory controller (up to 1333MHz)										Preloaded operating system ²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 64-bit Preloaded applications ⁵ (only some listed) - Windows 7 models						
Memory	* Sy	stem cloc	ks down for	process	ors with 1066		oin SO-DIMM s Hz DDR3 mem		troller	• Thi	nkVan cess C	tage l	age Center Pl Product Reco ctions™	very		
Optical SATA disk	Son	ne: Solid ne: Hard	Disk Drive /	(SSD) / SATA 3.	SATA 3.0Gb/s 0Gb/s, 2.5" w	i, 2.5" wide, 7m ide, 7mm, upgra	m, upgradable adable,			ThinkVantage Power Manager Windows 8 models Lenovo Support						
mSATA™ SS	SD Non		Protection	Systemi	'					• Ler	Lenovo Companion					
Widescreen			n) HD (1366	x768) TF	T color anti	glare, LED bac	cklight			• Ler	Lenovo QuickLaunch					
display Camera	200 HD7	nits, 16:9 720p reso	áspect ration, wide	o, 300:1 o view ang	contrast ratio le, low light s	ensitive, face tr	acking, fixed fo	cus		• Ler	mode novo S ssword	olutio	n Center ager			
Graphics	exte digit sup	rnal analo al monito ports dual	ng monitor s r support via independe	support v a HDMI™ nt display	ia VGĂ DB-15 ⁴ (supporting	•		tent);		ThinkVantage System Update Fingerprint Software (fingerprint models) Lenovo Cloud Storage by SugarSync						
Keyboard TrackPoint® Touch pad ThinkLight™	Trac Ultra	kPoint po aNav™, bi		e, Interne	et Scroll Bar13	d, multi-touch				Microsoft [®] Office preloaded; purchase a product key to activate Skype™						
Dimensions			xH): 11.6"	x 8.5" x	1.27": 293 4	mm x 216mm x	32.3mm			1						
Weight ²	6-ce	ell: from 3.	92 lb (1.78k	(g)			02.0									
Case color					op); black bot	tom										
Case mater Battery - typ			sutadiene-S cell, HW Au		(BS) plastic											
Battery - life	e ¹⁰ 6-ce		<i>hr):</i> up to 8.													
Chipset	AMI		CH Chipse		PDVC)											
Multicard re ExpressCar			(MMC, ŠD,	SUHU, S	טאלט)											
Ports			one power	ed USB 2	2.0, external r	nonitor (VGA D	B-15, HDMI), e	thernet	(RJ-45)							
PCIe Mini C PCIe WLAN	l⁴ Son	<i>ne:</i> 11b/g		If Mini Ca			Wi-Fi + Bluetoo			r	orte Ti	hink\/:	antage® techn	ologias		
PCIe WWAI	Son N Son	<i>ne:</i> 11a/b <i>ne:</i> Wirele	/g/n, PCIe F ess WAN un	anı ivlini gradable	∪ara, ininkPa e	au 11a/b/g/n, 2	x2, Wi-Fi + BT	compo a	luapter	<u> </u>	att AC			Jiogies		
Some: Wireless WAN upgradable Some: Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCle Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS Carrier Modem Bluetooth™ Bluetooth™ Ethernet Audio support Audio, Realtek ALC3202 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 2 watt x 2 / monaural digital microphone, combo audio/mic jack									EPE/ ENEI GRE ROH Interr 24 ho	AT™ G RGY S ENGU S-com nationa our x 7	old ra STAR® ARD® pliant al War day¹8	ting 6.0-complian certified	17			
Security Security chi	Pow p Non	er-on pas e					ibo audio/mic ja l, security keyh			go to	O-X13	31-E s	-			
Fingerprint I			t renair sen	rice / sen	/ice unarades	²² availahla				For Lenovo service ²² upgrade options, please go to S-TA sheet						
Limited warranty ¹² 1-year - depot repair service / service upgrades ²² available										picas	o go ic	, U-1/	. 0/1001			

ThinkPad X131e Accessories

minkPad X131e Accessories				Troduct ope	omounono m	oronoo (r orizi
Memory 2GB PC3-12800 DDR3 SODIMM 4GB PC3-12800 DDR3 SODIMM			06/05/12 06/05/12	Batteries ThinkPad Battery 35+ (6-cell) ThinkPad External Battery Charger ⁴⁴ 44 Requires the <i>ThinkPad 90W AC Adapter</i>		ann 07/05/11 ann 09/20/05
Storage and removable storage ThinkPad 16GB mSATA Solid State Cache Drive USB 2.0 Portable 500GB Hard Disk USB 3.0 Secure 500GB Hard Drive USB 3.0 Secure 750GB Hard Drive USB 3.0 Secure 1TB Hard Drive Lenovo Slim USB Portable DVD Burner	45K1690 0A65619 0A65616 0A65621	ann ann ann ann	12/11/12 05/26/09 11/29/11 11/29/11 08/28/12 06/14/11	40 Y7659 or the adapter provided with the sys More information at www.lenovo.com/alldaycor ThinkPad 65W AC Adapter ThinkPad 90W AC Adapter 90W Ultraslim AC/DC Combo Adapter More info at www.lenovo.com/support/powerad	mputing 40Y7696 40Y7659 41R4493	ann 01/05/06 ann 09/20/05 ann 09/22/09
Wireless WAN (Mini PCI Express) Only WWAN upgradable models: ThinkPad Gobi™ Mobile Broadband Option	0A36185	ann	04/12/11	Charging tips for 90W Ultraslim AC/DC Combo A •iPod and iPhone Charge Tip (L10a) •Generic Micro USB charge tip (L18)	<i>Idapter 41F</i> 41R4481 41R4490	84493 ann 12/18/07 ann 01/06/09
ThinkPad Expansion USB 2.0 Port Replicator with Digital Video	0A33942	ann	03/22/11	More information at www.lenovopowertips.com Carrying Cases	1	
Keyboard TrackPoint Cap Collection			12/16/03	Up to 12.5" widescreen models: ThinkPad 12.5" Ultrabook Topload	0B47416	ann 12/04/12
Ultraslim Plus Wireless Keyboard and Mouse ⁵² USB Numeric Keypad Preferred Pro USB Keyboard Enhanced Performance USB Keyboard ThinkPad USB Keyboard with TrackPoint Lenovo® USB Fingerprint Keyboard Lenovo USB Smartcard Keyboard 52 Wireless via 2.4GHz technology using a micro	73P5220 73P2620 55Y9003 73P4730 51J0155	ann ann ann ann ann ann	05/01/00 06/21/05 03/23/04 08/18/09 02/22/05 03/24/09	Up to 15.6" widescreen models: Lenovo Messenger Max Lenovo Performance BackPack ThinkPad Business Topload Case ThinkPad Business Backpack ThinkPad Deluxe Expander Case ThinkPad Executive Leather Case Lenovo Sport Backpack - Red Lenovo Sport Slimcase - Red	41U5254 43R2476 43R2482 43R2478 43R2480 0A33896	ann 05/01/07 ann 05/01/07 ann 05/13/08 ann 05/13/08 ann 05/13/08 ann 05/13/08 ann 02/28/12
Mouse Lenovo Optical Mouse (USB) Lenovo Laser Mouse (USB) ThinkPad USB Laser Mouse Lenovo ScrollPoint® Mouse (USB, Optical) ThinkPad Travel Mouse (USB, Optical) ThinkPad Bluetooth Laser Mouse Lenovo Wireless Laser Mouse	41U3074 57Y4635 31P7405 31P7410 0A36407	ann ann ann ann ann	05/21/03 01/23/07 12/15/09 08/27/02 06/04/02 06/26/12 12/20/11	Lenovo Sport Messenger - Red Lenovo Sport Backpack - Blue	0A33898 0B47298 0B47300 0B47299 0B47301 0B47303 0B47302	ann 02/28/12 ann 08/28/12 ann 08/28/12 ann 08/28/12 ann 08/28/12 ann 08/28/12
Multimedia ThinkPad In-Ear Headphones with microphone	57Y4488	ann	01/07/10	Lenovo luxury cases at www.lenovoluxurycase Monitors	s.com	
Modem USB 2.0 Lenovo Modem	43R1814	ann	02/26/08	ThinkVision L2251x Wide 22" (VGA, DP) ⁶⁹ DisplayPort cable is not included. ThinkVision LT1421 Wide 14" Mobile Monitor	2578HB6	ann 10/20/09
Security Kensington® MicroSaver® Cable Lock Kensington Twin Head Cable Lock			12/29/03 09/30/08	with Protective Screen Cover (USB 2.0) ThinkVision LT1421 Wide 14" Mobile Monitor with Protective Case (USB 2.0)		ann 08/16/11 ann 08/16/11
Lenovo Security Cable Lock USB Gemplus GemPC Smart Card Reader	57Y4303	ann	08/24/10 02/21/06	More information at www.lenovo.com/support/i Monitor Accessories ⁴⁶	monitors	
				Lenovo HDMI to HDMI Monitor Cable Lenovo HDMI to VGA Monitor Cable Lenovo USB 3.0 to DVI/VGA Monitor Adapter Lenovo USB Soundbar Kensington MicroSaver Cable Lock Kensington Twin Head Cable Lock Lenovo Security Cable Lock Lenovo Easy Reach Monitor Stand 46 Compatible on selected Lenovo and ThinkVisi More information at www.lenovo.com/support/n	0B47069 0B47072 0A36190 73P2582 45K1620 57Y4303 55Y9258 on monitor	
				For more information on accessories: www.lenovo.com/accessories		

www.lenovo.com/accessories Purchase Lenovo accessories

www.lenovo.com/support/accessories Product specifications on Lenovo Support

www.lenovo.com/accessoriesguide Option Compatibility Matrix (OCM) and accessory brochures

www.lenovoquickpick.com An Options Compatibility Configurator for Lenovo systems