

Experimental OpenVINO fork final results

Document control	Value
Route ID	openvino-experimental-fork
Revision	R1
Generated date	2026-08-30
Evidence IDs	openvino-experimental-fork-016d9424a7c4, openvino-experimental-fork-09820a5b19ed, openvino-experimental-fork-2f5739098066, openvino-experimental-fork-834c2caa9c7e, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-ebf8a9685bee

1. Title and document control

DC-01 — Document identity and authority

Field	Value
Report title	Experimental OpenVINO fork final results
Route ID	openvino-experimental-fork
Campaign ID	fv6-2026-08-30
Source date	2026-08-30
Report revision	R1
Canonical content	workbook/source/openvino-experimental-fork-final-report.md

The fv6 normalized campaign is the sole status and measurement authority. Cases without validated model artifacts are reported as Artifact unavailable, not as execution failures.

2. Technical summary

Campaign fv6-2026-08-30 accounts for 81 intended configuration attempts: 27 passed, 54 artifact unavailable. Performance and objective quality results are published only for the 27 passed configurations.

AC-01 — Attempt status summary

Status	Count
Passed	27
Artifact unavailable	54

Counts are derived from the complete normalized attempt ledger.

Note: A missing observation is never represented as zero. Status text is authoritative; colour is supplementary.

3. Key findings and decision-relevant evidence

The extrema below are navigation aids into the complete result tables, not standalone rankings.

KF-01 — Observed campaign extrema

Finding	Value	Basis
Highest observed median decode throughput	17.792446	tokens/s; granite-3b__int4__tbq3
Lowest observed selected-repetition TTFT	953.454	ms; granite-3b__int8__u8
Lowest observed worst-repetition peak working set	3631453000	bytes; granite-3b__int4__polar4
Highest observed objective quality score	6.083333	/10 across 48 prompts; granite-3b__int8__u4

Extrema describe this campaign only and do not establish causal superiority.

Decision use should begin with availability and status, then compare performance and quality only within compatible model, weight, cache, backend, prompt, and aggregation conditions.

4. Repository, branch, commit, build, hardware, and software identity

The following values are the portable repository, hardware, and software identities retained by the normalized campaign.

ID-01 — Verified repository, hardware, and software metadata

Identity field	Verified value
Repository: branch	turbo_quant
Repository: commit	1827f6458d049de11c1a8203c793af67c99935dc
Repository: source_campaign	fv6
Repository: source_date	2026-08-30
Repository: url	https://github.com/EgorDuplensky/openvino.git
Hardware: reason	fv6 source evidence records process memory but no portable host manifest
Hardware: status	not_collected
Software: openvino_versions	["2026.2.0-1-1827f6458d0-turbo_quant"]
Software: runtime_properties	[{"ATTENTION_BACKEND":"SDPA"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_CODEC":"polar3", "VALUE_CACHE_CODEC":"polar3"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_CODEC":"polar4", "VALUE_CACHE_CODEC":"polar4"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_CODEC":"tbq3", "VALUE_CACHE_CODEC":"tbq3"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_CODEC":"tbq3_qjl", "VALUE_CACHE_CODEC":"tbq3_qjl"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_CODEC":"tbq4", "VALUE_CACHE_CODEC":"tbq4"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_CODEC":"tbq4_qjl", "VALUE_CACHE_CODEC":"tbq4_qjl"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_PRECISION":"u4", "VALUE_CACHE_PRECISION":"u4"}, {"ATTENTION_BACKEND":"SDPA", "KEY_CACHE_PRECISION":"u8", "VALUE_CACHE_PRECISION":"u8"}]

Note: Not collected means the normalized bundle contains no portable evidence for that identity field; it is not inferred from the reviewing computer.

5. Objectives, scope, test matrix, and execution sequence

The intended matrix crosses 3 models, 3 weight formats, and 9 cache formats for 81 configuration cases.

MX-01 — Intended matrix dimensions

Dimension	Members	Count
Models	granite-30b, granite-3b, granite-8b	3
Weight formats	fp16, int4, int8	3
Cache formats	f16, polar3, polar4, tbq3, tbq3_qjl, tbq4, tbq4_qjl, u4, u8	9

Execution sequence was availability/acquisition or conversion gating, three benchmark repetitions for each executable case, then the frozen sector-quality suite. Non-passed gates stopped downstream measurement.

6. Model, weight, cache-format, and backend availability

Availability is accounted for before performance: each intended model, weight, and cache combination retains its terminal status.

AV-01 — Model and weight availability by final status

Model	Weight	Intended	Passed	Failed	Blocked	Artifact unavailable
granite-30b	fp16	9	0	0	0	9
granite-30b	int4	9	0	0	0	9
granite-30b	int8	9	0	0	0	9
granite-3b	fp16	9	0	0	0	9
granite-3b	int4	9	9	0	0	0
granite-3b	int8	9	9	0	0	0
granite-8b	fp16	9	0	0	0	9
granite-8b	int4	9	9	0	0	0
granite-8b	int8	9	0	0	0	9

AV-02 — Cache-format coverage by final status

Cache format	Intended	Passed	Failed	Blocked	Artifact unavailable
f16	9	3	0	0	6
polar3	9	3	0	0	6
polar4	9	3	0	0	6
tbq3	9	3	0	0	6
tbq3_qjl	9	3	0	0	6
tbq4	9	3	0	0	6
tbq4_qjl	9	3	0	0	6
u4	9	3	0	0	6
u8	9	3	0	0	6

The normalized software metadata records SDPA attention-backend properties. No backend fallback is inferred where a separate fallback observation was not collected.

7. Complete attempt accounting

The audit ledger below lists every intended case exactly once, including cases that did not produce observations.

AT-01 — Complete normalized attempt ledger

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b_fp16_f16	granite-30b	fp16	f16	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b_fp16_polar3	granite-30b	fp16	polar3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b_fp16_polar4	granite-30b	fp16	polar4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b_fp16_tbq3	granite-30b	fp16	tbq3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b_fp16_tbq3_qjl	granite-30b	fp16	tbq3_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b_fp16_tbq4	granite-30b	fp16	tbq4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b_fp16_tbq4_qjl	granite-30b	fp16	tbq4_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b__fp16__u4	granite-30b	fp16	u4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__u8	granite-30b	fp16	u8	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__f16	granite-30b	int4	f16	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__polar3	granite-30b	int4	polar3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__polar4	granite-30b	int4	polar4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq3	granite-30b	int4	tbq3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq3__qjl	granite-30b	int4	tbq3__qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq4	granite-30b	int4	tbq4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b__int4__tbq4_qjl	granite-30b	int4	tbq4_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__u4	granite-30b	int4	u4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__u8	granite-30b	int4	u8	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int4	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__f16	granite-30b	int8	f16	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__polar3	granite-30b	int8	polar3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__polar4	granite-30b	int8	polar4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__tbq3	granite-30b	int8	tbq3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__tbq3_qjl	granite-30b	int8	tbq3_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b__int8__tbq4	granite-30b	int8	tbq4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__tbq4_qjl	granite-30b	int8	tbq4_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__u4	granite-30b	int8	u4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__u8	granite-30b	int8	u8	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-30b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b__fp16__f16	granite-3b	fp16	f16	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b__fp16__polar3	granite-3b	fp16	polar3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b__fp16__polar4	granite-3b	fp16	polar4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b__fp16__tbq3	granite-3b	fp16	tbq3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b_fp16_tbq3_qjl	granite-3b	fp16	tbq3_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b_fp16_tbq4	granite-3b	fp16	tbq4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b_fp16_tbq4_qjl	granite-3b	fp16	tbq4_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b_fp16_u4	granite-3b	fp16	u4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b_fp16_u8	granite-3b	fp16	u8	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-3b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-3b_int4_f16	granite-3b	int4	f16	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-79a9263dad4e
granite-3b_int4_polar3	granite-3b	int4	polar3	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-9d6ad5885078

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b_int4_polar4	granite-3b	int4	polar4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-b470c3eed1d
granite-3b_int4_tbq3	granite-3b	int4	tbq3	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-a766b4ce3d4c
granite-3b_int4_tbq3_qjl	granite-3b	int4	tbq3_qjl	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-98f65445635e
granite-3b_int4_tbq4	granite-3b	int4	tbq4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-8c5119f12426
granite-3b_int4_tbq4_qjl	granite-3b	int4	tbq4_qjl	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-4c0d076ee2bd

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b__int4__u4	granite-3b	int4	u4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-1ab6f38f86d7
granite-3b__int4__u8	granite-3b	int4	u8	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-5447b448375f
granite-3b__int8__f16	granite-3b	int8	f16	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-ae5c6e52fff8
granite-3b__int8__polar3	granite-3b	int8	polar3	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-451007ed2773
granite-3b__int8__polar4	granite-3b	int8	polar4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-b391720b2194

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b__int8__tbq3	granite-3b	int8	tbq3	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-39d9aff18ec6
granite-3b__int8__tbq3_qjl	granite-3b	int8	tbq3_qjl	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-17765ec1deb5
granite-3b__int8__tbq4	granite-3b	int8	tbq4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-c56924db2c13
granite-3b__int8__tbq4_qjl	granite-3b	int8	tbq4_qjl	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-cc009c748d7f
granite-3b__int8__u4	granite-3b	int8	u4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-f80681f07953

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b__int8__u8	granite-3b	int8	u8	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-2fefb3c8ab9f
granite-8b__fp16__f16	granite-8b	fp16	f16	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__fp16__polar3	granite-8b	fp16	polar3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__fp16__polar4	granite-8b	fp16	polar4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__fp16__tbq3	granite-8b	fp16	tbq3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__fp16__tbq3_qjl	granite-8b	fp16	tbq3_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__fp16__tbq4	granite-8b	fp16	tbq4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b_fp16_tbq4_qjl	granite-8b	fp16	tbq4_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b_fp16_u4	granite-8b	fp16	u4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b_fp16_u8	granite-8b	fp16	u8	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b fp16	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b_int4_f16	granite-8b	int4	f16	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-3538aa6dfe4d
granite-8b_int4_polar3	granite-8b	int4	polar3	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-26b7bbb5d258
granite-8b_int4_polar4	granite-8b	int4	polar4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-5d898bb28644

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b__int4__tbq3	granite-8b	int4	tbq3	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-f2a741281dd0
granite-8b__int4__tbq3_qjl	granite-8b	int4	tbq3_qjl	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-4bedc2626149
granite-8b__int4__tbq4	granite-8b	int4	tbq4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-3e1b64a8a20b
granite-8b__int4__tbq4_qjl	granite-8b	int4	tbq4_qjl	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-f03088fc329e
granite-8b__int4__u4	granite-8b	int4	u4	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-ea1f2beffb8

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b__int4__u8	granite-8b	int4	u8	true	Passed	None recorded	passed	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71, openvino-experimental-fork-aff450f6d272
granite-8b__int8__f16	granite-8b	int8	f16	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__polar3	granite-8b	int8	polar3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__polar4	granite-8b	int8	polar4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__tbq3	granite-8b	int8	tbq3	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__tbq3_qjl	granite-8b	int8	tbq3_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__tbq4	granite-8b	int8	tbq4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b__int8__tbq4_qjl	granite-8b	int8	tbq4_qjl	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__u4	granite-8b	int8	u4	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-8b__int8__u8	granite-8b	int8	u8	false	Artifact unavailable	no validated OpenVINO artifact supplied for granite-8b int8	model_artifact_unavailable	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Every intended case appears once. Non-passed reasons are preserved from normalized source evidence.

8. Performance results and repetition detail

Performance summaries are joined to their passed configurations and followed by the individual source repetitions.

PF-01 — Passed-case performance summary

Test case	Model	Weight	Cache	Decode tokens/s	TTFT ms	Peak bytes	Peak GiB
granite-3b_int4_f16	granite-3b	int4	f16	16.972069	5474.490	3635020000	3.385
granite-3b_int4_polar3	granite-3b	int4	polar3	16.084175	5553.716	3632387000	3.383
granite-3b_int4_polar4	granite-3b	int4	polar4	15.837707	5776.169	3631453000	3.382
granite-3b_int4_t bq3	granite-3b	int4	tbq3	17.792446	5937.233	3632773000	3.383
granite-3b_int4_t bq3_qjl	granite-3b	int4	tbq3_qjl	16.412837	5502.023	3631738000	3.382
granite-3b_int4_t bq4	granite-3b	int4	tbq4	16.625103	5459.310	3632941000	3.383
granite-3b_int4_t bq4_qjl	granite-3b	int4	tbq4_qjl	16.607259	5635.447	3632680000	3.383
granite-3b_int4_u4	granite-3b	int4	u4	17.115348	5915.463	3632902000	3.383
granite-3b_int4_u8	granite-3b	int4	u8	17.126760	5560.893	3633441000	3.384
granite-3b_int8_f16	granite-3b	int8	f16	10.540252	1019.314	6640770000	6.185
granite-3b_int8_polar3	granite-3b	int8	polar3	10.073090	1000.142	6639219000	6.183
granite-3b_int8_polar4	granite-3b	int8	polar4	9.960445	963.089	6639785000	6.184
granite-3b_int8_t bq3	granite-3b	int8	tbq3	9.796556	1042.167	6639477000	6.183
granite-3b_int8_t bq3_qjl	granite-3b	int8	tbq3_qjl	10.192055	1164.085	6638684000	6.183
granite-3b_int8_t bq4	granite-3b	int8	tbq4	10.384617	987.275	6639398000	6.183
granite-3b_int8_t bq4_qjl	granite-3b	int8	tbq4_qjl	10.218998	1048.271	6637863000	6.182
granite-3b_int8_u4	granite-3b	int8	u4	10.342418	955.917	6637652000	6.182
granite-3b_int8_u8	granite-3b	int8	u8	10.458758	953.454	6642008000	6.186
granite-8b_int4_f16	granite-8b	int4	f16	7.687743	14642.586	8538121000	7.952
granite-8b_int4_polar3	granite-8b	int4	polar3	7.535494	13918.449	8534480000	7.948
granite-8b_int4_polar4	granite-8b	int4	polar4	7.475157	13939.860	8536141000	7.950
granite-8b_int4_t bq3	granite-8b	int4	tbq3	7.367582	15094.581	8533848000	7.948
granite-8b_int4_t bq3_qjl	granite-8b	int4	tbq3_qjl	7.634369	14031.925	8534418000	7.948
granite-8b_int4_t bq4	granite-8b	int4	tbq4	7.765224	14146.060	8535555000	7.949
granite-8b_int4_t bq4_qjl	granite-8b	int4	tbq4_qjl	7.364409	14518.374	8535789000	7.950
granite-8b_int4_u4	granite-8b	int4	u4	7.894287	14452.326	8534902000	7.949
granite-8b_int4_u8	granite-8b	int4	u8	7.660995	14730.057	8539164000	7.953

AG-01 — Metric aggregation definitions

Metric	Unit	Aggregation
generation_tokens_per_second	tokens_per_second	median over three executed benchmark repetitions
peak_working_set_bytes	bytes	maximum over three executed benchmark repetitions
time_to_first_token	milliseconds	value from the repetition selected by median decode throughput

Observed benchmark repetitions per passed case: 3.

RP-01 — Individual benchmark repetition detail

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b_int4_f16	001	granite-3b_int4_f16--benchmark-repetition-001	openvino-experimental-fork-79a9263dad4e	16.746107	5886.562	3631492000	24	32
granite-3b_int4_f16	002	granite-3b_int4_f16--benchmark-repetition-002	openvino-experimental-fork-79a9263dad4e	17.255870	5541.355	3635020000	24	32
granite-3b_int4_f16	003	granite-3b_int4_f16--benchmark-repetition-003	openvino-experimental-fork-79a9263dad4e	16.972069	5474.490	3633449000	24	32
granite-3b_int4_polar3	001	granite-3b_int4_polar3--benchmark-repetition-001	openvino-experimental-fork-9d6ad5885078	16.006047	5556.847	3630266000	24	32
granite-3b_int4_polar3	002	granite-3b_int4_polar3--benchmark-repetition-002	openvino-experimental-fork-9d6ad5885078	16.084175	5553.716	3631391000	24	32
granite-3b_int4_polar3	003	granite-3b_int4_polar3--benchmark-repetition-003	openvino-experimental-fork-9d6ad5885078	16.201692	5535.571	3632387000	24	32
granite-3b_int4_polar4	001	granite-3b_int4_polar4--benchmark-repetition-001	openvino-experimental-fork-b470c3eed1d	15.837707	5776.169	3631289000	24	32
granite-3b_int4_polar4	002	granite-3b_int4_polar4--benchmark-repetition-002	openvino-experimental-fork-b470c3eed1d	15.833750	5489.616	3631453000	24	32
granite-3b_int4_polar4	003	granite-3b_int4_polar4--benchmark-repetition-003	openvino-experimental-fork-b470c3eed1d	15.864164	5502.492	3631406000	24	32
granite-3b_int4_t bq3	001	granite-3b_int4_t bq3--benchmark-repetition-001	openvino-experimental-fork-a766b4ce3d4c	17.792446	5937.233	3631879000	24	32
granite-3b_int4_t bq3	002	granite-3b_int4_t bq3--benchmark-repetition-002	openvino-experimental-fork-a766b4ce3d4c	17.698669	4479.205	3631508000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b__int4__tbq3	003	granite-3b__int4__tbq3--benchmark-repetition-003	openvino-experimental-fork-a766b4ce3d4c	18.197017	4465.513	3632773000	24	32
granite-3b__int4__tbq3_qjl	001	granite-3b__int4__tbq3_qjl--benchmark-repetition-001	openvino-experimental-fork-98f65445635e	16.708651	5569.328	3630992000	24	32
granite-3b__int4__tbq3_qjl	002	granite-3b__int4__tbq3_qjl--benchmark-repetition-002	openvino-experimental-fork-98f65445635e	16.412837	5502.023	3628449000	24	32
granite-3b__int4__tbq3_qjl	003	granite-3b__int4__tbq3_qjl--benchmark-repetition-003	openvino-experimental-fork-98f65445635e	16.165162	5469.826	3631738000	24	32
granite-3b__int4__tbq4	001	granite-3b__int4__tbq4--benchmark-repetition-001	openvino-experimental-fork-8c5119f12426	16.664326	5702.450	3632941000	24	32
granite-3b__int4__tbq4	002	granite-3b__int4__tbq4--benchmark-repetition-002	openvino-experimental-fork-8c5119f12426	16.466820	5758.203	3631898000	24	32
granite-3b__int4__tbq4	003	granite-3b__int4__tbq4--benchmark-repetition-003	openvino-experimental-fork-8c5119f12426	16.625103	5459.310	3632684000	24	32
granite-3b__int4__tbq4_qjl	001	granite-3b__int4__tbq4_qjl--benchmark-repetition-001	openvino-experimental-fork-4c0d076ee2bd	16.857700	5683.377	3631008000	24	32
granite-3b__int4__tbq4_qjl	002	granite-3b__int4__tbq4_qjl--benchmark-repetition-002	openvino-experimental-fork-4c0d076ee2bd	16.607259	5635.447	3632680000	24	32
granite-3b__int4__tbq4_qjl	003	granite-3b__int4__tbq4_qjl--benchmark-repetition-003	openvino-experimental-fork-4c0d076ee2bd	16.541479	5877.229	3630879000	24	32
granite-3b__int4__u4	001	granite-3b__int4__u4--benchmark-repetition-001	openvino-experimental-fork-1ab6f38f86d7	17.115348	5915.463	3632684000	24	32
granite-3b__int4__u4	002	granite-3b__int4__u4--benchmark-repetition-002	openvino-experimental-fork-1ab6f38f86d7	17.214423	5660.631	3632902000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b__int4__u4	003	granite-3b__int4__u4--benchmark-repetition-003	openvino-experimental-fork-1ab6f38f86d7	17.078660	5535.042	3632070000	24	32
granite-3b__int4__u8	001	granite-3b__int4__u8--benchmark-repetition-001	openvino-experimental-fork-5447b448375f	17.126760	5560.893	3632480000	24	32
granite-3b__int4__u8	002	granite-3b__int4__u8--benchmark-repetition-002	openvino-experimental-fork-5447b448375f	16.954620	5494.811	3631996000	24	32
granite-3b__int4__u8	003	granite-3b__int4__u8--benchmark-repetition-003	openvino-experimental-fork-5447b448375f	17.246546	5561.965	3633441000	24	32
granite-3b__int8__f16	001	granite-3b__int8__f16--benchmark-repetition-001	openvino-experimental-fork-ae5c6e52fff8	10.540252	1019.314	6639422000	24	32
granite-3b__int8__f16	002	granite-3b__int8__f16--benchmark-repetition-002	openvino-experimental-fork-ae5c6e52fff8	10.495764	936.241	6640684000	24	32
granite-3b__int8__f16	003	granite-3b__int8__f16--benchmark-repetition-003	openvino-experimental-fork-ae5c6e52fff8	10.553455	971.092	6640770000	24	32
granite-3b__int8__polar3	001	granite-3b__int8__polar3--benchmark-repetition-001	openvino-experimental-fork-451007ed2773	10.175658	1026.616	6636098000	24	32
granite-3b__int8__polar3	002	granite-3b__int8__polar3--benchmark-repetition-002	openvino-experimental-fork-451007ed2773	10.073090	1000.142	6639219000	24	32
granite-3b__int8__polar3	003	granite-3b__int8__polar3--benchmark-repetition-003	openvino-experimental-fork-451007ed2773	10.057392	964.552	6636898000	24	32
granite-3b__int8__polar4	001	granite-3b__int8__polar4--benchmark-repetition-001	openvino-experimental-fork-b391720b2194	9.946585	1018.892	6638797000	24	32
granite-3b__int8__polar4	002	granite-3b__int8__polar4--benchmark-repetition-002	openvino-experimental-fork-b391720b2194	9.960445	963.089	6638445000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b__int8__polar4	003	granite-3b__int8__polar4--benchmark-repetition-003	openvino-experimental-fork-b391720b2194	9.971006	971.398	6639785000	24	32
granite-3b__int8__tbq3	001	granite-3b__int8__tbq3--benchmark-repetition-001	openvino-experimental-fork-39d9aff18ec6	10.213330	4882.972	6635941000	24	32
granite-3b__int8__tbq3	002	granite-3b__int8__tbq3--benchmark-repetition-002	openvino-experimental-fork-39d9aff18ec6	9.707853	1124.467	6639477000	24	32
granite-3b__int8__tbq3	003	granite-3b__int8__tbq3--benchmark-repetition-003	openvino-experimental-fork-39d9aff18ec6	9.796556	1042.167	6637195000	24	32
granite-3b__int8__tbq3_qjl	001	granite-3b__int8__tbq3_qjl--benchmark-repetition-001	openvino-experimental-fork-17765ec1deb5	10.192055	1164.085	6637102000	24	32
granite-3b__int8__tbq3_qjl	002	granite-3b__int8__tbq3_qjl--benchmark-repetition-002	openvino-experimental-fork-17765ec1deb5	10.189570	968.438	6638684000	24	32
granite-3b__int8__tbq3_qjl	003	granite-3b__int8__tbq3_qjl--benchmark-repetition-003	openvino-experimental-fork-17765ec1deb5	10.230334	964.667	6638539000	24	32
granite-3b__int8__tbq4	001	granite-3b__int8__tbq4--benchmark-repetition-001	openvino-experimental-fork-c56924db2c13	10.320375	1016.147	6637391000	24	32
granite-3b__int8__tbq4	002	granite-3b__int8__tbq4--benchmark-repetition-002	openvino-experimental-fork-c56924db2c13	10.384617	987.275	6636863000	24	32
granite-3b__int8__tbq4	003	granite-3b__int8__tbq4--benchmark-repetition-003	openvino-experimental-fork-c56924db2c13	10.396182	987.125	6639398000	24	32
granite-3b__int8__tbq4_qjl	001	granite-3b__int8__tbq4_qjl--benchmark-repetition-001	openvino-experimental-fork-cc009c748d7f	10.218998	1048.271	6637863000	24	32
granite-3b__int8__tbq4_qjl	002	granite-3b__int8__tbq4_qjl--benchmark-repetition-002	openvino-experimental-fork-cc009c748d7f	10.221600	947.599	6636809000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b__int8__tbq4_qjl	003	granite-3b__int8__tbq4_qjl--benchmark-repetition-003	openvino-experimental-fork-cc009c748d7f	10.206572	953.659	6637668000	24	32
granite-3b__int8__u4	001	granite-3b__int8__u4--benchmark-repetition-001	openvino-experimental-fork-f80681f07953	10.253666	1105.679	6635000000	24	32
granite-3b__int8__u4	002	granite-3b__int8__u4--benchmark-repetition-002	openvino-experimental-fork-f80681f07953	10.342418	955.917	6637652000	24	32
granite-3b__int8__u4	003	granite-3b__int8__u4--benchmark-repetition-003	openvino-experimental-fork-f80681f07953	10.413094	1051.993	6637461000	24	32
granite-3b__int8__u8	001	granite-3b__int8__u8--benchmark-repetition-001	openvino-experimental-fork-2fefb3c8ab9f	10.471694	1148.079	6642008000	24	32
granite-3b__int8__u8	002	granite-3b__int8__u8--benchmark-repetition-002	openvino-experimental-fork-2fefb3c8ab9f	10.431084	985.061	6637848000	24	32
granite-3b__int8__u8	003	granite-3b__int8__u8--benchmark-repetition-003	openvino-experimental-fork-2fefb3c8ab9f	10.458758	953.454	6640012000	24	32
granite-8b__int4__f16	001	granite-8b__int4__f16--benchmark-repetition-001	openvino-experimental-fork-3538aa6dfe4d	7.687743	14642.586	8537859000	23	32
granite-8b__int4__f16	002	granite-8b__int4__f16--benchmark-repetition-002	openvino-experimental-fork-3538aa6dfe4d	7.715786	13921.501	8538121000	23	32
granite-8b__int4__f16	003	granite-8b__int4__f16--benchmark-repetition-003	openvino-experimental-fork-3538aa6dfe4d	7.403224	13951.437	8538090000	23	32
granite-8b__int4__polar3	001	granite-8b__int4__polar3--benchmark-repetition-001	openvino-experimental-fork-26b7bbb5d258	7.491708	13943.293	8534480000	23	32
granite-8b__int4__polar3	002	granite-8b__int4__polar3--benchmark-repetition-002	openvino-experimental-fork-26b7bbb5d258	7.535494	13918.449	8534406000	23	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-8b_int4_polar3	003	granite-8b_int4_polar3--benchmark-repetition-003	openvino-experimental-fork-26b7bb5d258	7.705085	14124.010	8532871000	23	32
granite-8b_int4_polar4	001	granite-8b_int4_polar4--benchmark-repetition-001	openvino-experimental-fork-5d898bb28644	7.475157	13939.860	8536141000	23	32
granite-8b_int4_polar4	002	granite-8b_int4_polar4--benchmark-repetition-002	openvino-experimental-fork-5d898bb28644	7.404372	13904.200	8535039000	23	32
granite-8b_int4_polar4	003	granite-8b_int4_polar4--benchmark-repetition-003	openvino-experimental-fork-5d898bb28644	7.520555	14142.033	8536105000	23	32
granite-8b_int4_t bq3	001	granite-8b_int4_t bq3--benchmark-repetition-001	openvino-experimental-fork-f2a741281dd0	7.400224	17703.258	8531762000	23	32
granite-8b_int4_t bq3	002	granite-8b_int4_t bq3--benchmark-repetition-002	openvino-experimental-fork-f2a741281dd0	7.367582	15094.581	8533848000	23	32
granite-8b_int4_t bq3	003	granite-8b_int4_t bq3--benchmark-repetition-003	openvino-experimental-fork-f2a741281dd0	7.333711	14321.354	8532137000	23	32
granite-8b_int4_t bq3_qjl	001	granite-8b_int4_t bq3_qjl--benchmark-repetition-001	openvino-experimental-fork-4bedc2626149	8.382645	13943.555	8533586000	23	32
granite-8b_int4_t bq3_qjl	002	granite-8b_int4_t bq3_qjl--benchmark-repetition-002	openvino-experimental-fork-4bedc2626149	7.472044	13954.448	8532074000	23	32
granite-8b_int4_t bq3_qjl	003	granite-8b_int4_t bq3_qjl--benchmark-repetition-003	openvino-experimental-fork-4bedc2626149	7.634369	14031.925	8534418000	23	32
granite-8b_int4_t bq4	001	granite-8b_int4_t bq4--benchmark-repetition-001	openvino-experimental-fork-3e1b64a8a20b	7.690236	14136.973	8533281000	23	32
granite-8b_int4_t bq4	002	granite-8b_int4_t bq4--benchmark-repetition-002	openvino-experimental-fork-3e1b64a8a20b	7.791031	13835.257	8535555000	23	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-8b__int4__tbq4	003	granite-8b__int4__tbq4--benchmark-repetition-003	openvino-experimental-fork-3e1b64a8a20b	7.765224	14146.060	8534711000	23	32
granite-8b__int4__tbq4_qjl	001	granite-8b__int4__tbq4_qjl--benchmark-repetition-001	openvino-experimental-fork-f03088fc329e	7.466740	14330.807	8535789000	23	32
granite-8b__int4__tbq4_qjl	002	granite-8b__int4__tbq4_qjl--benchmark-repetition-002	openvino-experimental-fork-f03088fc329e	7.253833	14228.916	8533691000	23	32
granite-8b__int4__tbq4_qjl	003	granite-8b__int4__tbq4_qjl--benchmark-repetition-003	openvino-experimental-fork-f03088fc329e	7.364409	14518.374	8535270000	23	32
granite-8b__int4__u4	001	granite-8b__int4__u4--benchmark-repetition-001	openvino-experimental-fork-ea1f2beffb8	7.850440	14703.042	8533195000	23	32
granite-8b__int4__u4	002	granite-8b__int4__u4--benchmark-repetition-002	openvino-experimental-fork-ea1f2beffb8	7.894287	14452.326	8534285000	23	32
granite-8b__int4__u4	003	granite-8b__int4__u4--benchmark-repetition-003	openvino-experimental-fork-ea1f2beffb8	7.979650	13972.787	8534902000	23	32
granite-8b__int4__u8	001	granite-8b__int4__u8--benchmark-repetition-001	openvino-experimental-fork-aff450f6d272	7.660995	14730.057	8539164000	23	32
granite-8b__int4__u8	002	granite-8b__int4__u8--benchmark-repetition-002	openvino-experimental-fork-aff450f6d272	7.623776	14617.481	8535922000	23	32
granite-8b__int4__u8	003	granite-8b__int4__u8--benchmark-repetition-003	openvino-experimental-fork-aff450f6d272	7.729379	14000.609	8537895000	23	32

9. Quality methodology and results

Quality uses 48 distinct prompts from OPENVINO-SECTOR-EXPERIENCE-QUALITY-v3: healthcare, education, statistics, and general tasks across short, medium, and long prompt lengths. The normalized objective rubric objective-quality-weighted-5-3-2-output-health-gate (experimental-openvino-objective-quality/v2) awards criterion checks with unequal importance. Each prompt has a primary 5-point check, a 3-point fact-retention check, and a 2-point instruction-following check. The reported /10 case score is the arithmetic mean of per-prompt totals, equivalently 10 multiplied by total awarded criterion points divided by total possible points. The output-health gate is part of the recorded rubric; this report does not add subjective re-judgment.

QC-01 — Objective quality criteria, weights, and score increments

Criterion	Weight	Distinct prompts	Satisfied-check contribution to case /10	Purpose
fact_retention:secondary	3	48	0.062500	Retention of supplied facts and constraints
factuality:primary	5	24	0.104167	Primary factual correctness check
instruction_following:supporting	2	48	0.041667	Requested structure and instruction compliance
numerical_accuracy:primary	5	8	0.104167	Primary arithmetic and statistical correctness check
safety:primary	5	16	0.104167	Primary healthcare or safety constraint check

Contribution increments are derived from criterion weight divided by the number of prompts in the case score denominator.

QD-01 — Prompt coverage by sector

Sector	Prompt count
Education	16
General	8
Healthcare	16
Statistics	8

QL-01 — Prompt coverage by length

Prompt length	Prompt count
Long	16
Medium	16
Short	16

QS-01 — Passed-case objective quality results

Test case	Model	Weight	Cache	Quality /10	Prompts	Criterion records	Possible points
granite-3b_int4_f16	granite-3b	int4	f16	0.000000	48	144	480
granite-3b_int4_polar3	granite-3b	int4	polar3	0.895833	48	144	480
granite-3b_int4_polar4	granite-3b	int4	polar4	6.000000	48	144	480
granite-3b_int4_t bq3	granite-3b	int4	tbq3	5.208333	48	144	480
granite-3b_int4_t bq3_qjl	granite-3b	int4	tbq3_qjl	2.833333	48	144	480
granite-3b_int4_t bq4	granite-3b	int4	tbq4	5.000000	48	144	480
granite-3b_int4_t bq4_qjl	granite-3b	int4	tbq4_qjl	5.437500	48	144	480
granite-3b_int4_u4	granite-3b	int4	u4	5.666667	48	144	480
granite-3b_int4_u8	granite-3b	int4	u8	0.000000	48	144	480
granite-3b_int8_f16	granite-3b	int8	f16	0.000000	48	144	480
granite-3b_int8_polar3	granite-3b	int8	polar3	2.229167	48	144	480
granite-3b_int8_polar4	granite-3b	int8	polar4	5.500000	48	144	480
granite-3b_int8_t bq3	granite-3b	int8	tbq3	5.750000	48	144	480
granite-3b_int8_t bq3_qjl	granite-3b	int8	tbq3_qjl	4.583333	48	144	480
granite-3b_int8_t bq4	granite-3b	int8	tbq4	5.937500	48	144	480
granite-3b_int8_t bq4_qjl	granite-3b	int8	tbq4_qjl	5.625000	48	144	480
granite-3b_int8_u4	granite-3b	int8	u4	6.083333	48	144	480
granite-3b_int8_u8	granite-3b	int8	u8	0.000000	48	144	480
granite-8b_int4_f16	granite-8b	int4	f16	0.000000	48	144	480
granite-8b_int4_polar3	granite-8b	int4	polar3	3.833333	48	144	480
granite-8b_int4_polar4	granite-8b	int4	polar4	5.437500	48	144	480
granite-8b_int4_t bq3	granite-8b	int4	tbq3	5.375000	48	144	480
granite-8b_int4_t bq3_qjl	granite-8b	int4	tbq3_qjl	5.250000	48	144	480
granite-8b_int4_t bq4	granite-8b	int4	tbq4	5.979167	48	144	480
granite-8b_int4_t bq4_qjl	granite-8b	int4	tbq4_qjl	5.375000	48	144	480
granite-8b_int4_u4	granite-8b	int4	u4	5.083333	48	144	480
granite-8b_int4_u8	granite-8b	int4	u8	0.000000	48	144	480

Only passed cases with normalized prompt-level criterion evidence are scored.

10. Device/backend use and fallback verification

Runtime-property metadata records the requested attention and cache activation settings; it is not a substitute for an independent device trace.

DV-01 — Normalized runtime-property evidence

Property set	Runtime properties	Evidence status
1	{"ATTENTION_BACKEND":"SDPA"}	Verified informational metadata
2	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_CODEC":"polar3","VALUE_CACHE_CODEC":"polar3"}	Verified informational metadata
3	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_CODEC":"polar4","VALUE_CACHE_CODEC":"polar4"}	Verified informational metadata
4	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_CODEC":"tbq3","VALUE_CACHE_CODEC":"tbq3"}	Verified informational metadata
5	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_CODEC":"tbq3_qjl","VALUE_CACHE_CODEC":"tbq3_qjl"}	Verified informational metadata
6	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_CODEC":"tbq4","VALUE_CACHE_CODEC":"tbq4"}	Verified informational metadata
7	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_CODEC":"tbq4_qjl","VALUE_CACHE_CODEC":"tbq4_qjl"}	Verified informational metadata
8	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_PRECISION":"u4","VALUE_CACHE_PRECISION":"u4"}	Verified informational metadata
9	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_PRECISION":"u8","VALUE_CACHE_PRECISION":"u8"}	Verified informational metadata

ATTENTION_BACKEND=SDPA is recorded in the normalized runtime-property sets. Cache activation properties distinguish TurboQuant from scalar or codec configurations. The bundle does not contain an independent device-fallback trace, so this report does not claim that fallback was exercised or excluded beyond the recorded properties.

11. Failures, blocks, deviations, and recovery attempts

Every non-passed terminal outcome is retained with its stage, source status, reason, and linked evidence.

FL-01 — Non-passed outcomes and evidence

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-30b__fp16__f16-- artifact-unavailable	granite-30b__fp16__f16	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__polar3-- artifact-unavailable	granite-30b__fp16__polar3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__polar4-- artifact-unavailable	granite-30b__fp16__polar4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__tbq3-- artifact-unavailable	granite-30b__fp16__tbq3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__tbq3__qjl-- artifact-unavailable	granite-30b__fp16__tbq3__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__tbq4-- artifact-unavailable	granite-30b__fp16__tbq4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__tbq4__qjl-- artifact-unavailable	granite-30b__fp16__tbq4__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__u4-- artifact-unavailable	granite-30b__fp16__u4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__fp16__u8-- artifact-unavailable	granite-30b__fp16__u8	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b fp16	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__f16-- artifact-unavailable	granite-30b__int4__f16	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__polar3-- artifact-unavailable	granite-30b__int4__polar3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-30b__int4__polar4--artifact-unavailable	granite-30b__int4__polar4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq3--artifact-unavailable	granite-30b__int4__tbq3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq3__qjl--artifact-unavailable	granite-30b__int4__tbq3__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq4--artifact-unavailable	granite-30b__int4__tbq4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__tbq4__qjl--artifact-unavailable	granite-30b__int4__tbq4__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__u4--artifact-unavailable	granite-30b__int4__u4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int4__u8--artifact-unavailable	granite-30b__int4__u8	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int4	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__f16--artifact-unavailable	granite-30b__int8__f16	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int8	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__polar3--artifact-unavailable	granite-30b__int8__polar3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int8	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__polar4--artifact-unavailable	granite-30b__int8__polar4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int8	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__tbq3--artifact-unavailable	granite-30b__int8__tbq3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int8	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71
granite-30b__int8__tbq3__qjl--artifact-unavailable	granite-30b__int8__tbq3__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite-30b int8	openvino-experimental-fork-2f5739098066, openvino-experimental-fork-ca3f4af15b71

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-30b__int8__tbq4-- artifact-unavailable	granite-30b__int8__tbq4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 30b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite- 30b__int8__tbq4__qjl-- artifact-unavailable	granite-30b__int8__tbq4__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 30b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-30b__int8__u4-- artifact-unavailable	granite-30b__int8__u4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 30b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-30b__int8__u8-- artifact-unavailable	granite-30b__int8__u8	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 30b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-3b__fp16__f16-- artifact-unavailable	granite-3b__fp16__f16	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-3b__fp16__polar3-- artifact-unavailable	granite-3b__fp16__polar3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-3b__fp16__polar4-- artifact-unavailable	granite-3b__fp16__polar4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-3b__fp16__tbq3-- artifact-unavailable	granite-3b__fp16__tbq3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite- 3b__fp16__tbq3__qjl-- artifact-unavailable	granite-3b__fp16__tbq3__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-3b__fp16__tbq4-- artifact-unavailable	granite-3b__fp16__tbq4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite- 3b__fp16__tbq4__qjl-- artifact-unavailable	granite-3b__fp16__tbq4__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-3b__fp16__u4-- artifact-unavailable	granite-3b__fp16__u4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-3b__fp16__u8-- artifact-unavailable	granite-3b__fp16__u8	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 3b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__f16-- artifact-unavailable	granite-8b__fp16__f16	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__polar3-- artifact-unavailable	granite-8b__fp16__polar3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__polar4-- artifact-unavailable	granite-8b__fp16__polar4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__tbq3-- artifact-unavailable	granite-8b__fp16__tbq3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite- 8b__fp16__tbq3__qjl-- artifact-unavailable	granite-8b__fp16__tbq3__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__tbq4-- artifact-unavailable	granite-8b__fp16__tbq4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite- 8b__fp16__tbq4__qjl-- artifact-unavailable	granite-8b__fp16__tbq4__qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__u4-- artifact-unavailable	granite-8b__fp16__u4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__fp16__u8-- artifact-unavailable	granite-8b__fp16__u8	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b fp16	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__f16-- artifact-unavailable	granite-8b__int8__f16	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__polar3-- artifact-unavailable	granite-8b__int8__polar3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-8b__int8__polar4-- artifact-unavailable	granite-8b__int8__polar4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__tbq3-- artifact-unavailable	granite-8b__int8__tbq3	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__tbq3_qjl- -artifact-unavailable	granite-8b__int8__tbq3_qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__tbq4-- artifact-unavailable	granite-8b__int8__tbq4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__tbq4_qjl- -artifact-unavailable	granite-8b__int8__tbq4_qjl	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__u4-- artifact-unavailable	granite-8b__int8__u4	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71
granite-8b__int8__u8-- artifact-unavailable	granite-8b__int8__u8	Artifact unavailable	model_acquisition	model_artifact_unavailable	no validated OpenVINO artifact supplied for granite- 8b int8	openvino-experimental- fork-2f5739098066, openvino-experimental- fork-ca3f4af15b71

The fv6 normalized campaign is the sole status and measurement authority. Cases without validated model artifacts are reported as Artifact unavailable, not as execution failures.

Recovery and retry history is claimed only where the normalized failure records and linked evidence IDs provide it; an absent recovery record is not converted into a presumed attempt.

12. Limitations, uncertainty, robustness checks, and claim boundaries

The normalized ledger contains 54 model-artifact unavailable cases. They were not executed and have no fabricated measurements.

Performance summaries use 3 recorded repetitions per passed case. They describe observed medians, selected-repetition TTFT, and worst-observed memory; no confidence interval or population-level uncertainty estimate was collected.

Within-route ranking is valid only on the same model, weight format, cache format, backend, prompt suite, rubric, denominator, and aggregation definition. Cross-repository or legacy-quality comparisons remain descriptive unless a separate comparability matrix confirms every required condition.

Note: No result establishes clinical safety, educational efficacy, model correctness for unseen tasks, or causal superiority of a quantization method.

13. Reproduction guidance

Use the frozen evidence and normalization instructions in docs/testing/final-results/opencvino-experimental-fork/reproduction/README.md. Regeneration validates source identities and normalizes existing evidence; it does not rerun inference.

RE-01 — Reproduction inputs and outputs

Item	Repository-relative location
Canonical attempts	docs/testing/final-results/opencvino-experimental-fork/results/attempts.csv
Canonical measurements	docs/testing/final-results/opencvino-experimental-fork/results/measurements.csv
Canonical quality	docs/testing/final-results/opencvino-experimental-fork/quality/scores.csv
Evidence index	docs/testing/final-results/opencvino-experimental-fork/evidence/evidence-index.csv
Source workbook	docs/testing/final-results/opencvino-experimental-fork/results/source/

14. Evidence index and hashes

The evidence index provides portable identities and hashes for every source item admitted to the normalized campaign bundle.

EV-01 — Complete normalized evidence index

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-016d9424a7c4	source-results	fv6 comparison results	016d9424a7c43a6d2f5ea8ea97b51e1de83ec0ac4c0d3946bc52de1c8bdcdf09	8589	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/experimental-openvino-comparison.csv	Source	None
openvino-experimental-fork-0957a32a76e2	quality-prompt-input	fv6 prompt input Q35	0957a32a76e2fe74be28c143e690d0ec4be35096f3382dd92a92aebca87be433	1181	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/0957a32a76e2fe74be28c143e690d0ec4be35096f3382dd92a92aebca87be433.txt	Source	None
openvino-experimental-fork-09820a5b19ed	source-workbook	fv6 final interactive workbook	09820a5b19edb11efd7640f1d9a13802b82fb464ab6e14622998d2565c5aca83	663856	outputs/openvino-experimental-fork-results/Granite_OpenVINO_Final_Healthcare_Education_Results_2026-08-30.xlsx	Source	None
openvino-experimental-fork-17765ec1deb5	raw-case-result	fv6 raw result granite-3b__int8__tbq3_qjl	17765ec1deb524dde72cdf66d744ddab39b32672e66d1f8b6dc9a5a990d50fb6	231948	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__tbq3_qjl.json	Source	None
openvino-experimental-fork-1ab6f38f86d7	raw-case-result	fv6 raw result granite-3b__int4__u4	1ab6f38f86d71f54c8871567a4999aa39ab39fc83796e6c0e2cd0acf9c5f2805	239430	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__u4.json	Source	None
openvino-experimental-fork-1b97409e2349	quality-prompt-input	fv6 prompt input Q40	1b97409e23492cd5041096f5b22ab2f14a80fd8d6b960570ccd88cafe23d4ea8b	1123	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/1b97409e23492cd5041096f5b22ab2f14a80fd8d6b960570ccd88cafe23d4ea8b.txt	Source	None
openvino-experimental-fork-26b7bbb5d258	raw-case-result	fv6 raw result granite-8b__int4__polar3	26b7bbb5d2589e6c6da856bdcddbccf168b4b7612ff12f70e76a0164f504bed5	242565	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__polar3.json	Source	None
openvino-experimental-fork-2743f5a029eb	quality-prompt-input	fv6 prompt input Q16	2743f5a029eb58855b2bcc261826e3096cbf114fad8ef550644b7abc3c966cc9	89	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/2743f5a029eb58855b2bcc261826e3096cbf114fad8ef550644b7abc3c966cc9.txt	Source	None
openvino-experimental-fork-277de33c834f	quality-prompt-input	fv6 prompt input Q10	277de33c834fc201a480f424bd6b5da18013518836363de336d16cfd363c4e43	89	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/277de33c834fc201a480f424bd6b5da18013518836363de336d16cfd363c4e43.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-27e4c3f8c1be	quality-prompt-input	fv6 prompt input Q03	27e4c3f8c1be42db726025869211598d145dac5fb94b2872690c0229daeb8d48	86	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/27e4c3f8c1be42db726025869211598d145dac5fb94b2872690c0229daeb8d48.txt	Source	None
openvino-experimental-fork-2f5739098066	source-results	fv6 detailed results	2f57390980664a79cdcc2272152fd316cd315360afd5ab3b715bba9fd70ebc9f	34030	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/experimental-openvino-detailed-results.csv	Source	None
openvino-experimental-fork-2fefb3c8ab9f	raw-case-result	fv6 raw result granite-3b__int8__u8	2fefb3c8ab9f5d3d895f0265deaf568e8a4ce6c99d3fbbd14d8f0759cacc0d94	209267	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__u8.json	Source	None
openvino-experimental-fork-324bdd409b36	quality-prompt-input	fv6 prompt input Q48	324bdd409b3648d97542738ab7ccf93b0ff44da7444a5004fc209bf546830ddc	1157	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/324bdd409b3648d97542738ab7ccf93b0ff44da7444a5004fc209bf546830ddc.txt	Source	None
openvino-experimental-fork-3538aa6dfe4d	raw-case-result	fv6 raw result granite-8b__int4__f16	3538aa6dfe4d243793d321e2be4b89373a93cd82bf3c6eb5a60ffee5e951fb5d	209843	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__f16.json	Source	None
openvino-experimental-fork-39d9aff18ec6	raw-case-result	fv6 raw result granite-3b__int8__tbq3	39d9aff18ec6589dce59598e0f1ba14ce8c65c86ea79dba2a7eb74ce17f321c7	236330	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__tbq3.json	Source	None
openvino-experimental-fork-3cc4b86e0a52	quality-prompt-input	fv6 prompt input Q36	3cc4b86e0a5231ac1ccff542f8d2ee91b73dfbddd029ebcd44cae353d03f87bf	1142	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/3cc4b86e0a5231ac1ccff542f8d2ee91b73dfbddd029ebcd44cae353d03f87bf.txt	Source	None
openvino-experimental-fork-3e1b64a8a20b	raw-case-result	fv6 raw result granite-8b__int4__tbq4	3e1b64a8a20bfcba2c9eb1c531115f7ed6d82290424a47298070bc7c3fcd7500	242934	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__tbq4.json	Source	None
openvino-experimental-fork-43f30876ef84	quality-prompt-input	fv6 prompt input Q44	43f30876ef8424228ab945195b71adf00e48886bbe3f2b28bd26652b00970d8a	1106	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/43f30876ef8424228ab945195b71adf00e48886bbe3f2b28bd26652b00970d8a.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-451007ed2773	raw-case-result	fv6 raw result granite-3b__int8__polar3	451007ed27736e4fa8b0f0cf4c9f6945ffac97e1fe273bb2d4560627354330a9	230178	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__polar3.json	Source	None
openvino-experimental-fork-455d04b8f613	quality-prompt-input	fv6 prompt input Q46	455d04b8f61370bdc2197011d5f69990a46d8075405c7a9539bce8afc6442775	1141	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/455d04b8f61370bdc2197011d5f69990a46d8075405c7a9539bce8afc6442775.txt	Source	None
openvino-experimental-fork-48891656ca1f	quality-prompt-input	fv6 prompt input Q21	48891656ca1fc61bdf95f080a267d482fe317ac5237045cca5fa1ddebff16d3b	370	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/48891656ca1fc61bdf95f080a267d482fe317ac5237045cca5fa1ddebff16d3b.txt	Source	None
openvino-experimental-fork-4bedc2626149	raw-case-result	fv6 raw result granite-8b__int4__tbq3_qjl	4bedc2626149dfdf0286a6e8e4a0d8973e6eb945779e6ccf05c165043c0a737f	241866	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__tbq3_qjl.json	Source	None
openvino-experimental-fork-4c0d076ee2bd	raw-case-result	fv6 raw result granite-3b__int4__tbq4_qjl	4c0d076ee2bd458bca7a80489c21d482ea2bc911c7886cc821c8252c3d7d99a9	239946	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__tbq4_qjl.json	Source	None
openvino-experimental-fork-53fc6bb93a26	quality-prompt-input	fv6 prompt input Q23	53fc6bb93a26bb0d255c52507517fe6fe39f673a399800038464155c5513dc25	350	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/53fc6bb93a26bb0d255c52507517fe6fe39f673a399800038464155c5513dc25.txt	Source	None
openvino-experimental-fork-540a9be22729	quality-prompt-input	fv6 prompt input Q09	540a9be22729fd4e0d70775a9f2fcc918e739b9cbaa06e93f1ab353ff3b1c5e8	52	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/540a9be22729fd4e0d70775a9f2fcc918e739b9cbaa06e93f1ab353ff3b1c5e8.txt	Source	None
openvino-experimental-fork-5447b448375f	raw-case-result	fv6 raw result granite-3b__int4__u8	5447b448375f963c2c1888e1dbde74a37f646d22d4cf6fe25a202b6b4a260c91	209554	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__u8.json	Source	None
openvino-experimental-fork-595572cc4baf	quality-prompt-input	fv6 prompt input Q08	595572cc4baf62474158ef2e19f8ab8821b6c824d897e358106bbb89244ff39d	84	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/595572cc4baf62474158ef2e19f8ab8821b6c824d897e358106bbb89244ff39d.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-5b7486ba7df4	quality-prompt-input	fv6 prompt input Q33	5b7486ba7df49165ff830d1d7c5108bbdd9c19d42947b0977ae eeb077fce6762	764	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/5b7486ba7df49165ff830d1d7c5108bbdd9c19d42947b0977ae eeb077fce6762.txt	Source	None
openvino-experimental-fork-5d898bb28644	raw-case-result	fv6 raw result granite-8b__int4__polar4	5d898bb28644eec31094bdf475722439bae0056da20dc673a49 0725e94277ec7	243423	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__polar4.json	Source	None
openvino-experimental-fork-615d04f9c4df	quality-prompt-input	fv6 prompt input Q05	615d04f9c4dfa816cff2f874dd1a8e143cd8a0f1eff1b5c7ac34b8 f183166fa6	81	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/615d04f9c4dfa816cff2f874dd1a8e143cd8a0f1eff1b5c7ac34b8 f183166fa6.txt	Source	None
openvino-experimental-fork-61f222026965	quality-prompt-input	fv6 prompt input Q15	61f222026965b2f5a430b1e5088fe9d424c4b10e53ac503a33a3 4dfd472e2db0	63	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/61f222026965b2f5a430b1e5088fe9d424c4b10e53ac503a33a3 4dfd472e2db0.txt	Source	None
openvino-experimental-fork-676c2e2ff16d	quality-prompt-input	fv6 prompt input Q30	676c2e2ff16d3a649143e708e2c39de48b0472f092082c483b2a 172144617d0f	332	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/676c2e2ff16d3a649143e708e2c39de48b0472f092082c483b2a 172144617d0f.txt	Source	None
openvino-experimental-fork-67ce45459cbf	quality-prompt-input	fv6 prompt input Q32	67ce45459cbf6e5552dcdbd66d5b1dbdb93b145f747823f36764 5f545032b7aee	389	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/67ce45459cbf6e5552dcdbd66d5b1dbdb93b145f747823f36764 5f545032b7aee.txt	Source	None
openvino-experimental-fork-6a657de4f1a4	quality-prompt-input	fv6 prompt input Q29	6a657de4f1a46dbeb25adffe22bc3c7b023b8e26c14c173c427e 5d2064d4a3a0	355	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/6a657de4f1a46dbeb25adffe22bc3c7b023b8e26c14c173c427e 5d2064d4a3a0.txt	Source	None
openvino-experimental-fork-776c5fc60b7d	quality-prompt-input	fv6 prompt input Q24	776c5fc60b7ddc2c51ceca3c0e7c439973bcf731250758ff3945 23dc807ea7c4	367	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/776c5fc60b7ddc2c51ceca3c0e7c439973bcf731250758ff3945 23dc807ea7c4.txt	Source	None
openvino-experimental-fork-7772a6c1df61	quality-prompt-input	fv6 prompt input Q31	7772a6c1df61229e02cd91db5fbb2b8c6e292ddcf43ff91b6c83 2deb358ac08c	302	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/7772a6c1df61229e02cd91db5fbb2b8c6e292ddcf43ff91b6c83 2deb358ac08c.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-79a9263dad4e	raw-case-result	fv6 raw result granite-3b__int4__f16	79a9263dad4e80da3555dc86ea49b786d2f55339ab453713d89f17e5b77c7494	209653	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__f16.json	Source	None
openvino-experimental-fork-7a78a81c98a6	quality-prompt-input	fv6 prompt input Q25	7a78a81c98a6383205ad49f85e60b40590560a72d04f2cd915a340dfce85511d	464	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/7a78a81c98a6383205ad49f85e60b40590560a72d04f2cd915a340dfce85511d.txt	Source	None
openvino-experimental-fork-7b3e4e7d379c	quality-prompt-input	fv6 prompt input Q42	7b3e4e7d379c102404f7801a205bdadc845f25de7f44fbce7c4b9c918fd75bee	1123	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/7b3e4e7d379c102404f7801a205bdadc845f25de7f44fbce7c4b9c918fd75bee.txt	Source	None
openvino-experimental-fork-7b63b3e81dc4	quality-prompt-input	fv6 prompt input Q17	7b63b3e81dc4212fb5d7e781a990319a5744e2d3008116e7e798ebe61d99c9c7	396	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/7b63b3e81dc4212fb5d7e781a990319a5744e2d3008116e7e798ebe61d99c9c7.txt	Source	None
openvino-experimental-fork-80abc763efd	quality-prompt-input	fv6 prompt input Q28	80abc763effdb50d372eafff10c7fc0daee6034a5414be805e8fd5aad3681001	351	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/80abc763effdb50d372eafff10c7fc0daee6034a5414be805e8fd5aad3681001.txt	Source	None
openvino-experimental-fork-834c2caa9c7e	source-quality	fv6 quality details	834c2caa9c7eccc89043078ffbd9bba2b637b2ed82be8d412c6011c7f7fd978e	3776624	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/experimental-openvino-quality-details.csv	Source	None
openvino-experimental-fork-845d14e24b22	quality-prompt-input	fv6 prompt input Q04	845d14e24b22d9fd9fba5834ce60358dd1797f5ddba96ce12bdf60999276470d	73	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/845d14e24b22d9fd9fba5834ce60358dd1797f5ddba96ce12bdf60999276470d.txt	Source	None
openvino-experimental-fork-87f8e79eaaea	quality-prompt-input	fv6 prompt input Q12	87f8e79eaaea4c5260630e44b0fec4a1a57fe02331602d044bab7c29c2eb659f	71	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/87f8e79eaaea4c5260630e44b0fec4a1a57fe02331602d044bab7c29c2eb659f.txt	Source	None
openvino-experimental-fork-8a7e943f1a70	quality-prompt-input	fv6 prompt input Q11	8a7e943f1a70337ca1256cdd0c28e274a4d319d56c3d8083c54bef4f89bdba02	44	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/8a7e943f1a70337ca1256cdd0c28e274a4d319d56c3d8083c54bef4f89bdba02.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-8b075f0ffd39	quality-prompt-input	fv6 prompt input Q47	8b075f0ffd39580d4e5f23b1cd3df5f7db208be451bf1c647ca425ce7539b02d	1103	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/8b075f0ffd39580d4e5f23b1cd3df5f7db208be451bf1c647ca425ce7539b02d.txt	Source	None
openvino-experimental-fork-8c5119f12426	raw-case-result	fv6 raw result granite-3b__int4__tbq4	8c5119f1242660a9bb6de59d7fc6ae174a3cc1200ccb2e6eec0da981436d8385	239969	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__tbq4.json	Source	None
openvino-experimental-fork-8ed7aacec825	quality-prompt-input	fv6 prompt input Q34	8ed7aacec8256902245374778e794ad30296d02d9760d1c39d244cf7b9f3f283	1219	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/8ed7aacec8256902245374778e794ad30296d02d9760d1c39d244cf7b9f3f283.txt	Source	None
openvino-experimental-fork-9124358d912e	quality-prompt-input	fv6 prompt input Q45	9124358d912e7c1b34b4568a841d150b6e807171f187f11f4ef0f075a07eb46b	1157	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/9124358d912e7c1b34b4568a841d150b6e807171f187f11f4ef0f075a07eb46b.txt	Source	None
openvino-experimental-fork-957608b566cd	quality-prompt-input	fv6 prompt input Q22	957608b566cd7c09ffde938e35020c73bb8e76d2526fd3bf665c2bb806a5da63	345	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/957608b566cd7c09ffde938e35020c73bb8e76d2526fd3bf665c2bb806a5da63.txt	Source	None
openvino-experimental-fork-965b09972a47	quality-prompt-input	fv6 prompt input Q19	965b09972a4704a909dbeca63c6163638eac651e58d1f7be5bf0f181ea6603b0	388	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/965b09972a4704a909dbeca63c6163638eac651e58d1f7be5bf0f181ea6603b0.txt	Source	None
openvino-experimental-fork-98f65445635e	raw-case-result	fv6 raw result granite-3b__int4__tbq3_qjl	98f65445635ec1a712292aeae3b5d5293e4673b01a02f1750980bc1d51b00463	236902	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__tbq3_qjl.json	Source	None
openvino-experimental-fork-9d6ad5885078	raw-case-result	fv6 raw result granite-3b__int4__polar3	9d6ad5885078c8fa9e098cb625e06395038a92fb07c7bdd233b88e26b5d1d6af	236598	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__polar3.json	Source	None
openvino-experimental-fork-a5731332bcee	quality-prompt-input	fv6 prompt input Q43	a5731332bceedf440857f21f9160c77f94ddabac76722b7b8c86fe1d69c0f866	1105	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/a5731332bceedf440857f21f9160c77f94ddabac76722b7b8c86fe1d69c0f866.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-a766b4ce3d4c	raw-case-result	fv6 raw result granite-3b__int4__tbq3	a766b4ce3d4c1ba952e0ecf66568257ee28c779f7031332977e207875a0dca18	238578	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__tbq3.json	Source	None
openvino-experimental-fork-ae181a94c34b	quality-prompt-input	fv6 prompt input Q20	ae181a94c34b5a0a1f3099118a6a3b43a794e1fff99177333cd739d94ea7578f	362	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/ae181a94c34b5a0a1f3099118a6a3b43a794e1fff99177333cd739d94ea7578f.txt	Source	None
openvino-experimental-fork-ae5c6e52fff8	raw-case-result	fv6 raw result granite-3b__int8__f16	ae5c6e52fff82eb29257786af2dd4601ddbff1c5aaab5b9d08d31cd503486eea	209337	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__f16.json	Source	None
openvino-experimental-fork-aff450f6d272	raw-case-result	fv6 raw result granite-8b__int4__u8	aff450f6d272771f3d81628cab6ffd8ea99e9735938367b32264bee721dd9879	209719	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__u8.json	Source	None
openvino-experimental-fork-b391720b2194	raw-case-result	fv6 raw result granite-3b__int8__polar4	b391720b21949e7b69cff374129b998d67f5b55cca2c82350fb82ff2689713ef	237312	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__polar4.json	Source	None
openvino-experimental-fork-b470c3eed1d	raw-case-result	fv6 raw result granite-3b__int4__polar4	b470c3eed1d521938eccf26e1c0dc89b6fed76ba6b084a226a46a57fc7c3548	239731	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int4__polar4.json	Source	None
openvino-experimental-fork-b4e14dfc41cc	quality-prompt-input	fv6 prompt input Q41	b4e14dfc41cc0e847b7459dec73ae3c24d82b3c652b9fd4ec2cc5b2888012dda	1123	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/b4e14dfc41cc0e847b7459dec73ae3c24d82b3c652b9fd4ec2cc5b2888012dda.txt	Source	None
openvino-experimental-fork-c2b33c08f0a6	quality-prompt-input	fv6 prompt input Q37	c2b33c08f0a603144376aeb9af998967745f4fdb14fcb4c1f6a9fcdab5bc466	1150	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/c2b33c08f0a603144376aeb9af998967745f4fdb14fcb4c1f6a9fcdab5bc466.txt	Source	None
openvino-experimental-fork-c56924db2c13	raw-case-result	fv6 raw result granite-3b__int8__tbq4	c56924db2c13a2b4fd607be571f8913f7203e283b4888213018f1304915fdf04	236849	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__tbq4.json	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-c64af7c09c2d	quality-prompt-input	fv6 prompt input Q27	c64af7c09c2da9782c5443500b3081f36132c88a4f303c7c51771b7693f4fa10	328	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/c64af7c09c2da9782c5443500b3081f36132c88a4f303c7c51771b7693f4fa10.txt	Source	None
openvino-experimental-fork-c6ba447ec601	quality-prompt-input	fv6 prompt input Q14	c6ba447ec6018abfd421e556303883c8fed2bc1a450287a18939a55cfadf776b	74	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/c6ba447ec6018abfd421e556303883c8fed2bc1a450287a18939a55cfadf776b.txt	Source	None
openvino-experimental-fork-ca3f4af15b71	source-ledger	fv6 normalized source rows	ca3f4af15b71c47fa9f702c09502a8ad31ab0ee0b1a0aedfc39a5716b72f1b02	53536	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/rows.json	Source	None
openvino-experimental-fork-cc009c748d7f	raw-case-result	fv6 raw result granite-3b__int8__tbq4_qjl	cc009c748d7f1a4bd538d689e65cd4704a50259f49d41e8e2c5e3598d72ddd14	237236	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__tbq4_qjl.json	Source	None
openvino-experimental-fork-d15fe77e8e99	quality-prompt-input	fv6 prompt input Q39	d15fe77e8e99e3f5178ad1ce97ab3e322688336f041c87beb4799480e569b838	1179	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/d15fe77e8e99e3f5178ad1ce97ab3e322688336f041c87beb4799480e569b838.txt	Source	None
openvino-experimental-fork-d3991034bc6f	quality-prompt-input	fv6 prompt input Q01	d3991034bc6ffd70c4b65fdef1a0d319a3c678d66f0e79c19c306fd8ab35b8a6	85	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/d3991034bc6ffd70c4b65fdef1a0d319a3c678d66f0e79c19c306fd8ab35b8a6.txt	Source	None
openvino-experimental-fork-d8d54a60271b	quality-prompt-input	fv6 prompt input Q06	d8d54a60271bae4f633eef26af30798e326feb08b43290262847f941658c89a3	80	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/d8d54a60271bae4f633eef26af30798e326feb08b43290262847f941658c89a3.txt	Source	None
openvino-experimental-fork-dbff31257c78	quality-prompt-input	fv6 prompt input Q38	dbff31257c7803ac80b1164258cf636b0b37baa29474bedb54df5044c1d47c8c	1190	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/dbff31257c7803ac80b1164258cf636b0b37baa29474bedb54df5044c1d47c8c.txt	Source	None
openvino-experimental-fork-def32bad0a39	quality-prompt-input	fv6 prompt input Q13	def32bad0a3914f543a3f46a5e3dc43abd9497efff6d607472fe8a0a5d40db96	74	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/def32bad0a3914f543a3f46a5e3dc43abd9497efff6d607472fe8a0a5d40db96.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-experimental-fork-e101455e0e6a	quality-prompt-input	fv6 prompt input Q18	e101455e0e6aba4fb65c29e16bb8814887a932a5d7f910938e597df4872005cd	349	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/e101455e0e6aba4fb65c29e16bb8814887a932a5d7f910938e597df4872005cd.txt	Source	None
openvino-experimental-fork-e2f0ecf9929c	quality-prompt-input	fv6 prompt input Q26	e2f0ecf9929c76498147257c73a720ed7e121e707fbfbdc1e22bba6ec57ad7f1	351	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/e2f0ecf9929c76498147257c73a720ed7e121e707fbfbdc1e22bba6ec57ad7f1.txt	Source	None
openvino-experimental-fork-ea1f2beffb8	raw-case-result	fv6 raw result granite-8b__int4__u4	ea1f2beffb85363459783a865c047c5add6a241f97301dd6a2b011f8d8b5952	244400	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__u4.json	Source	None
openvino-experimental-fork-ebf8a9685bee	source-coverage	fv6 coverage results	ebf8a9685beeec40e487e37365cde5de20ea57f64dd7c3948d5751926e983ccc	173	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/experimental-openvino-coverage.csv	Source	None
openvino-experimental-fork-f03088fc329e	raw-case-result	fv6 raw result granite-8b__int4__tbq4__qjl	f03088fc329e6b1df4ddc1d50693fbb89ea972d18d93eaa00ef9c7c1020989e9	242311	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__tbq4__qjl.json	Source	None
openvino-experimental-fork-f07ae51054e2	quality-prompt-input	fv6 prompt input Q07	f07ae51054e2b27269a123b82863b977083b69464654f8c7f386c0cd6976cd99	64	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/f07ae51054e2b27269a123b82863b977083b69464654f8c7f386c0cd6976cd99.txt	Source	None
openvino-experimental-fork-f2a741281dd0	raw-case-result	fv6 raw result granite-8b__int4__tbq3	f2a741281dd0b9183db14d39970e9f82cc01adac4c6fc285f9647e4d8a5cccd3	242250	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-8b__int4__tbq3.json	Source	None
openvino-experimental-fork-f6a419176fd9	quality-prompt-input	fv6 prompt input Q02	f6a419176fd90bc46e237db9a889d799c24b83bc38098f48e7e0605839f8021e	72	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/inputs/f6a419176fd90bc46e237db9a889d799c24b83bc38098f48e7e0605839f8021e.txt	Source	None
openvino-experimental-fork-f80681f07953	raw-case-result	fv6 raw result granite-3b__int8__u4	f80681f079534184022741760ee55c9a86274742945d701318ba993eb2eb3e0b	236587	experiments/raw-results/openvino-experimental-fork/2026-08-30/fv6/raw/granite-3b__int8__u4.json	Source	None

SHA-256 and byte counts are preserved from the verified normalized evidence records.

15. Revision history

Revision entries describe changes to this generated master report, separately from the source campaign revision.

RV-01 — Report revision history

Revision	Date	Change
R1	2026-08-30	Initial evidence-bound master report publication

Markdown is canonical. DOCX and PDF are generated derivatives; semantic parity and PDF layout validation are recorded beside the report.