

Official upstream OpenVINO final results

Document control	Value
Route ID	openvino-official-upstream
Revision	R1
Generated date	2026-08-30
Evidence IDs	openvino-official-upstream-1d5fc2893e0c, openvino-official-upstream-3a694c60f2dc, openvino-official-upstream-3ead43950da4, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-b74e4c0f599d, openvino-official-upstream-bab45fe4f497, openvino-official-upstream-bc078d9f96b0, openvino-official-upstream-ecd7ea7c9e71

1. Title and document control

DC-01 — Document identity and authority

Field	Value
Report title	Official upstream OpenVINO final results
Route ID	openvino-official-upstream
Campaign ID	fv2-2026-08-30
Source date	2026-08-30
Report revision	R1
Canonical content	workbook/source/openvino-official-upstream-final-report.md

Final statuses come from the normalized fv2 campaign; performance and quality observations are joined from fv1 only for fv2-passed cases. Hardware preflight blocked configurations are reported as Blocked, never as unavailable.

2. Technical summary

Campaign fv2-2026-08-30 accounts for 45 intended configuration attempts: 15 passed, 5 failed, 25 blocked. Performance and objective quality results are published only for the 15 passed configurations.

AC-01 — Attempt status summary

Status	Count
Passed	15
Failed	5
Blocked	25

Counts are derived from the complete normalized attempt ledger.

Note: A missing observation is never represented as zero. Status text is authoritative; colour is supplementary.

3. Key findings and decision-relevant evidence

The extrema below are navigation aids into the complete result tables, not standalone rankings.

KF-01 — Observed campaign extrema

Finding	Value	Basis
Highest observed median decode throughput	17.751513	tokens/s; granite-3b__int4__tbq3
Lowest observed selected-repetition TTFT	961.839	ms; granite-3b__int8__u4
Lowest observed worst-repetition peak working set	3634691000	bytes; granite-3b__int4__u4
Highest observed objective quality score	5.854167	/10 across 48 prompts; granite-3b__int4__tbq4

Extrema describe this campaign only and do not establish causal superiority.

Decision use should begin with availability and status, then compare performance and quality only within compatible model, weight, cache, backend, prompt, and aggregation conditions.

4. Repository, branch, commit, build, hardware, and software identity

The following values are the portable repository, hardware, and software identities retained by the normalized campaign.

ID-01 — Verified repository, hardware, and software metadata

Identity field	Verified value
Repository: openvino	{"commit":"f5f594dc0c9e5961785f0d17743486d52eac87e7","url":"https://github.com/opencv/opencvino.git"}
Repository: openvino_genai	{"commit":"6fbc103538d30d42da4b0b5130a4792a20f728ba","url":"https://github.com/opencv/opencvino_genai.git"}
Repository: source_campaign	fv2 status joined to fv1 passed evidence
Repository: source_date	2026-08-30
Repository: turboquant_merge_commit	b9a1f201c109e0bed74763934f79483cf6c4cbf4
Hardware: conversion_preflight_by_model_weight	{ "granite-30b_fp16":{"available_ram_bytes":9502789632,"emergency_floor_bytes":2147483648,"estimated_peak_bytes":58805266368,"required_available_bytes":60952750016,"shortfall_bytes":51449960384,"status":"hardware_preflight_blocked"}, "granite-30b_int4":{"available_ram_bytes":9502789632,"emergency_floor_bytes":2147483648,"estimated_peak_bytes":58805266368,"required_available_bytes":60952750016,"shortfall_bytes":51449960384,"status":"hardware_preflight_blocked"}, "granite-30b_int8":{"available_ram_bytes":9502789632,"emergency_floor_bytes":2147483648,"estimated_peak_bytes":58805266368,"required_available_bytes":60952750016,"shortfall_bytes":51449960384,"status":"hardware_preflight_blocked"}, "granite-3b_fp16":{"available_ram_bytes":9219502080,"emergency_floor_bytes":2147483648,"estimated_peak_bytes":7879456616,"required_available_bytes":10026940264,"shortfall_bytes":807438184,"status":"hardware_preflight_blocked"}, "granite-8b_fp16":{"available_ram_bytes":9503051776,"emergency_floor_bytes":2147483648,"estimated_peak_bytes":18656969976,"required_available_bytes":20804453624,"shortfall_bytes":11301401848,"status":"hardware_preflight_blocked"}, "granite-8b_int8":{"available_ram_bytes":9503039488,"emergency_floor_bytes":2147483648,"estimated_peak_bytes":18656969976,"required_available_bytes":20804453624,"shortfall_bytes":11301414136,"status":"hardware_preflight_blocked"} }
Hardware: emergency_ram_floor_bytes	2147483648
Hardware: status	source-recorded
Software: missing_model_attempt_versions	{"huggingface-hub":"0.36.0","nncc":"3.3.0","opencvino":"2026.3.1","optimum":"2.3.0","optimum-intel":"2.1.0","psutil":"7.0.0","torch":"2.13.0"}
Software: openvino_versions	["2026.5.0-22950-f5f594dc0c9"]
Software: runtime_properties	{ "ATTENTION_BACKEND":"SDPA", "ATTENTION_BACKEND":"SDPA", "KEY_CACHE_PRECISION":"u3", "KEY_CACHE_QUANT_ALG":"TURBO", "VALUE_CACHE_PRECISION":"u3", "VALUE_CACHE_QUANT_ALG":"TURBO", "ATTENTION_BACKEND":"SDPA", "KEY_CACHE_PRECISION":"u4", "KEY_CACHE_QUANT_ALG":"SCALAR", "VALUE_CACHE_PRECISION":"u4", "VALUE_CACHE_QUANT_ALG":"SCALAR", "ATTENTION_BACKEND":"SDPA", "KEY_CACHE_PRECISION":"u4", "KEY_CACHE_QUANT_ALG":"TURBO", "VALUE_CACHE_PRECISION":"u4", "VALUE_CACHE_QUANT_ALG":"TURBO", "ATTENTION_BACKEND":"SDPA", "KEY_CACHE_PRECISION":"u8", "KEY_CACHE_QUANT_ALG":"SCALAR", "VALUE_CACHE_PRECISION":"u8", "VALUE_CACHE_QUANT_ALG":"SCALAR" }

Note: Not collected means the normalized bundle contains no portable evidence for that identity field; it is not inferred from the reviewing computer.

5. Objectives, scope, test matrix, and execution sequence

The intended matrix crosses 3 models, 3 weight formats, and 5 cache formats for 45 configuration cases.

MX-01 — Intended matrix dimensions

Dimension	Members	Count
Models	granite-30b, granite-3b, granite-8b	3
Weight formats	fp16, int4, int8	3
Cache formats	f16, tbq3, tbq4, u4, u8	5

Execution sequence was availability/acquisition or conversion gating, three benchmark repetitions for each executable case, then the frozen sector-quality suite. Non-passed gates stopped downstream measurement.

6. Model, weight, cache-format, and backend availability

Availability is accounted for before performance: each intended model, weight, and cache combination retains its terminal status.

AV-01 — Model and weight availability by final status

Model	Weight	Intended	Passed	Failed	Blocked	Artifact unavailable
granite-30b	fp16	5	0	0	5	0
granite-30b	int4	5	0	0	5	0
granite-30b	int8	5	0	0	5	0
granite-3b	fp16	5	0	5	0	0
granite-3b	int4	5	5	0	0	0
granite-3b	int8	5	5	0	0	0
granite-8b	fp16	5	0	0	5	0
granite-8b	int4	5	5	0	0	0
granite-8b	int8	5	0	0	5	0

AV-02 — Cache-format coverage by final status

Cache format	Intended	Passed	Failed	Blocked	Artifact unavailable
f16	9	3	1	5	0
tbq3	9	3	1	5	0
tbq4	9	3	1	5	0
u4	9	3	1	5	0
u8	9	3	1	5	0

The normalized software metadata records SDPA attention-backend properties. No backend fallback is inferred where a separate fallback observation was not collected.

7. Complete attempt accounting

The audit ledger below lists every intended case exactly once, including cases that did not produce observations.

AT-01 — Complete normalized attempt ledger

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b__fp16__f16	granite-30b	fp16	f16	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__tbq3	granite-30b	fp16	tbq3	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__tbq4	granite-30b	fp16	tbq4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__u4	granite-30b	fp16	u4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__u8	granite-30b	fp16	u8	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b_int4_f16	granite-30b	int4	f16	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021
granite-30b_int4_tbq3	granite-30b	int4	tbq3	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021
granite-30b_int4_tbq4	granite-30b	int4	tbq4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021
granite-30b_int4_u4	granite-30b	int4	u4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021
granite-30b_int4_u8	granite-30b	int4	u8	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-30b_int8_f16	granite-30b	int8	f16	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-7625c690f16e
granite-30b_int8_tbq3	granite-30b	int8	tbq3	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-7625c690f16e
granite-30b_int8_tbq4	granite-30b	int8	tbq4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-7625c690f16e
granite-30b_int8_u4	granite-30b	int8	u4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-7625c690f16e
granite-30b_int8_u8	granite-30b	int8	u8	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-7625c690f16e

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b_fp16_f16	granite-3b	fp16	f16	false	Failed	emergency_ram_floor_reached	conversion_failed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b_fp16_tbq3	granite-3b	fp16	tbq3	false	Failed	emergency_ram_floor_reached	conversion_failed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b_fp16_tbq4	granite-3b	fp16	tbq4	false	Failed	emergency_ram_floor_reached	conversion_failed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b_fp16_u4	granite-3b	fp16	u4	false	Failed	emergency_ram_floor_reached	conversion_failed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b_fp16_u8	granite-3b	fp16	u8	false	Failed	emergency_ram_floor_reached	conversion_failed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b_int4_f16	granite-3b	int4	f16	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-544112ed79b9
granite-3b_int4_t bq3	granite-3b	int4	tbq3	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-ae0e0a006214
granite-3b_int4_t bq4	granite-3b	int4	tbq4	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-0ec7e2a0bdf

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b__int4__u4	granite-3b	int4	u4	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-b5b05787f6d3
granite-3b__int4__u8	granite-3b	int4	u8	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-1030c70041d2
granite-3b__int8__f16	granite-3b	int8	f16	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-6961b4765204
granite-3b__int8__tbq3	granite-3b	int8	tbq3	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-d1182d20b03f

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-3b__int8__tbq4	granite-3b	int8	tbq4	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-5d616388e740
granite-3b__int8__u4	granite-3b	int8	u4	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-5e6c30146b19
granite-3b__int8__u8	granite-3b	int8	u8	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-d0adcd32063d
granite-8b__fp16__f16	granite-8b	fp16	f16	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b_fp16_tbq3	granite-8b	fp16	tbq3	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b_fp16_tbq4	granite-8b	fp16	tbq4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b_fp16_u4	granite-8b	fp16	u4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b_fp16_u8	granite-8b	fp16	u8	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b_int4_f16	granite-8b	int4	f16	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-9ec0df1aac51

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b__int4__tbq3	granite-8b	int4	tbq3	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-58ad3684b4ef
granite-8b__int4__tbq4	granite-8b	int4	tbq4	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-6c81b73be5d3
granite-8b__int4__u4	granite-8b	int4	u4	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-d823c5c77289
granite-8b__int4__u8	granite-8b	int4	u8	true	Passed	None recorded	passed	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-cc594ccd64d9, openvino-official-upstream-5cd8ad3dd2c4

Test case	Model	Weight	Cache	Executed	Status	Reason	Source status	Evidence IDs
granite-8b__int8__f16	granite-8b	int8	f16	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__tbq3	granite-8b	int8	tbq3	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__tbq4	granite-8b	int8	tbq4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__u4	granite-8b	int8	u4	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__u8	granite-8b	int8	u8	false	Blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	hardware_preflight_blocked	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e

Every intended case appears once. Non-passed reasons are preserved from normalized source evidence.

8. Performance results and repetition detail

Performance summaries are joined to their passed configurations and followed by the individual source repetitions.

PF-01 — Passed-case performance summary

Test case	Model	Weight	Cache	Decode tokens/s	TTFT ms	Peak bytes	Peak GiB
granite-3b_int4_f16	granite-3b	int4	f16	16.448201	5544.201	3636703000	3.387
granite-3b_int4_t bq3	granite-3b	int4	tbq3	17.751513	4413.814	3635527000	3.386
granite-3b_int4_t bq4	granite-3b	int4	tbq4	16.401503	5580.099	3634789000	3.385
granite-3b_int4_u4	granite-3b	int4	u4	16.503994	5474.521	3634691000	3.385
granite-3b_int4_u8	granite-3b	int4	u8	16.442816	5461.910	3636484000	3.387
granite-3b_int8_f16	granite-3b	int8	f16	10.062454	1012.513	6645016000	6.189
granite-3b_int8_t bq3	granite-3b	int8	tbq3	8.685952	1393.526	6639434000	6.183
granite-3b_int8_t bq4	granite-3b	int8	tbq4	10.180064	1138.159	6640996000	6.185
granite-3b_int8_u4	granite-3b	int8	u4	10.205710	961.839	6641211000	6.185
granite-3b_int8_u8	granite-3b	int8	u8	10.110771	1007.126	6643984000	6.188
granite-8b_int4_f16	granite-8b	int4	f16	7.613034	13917.237	8540461000	7.954
granite-8b_int4_t bq3	granite-8b	int4	tbq3	7.095104	14040.073	8537840000	7.951
granite-8b_int4_t bq4	granite-8b	int4	tbq4	7.594366	13886.695	8535387000	7.949
granite-8b_int4_u4	granite-8b	int4	u4	7.562340	13993.325	8538504000	7.952
granite-8b_int4_u8	granite-8b	int4	u8	7.582979	13955.962	8539691000	7.953

AG-01 — Metric aggregation definitions

Metric	Unit	Aggregation
generation_tokens_per_second	tokens_per_second	median over three executed benchmark repetitions
peak_working_set_bytes	bytes	maximum over three executed benchmark repetitions
time_to_first_token	milliseconds	value from the repetition selected by median decode throughput

Observed benchmark repetitions per passed case: 3.

RP-01 — Individual benchmark repetition detail

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b_int4_f16	001	granite-3b_int4_f16--benchmark-repetition-001	openvino-official-upstream-544112ed79b9	16.397087	5585.315	3631379000	24	32
granite-3b_int4_f16	002	granite-3b_int4_f16--benchmark-repetition-002	openvino-official-upstream-544112ed79b9	16.470756	5470.061	3636703000	24	32
granite-3b_int4_f16	003	granite-3b_int4_f16--benchmark-repetition-003	openvino-official-upstream-544112ed79b9	16.448201	5544.201	3635043000	24	32
granite-3b_int4_t bq3	001	granite-3b_int4_t bq3--benchmark-repetition-001	openvino-official-upstream-ae0e0a006214	17.799459	4336.091	3635527000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b_int4_t bq3	002	granite-3b_int4_t bq3--benchmark-repetition-002	openvino-official-upstream-ae0e0a006214	17.751513	4413.814	3630789000	24	32
granite-3b_int4_t bq3	003	granite-3b_int4_t bq3--benchmark-repetition-003	openvino-official-upstream-ae0e0a006214	17.654126	4347.966	3631598000	24	32
granite-3b_int4_t bq4	001	granite-3b_int4_t bq4--benchmark-repetition-001	openvino-official-upstream-0ec7e2a0bdff	16.401503	5580.099	3634789000	24	32
granite-3b_int4_t bq4	002	granite-3b_int4_t bq4--benchmark-repetition-002	openvino-official-upstream-0ec7e2a0bdff	16.386142	5452.089	3634262000	24	32
granite-3b_int4_t bq4	003	granite-3b_int4_t bq4--benchmark-repetition-003	openvino-official-upstream-0ec7e2a0bdff	16.434646	5417.251	3633863000	24	32
granite-3b_int4_u4	001	granite-3b_int4_u4--benchmark-repetition-001	openvino-official-upstream-b5b05787f6d3	16.503994	5474.521	3634691000	24	32
granite-3b_int4_u4	002	granite-3b_int4_u4--benchmark-repetition-002	openvino-official-upstream-b5b05787f6d3	16.592866	5536.600	3632000000	24	32
granite-3b_int4_u4	003	granite-3b_int4_u4--benchmark-repetition-003	openvino-official-upstream-b5b05787f6d3	15.982339	5481.917	3631328000	24	32
granite-3b_int4_u8	001	granite-3b_int4_u8--benchmark-repetition-001	openvino-official-upstream-1030c70041d2	16.533014	5516.384	3636484000	24	32
granite-3b_int4_u8	002	granite-3b_int4_u8--benchmark-repetition-002	openvino-official-upstream-1030c70041d2	16.442816	5461.910	3634855000	24	32
granite-3b_int4_u8	003	granite-3b_int4_u8--benchmark-repetition-003	openvino-official-upstream-1030c70041d2	15.380887	5488.891	3633316000	24	32
granite-3b_int8_f16	001	granite-3b_int8_f16--benchmark-repetition-001	openvino-official-upstream-6961b4765204	10.062454	1012.513	6642789000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b__int8__f16	002	granite-3b__int8__f16--benchmark-repetition-002	openvino-official-upstream-6961b4765204	9.988375	1027.944	6645016000	24	32
granite-3b__int8__f16	003	granite-3b__int8__f16--benchmark-repetition-003	openvino-official-upstream-6961b4765204	10.135546	969.550	6642230000	24	32
granite-3b__int8__tbq3	001	granite-3b__int8__tbq3--benchmark-repetition-001	openvino-official-upstream-d1182d20b03f	9.447655	5085.656	6634691000	24	32
granite-3b__int8__tbq3	002	granite-3b__int8__tbq3--benchmark-repetition-002	openvino-official-upstream-d1182d20b03f	7.698347	1103.354	6636398000	24	32
granite-3b__int8__tbq3	003	granite-3b__int8__tbq3--benchmark-repetition-003	openvino-official-upstream-d1182d20b03f	8.685952	1393.526	6639434000	24	32
granite-3b__int8__tbq4	001	granite-3b__int8__tbq4--benchmark-repetition-001	openvino-official-upstream-5d616388e740	10.180064	1138.159	6640438000	24	32
granite-3b__int8__tbq4	002	granite-3b__int8__tbq4--benchmark-repetition-002	openvino-official-upstream-5d616388e740	10.244197	954.641	6635211000	24	32
granite-3b__int8__tbq4	003	granite-3b__int8__tbq4--benchmark-repetition-003	openvino-official-upstream-5d616388e740	9.866847	1012.549	6640996000	24	32
granite-3b__int8__u4	001	granite-3b__int8__u4--benchmark-repetition-001	openvino-official-upstream-5e6c30146b19	10.111783	1058.760	6641211000	24	32
granite-3b__int8__u4	002	granite-3b__int8__u4--benchmark-repetition-002	openvino-official-upstream-5e6c30146b19	10.263196	967.343	6639832000	24	32
granite-3b__int8__u4	003	granite-3b__int8__u4--benchmark-repetition-003	openvino-official-upstream-5e6c30146b19	10.205710	961.839	6640188000	24	32
granite-3b__int8__u8	001	granite-3b__int8__u8--benchmark-repetition-001	openvino-official-upstream-d0adcd32063d	10.110771	1007.126	6638859000	24	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-3b__int8__u8	002	granite-3b__int8__u8--benchmark-repetition-002	openvino-official-upstream-d0adcd32063d	10.008470	940.829	6643984000	24	32
granite-3b__int8__u8	003	granite-3b__int8__u8--benchmark-repetition-003	openvino-official-upstream-d0adcd32063d	10.154529	995.888	6638664000	24	32
granite-8b__int4__f16	001	granite-8b__int4__f16--benchmark-repetition-001	openvino-official-upstream-9ec0df1aac51	7.554190	14020.499	8540449000	23	32
granite-8b__int4__f16	002	granite-8b__int4__f16--benchmark-repetition-002	openvino-official-upstream-9ec0df1aac51	7.687787	14175.161	8540461000	23	32
granite-8b__int4__f16	003	granite-8b__int4__f16--benchmark-repetition-003	openvino-official-upstream-9ec0df1aac51	7.613034	13917.237	8539977000	23	32
granite-8b__int4__tbq3	001	granite-8b__int4__tbq3--benchmark-repetition-001	openvino-official-upstream-58ad3684b4ef	7.324324	18326.738	8535215000	23	32
granite-8b__int4__tbq3	002	granite-8b__int4__tbq3--benchmark-repetition-002	openvino-official-upstream-58ad3684b4ef	7.051820	15176.623	8537840000	23	32
granite-8b__int4__tbq3	003	granite-8b__int4__tbq3--benchmark-repetition-003	openvino-official-upstream-58ad3684b4ef	7.095104	14040.073	8534473000	23	32
granite-8b__int4__tbq4	001	granite-8b__int4__tbq4--benchmark-repetition-001	openvino-official-upstream-6c81b73be5d3	7.500589	13967.582	8532145000	23	32
granite-8b__int4__tbq4	002	granite-8b__int4__tbq4--benchmark-repetition-002	openvino-official-upstream-6c81b73be5d3	7.609774	14236.115	8534668000	23	32
granite-8b__int4__tbq4	003	granite-8b__int4__tbq4--benchmark-repetition-003	openvino-official-upstream-6c81b73be5d3	7.594366	13886.695	8535387000	23	32
granite-8b__int4__u4	001	granite-8b__int4__u4--benchmark-repetition-001	openvino-official-upstream-d823c5c77289	7.562340	13993.325	8538504000	23	32

Test case	Repetition	Measurement ID	Evidence ID	Decode tokens/s	Latency/TTFT ms	Peak bytes	Input tokens	Output tokens
granite-8b_int4_u4	002	granite-8b_int4_u4--benchmark-repetition-002	openvino-official-upstream-d823c5c77289	7.540437	14167.737	8537473000	23	32
granite-8b_int4_u4	003	granite-8b_int4_u4--benchmark-repetition-003	openvino-official-upstream-d823c5c77289	7.653565	13833.547	8537203000	23	32
granite-8b_int4_u8	001	granite-8b_int4_u8--benchmark-repetition-001	openvino-official-upstream-5cd8ad3dd2c4	7.410802	14334.300	8539387000	23	32
granite-8b_int4_u8	002	granite-8b_int4_u8--benchmark-repetition-002	openvino-official-upstream-5cd8ad3dd2c4	7.630967	13884.407	8539691000	23	32
granite-8b_int4_u8	003	granite-8b_int4_u8--benchmark-repetition-003	openvino-official-upstream-5cd8ad3dd2c4	7.582979	13955.962	8538996000	23	32

9. Quality methodology and results

Quality uses 48 distinct prompts from OPENVINO-SECTOR-EXPERIENCE-QUALITY-v3: healthcare, education, statistics, and general tasks across short, medium, and long prompt lengths. The normalized objective rubric objective-quality-weighted-5-3-2-output-health-gate (experimental-openvino-objective-quality/v2) awards criterion checks with unequal importance. Each prompt has a primary 5-point check, a 3-point fact-retention check, and a 2-point instruction-following check. The reported /10 case score is the arithmetic mean of per-prompt totals, equivalently 10 multiplied by total awarded criterion points divided by total possible points. The output-health gate is part of the recorded rubric; this report does not add subjective re-judgment.

QC-01 — Objective quality criteria, weights, and score increments

Criterion	Weight	Distinct prompts	Satisfied-check contribution to case /10	Purpose
fact_retention:secondary	3	48	0.062500	Retention of supplied facts and constraints
factuality:primary	5	24	0.104167	Primary factual correctness check
instruction_following:supporting	2	48	0.041667	Requested structure and instruction compliance
numerical_accuracy:primary	5	8	0.104167	Primary arithmetic and statistical correctness check
safety:primary	5	16	0.104167	Primary healthcare or safety constraint check

Contribution increments are derived from criterion weight divided by the number of prompts in the case score denominator.

QD-01 — Prompt coverage by sector

Sector	Prompt count
Education	16
General	8
Healthcare	16
Statistics	8

QL-01 — Prompt coverage by length

Prompt length	Prompt count
Long	16
Medium	16
Short	16

QS-01 — Passed-case objective quality results

Test case	Model	Weight	Cache	Quality /10	Prompts	Criterion records	Possible points
granite-3b_int4_f16	granite-3b	int4	f16	5.770833	48	144	480
granite-3b_int4_tbq3	granite-3b	int4	tbq3	5.416667	48	144	480
granite-3b_int4_tbq4	granite-3b	int4	tbq4	5.854167	48	144	480
granite-3b_int4_u4	granite-3b	int4	u4	5.520833	48	144	480
granite-3b_int4_u8	granite-3b	int4	u8	5.770833	48	144	480
granite-3b_int8_f16	granite-3b	int8	f16	5.770833	48	144	480
granite-3b_int8_tbq3	granite-3b	int8	tbq3	5.479167	48	144	480
granite-3b_int8_tbq4	granite-3b	int8	tbq4	5.520833	48	144	480
granite-3b_int8_u4	granite-3b	int8	u4	5.791667	48	144	480
granite-3b_int8_u8	granite-3b	int8	u8	5.770833	48	144	480
granite-8b_int4_f16	granite-8b	int4	f16	5.604167	48	144	480
granite-8b_int4_tbq3	granite-8b	int4	tbq3	5.208333	48	144	480
granite-8b_int4_tbq4	granite-8b	int4	tbq4	5.604167	48	144	480
granite-8b_int4_u4	granite-8b	int4	u4	5.375000	48	144	480
granite-8b_int4_u8	granite-8b	int4	u8	5.604167	48	144	480

Only passed cases with normalized prompt-level criterion evidence are scored.

10. Device/backend use and fallback verification

Runtime-property metadata records the requested attention and cache activation settings; it is not a substitute for an independent device trace.

DV-01 — Normalized runtime-property evidence

Property set	Runtime properties	Evidence status
1	{"ATTENTION_BACKEND":"SDPA"}	Verified informational metadata
2	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_PRECISION":"u3","KEY_CACHE_QUANT_ALG":"TURBO","VALUE_CACHE_PRECISION":"u3","VALUE_CACHE_QUANT_ALG":"TURBO"}	Verified informational metadata
3	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_PRECISION":"u4","KEY_CACHE_QUANT_ALG":"SCALAR","VALUE_CACHE_PRECISION":"u4","VALUE_CACHE_QUANT_ALG":"SCALAR"}	Verified informational metadata
4	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_PRECISION":"u4","KEY_CACHE_QUANT_ALG":"TURBO","VALUE_CACHE_PRECISION":"u4","VALUE_CACHE_QUANT_ALG":"TURBO"}	Verified informational metadata
5	{"ATTENTION_BACKEND":"SDPA","KEY_CACHE_PRECISION":"u8","KEY_CACHE_QUANT_ALG":"SCALAR","VALUE_CACHE_PRECISION":"u8","VALUE_CACHE_QUANT_ALG":"SCALAR"}	Verified informational metadata

ATTENTION_BACKEND=SDPA is recorded in the normalized runtime-property sets. Cache activation properties distinguish TurboQuant from scalar or codec configurations. The bundle does not contain an independent device-fallback trace, so this report does not claim that fallback was exercised or excluded beyond the recorded properties.

11. Failures, blocks, deviations, and recovery attempts

Every non-passed terminal outcome is retained with its stage, source status, reason, and linked evidence.

FL-01 — Non-passed outcomes and evidence

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-30b__fp16__f16-- hardware_preflight_blocked	granite-30b__fp16__f16	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__tbq3-- hardware_preflight_blocked	granite-30b__fp16__tbq3	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__tbq4-- hardware_preflight_blocked	granite-30b__fp16__tbq4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__u4-- hardware_preflight_blocked	granite-30b__fp16__u4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__fp16__u8-- hardware_preflight_blocked	granite-30b__fp16__u8	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d7be395e7e5f
granite-30b__int4__f16-- hardware_preflight_blocked	granite-30b__int4__f16	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021
granite-30b__int4__tbq3-- hardware_preflight_blocked	granite-30b__int4__tbq3	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-d60b4f445021

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-30b__int4__tbq4-- hardware_preflight_blocked	granite-30b__int4__tbq4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-d60b4f445021
granite-30b__int4__u4-- hardware_preflight_blocked	granite-30b__int4__u4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-d60b4f445021
granite-30b__int4__u8-- hardware_preflight_blocked	granite-30b__int4__u8	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-d60b4f445021
granite-30b__int8__f16-- hardware_preflight_blocked	granite-30b__int8__f16	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-7625c690f16e
granite-30b__int8__tbq3-- hardware_preflight_blocked	granite-30b__int8__tbq3	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-7625c690f16e
granite-30b__int8__tbq4-- hardware_preflight_blocked	granite-30b__int8__tbq4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-7625c690f16e
granite-30b__int8__u4-- hardware_preflight_blocked	granite-30b__int8__u4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-7625c690f16e
granite-30b__int8__u8-- hardware_preflight_blocked	granite-30b__int8__u8	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-7625c690f16e

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-3b__fp16__f16-- conversion_failed	granite-3b__fp16__f16	Failed	model_conversion	conversion_failed	emergency_ram_floor_reached	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b__fp16__tbq3-- conversion_failed	granite-3b__fp16__tbq3	Failed	model_conversion	conversion_failed	emergency_ram_floor_reached	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b__fp16__tbq4-- conversion_failed	granite-3b__fp16__tbq4	Failed	model_conversion	conversion_failed	emergency_ram_floor_reached	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b__fp16__u4-- conversion_failed	granite-3b__fp16__u4	Failed	model_conversion	conversion_failed	emergency_ram_floor_reached	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-3b__fp16__u8-- conversion_failed	granite-3b__fp16__u8	Failed	model_conversion	conversion_failed	emergency_ram_floor_reached	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-88b149e9b8eb, openvino-official-upstream-36d151562886
granite-8b__fp16__f16-- hardware_preflight_blocked	granite-8b__fp16__f16	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-8b__fp16__tbq3-- hardware_preflight_blocked	granite-8b__fp16__tbq3	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b__fp16__tbq4-- hardware_preflight_blocked	granite-8b__fp16__tbq4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b__fp16__u4-- hardware_preflight_blocked	granite-8b__fp16__u4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b__fp16__u8-- hardware_preflight_blocked	granite-8b__fp16__u8	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-de53b9b4c999
granite-8b__int8__f16-- hardware_preflight_blocked	granite-8b__int8__f16	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__tbq3-- hardware_preflight_blocked	granite-8b__int8__tbq3	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__tbq4-- hardware_preflight_blocked	granite-8b__int8__tbq4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e
granite-8b__int8__u4-- hardware_preflight_blocked	granite-8b__int8__u4	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official-upstream-ecd7ea7c9e71, openvino-official-upstream-742a17ebaf17, openvino-official-upstream-965fa680455e

Failure ID	Test case	Status	Stage	Source status	Reason	Evidence IDs
granite-8b__int8__u8-- hardware_preflight_blocked	granite-8b__int8__u8	Blocked	conversion_preflight	hardware_preflight_blocked	official source metadata proves conversion cannot preserve the 2 GiB emergency RAM floor on this host	openvino-official- upstream-ecd7ea7c9e71, openvino-official- upstream-742a17ebaf17, openvino-official- upstream-965fa680455e

Final statuses come from the normalized fv2 campaign; performance and quality observations are joined from fv1 only for fv2-passed cases. Hardware preflight blocked configurations are reported as Blocked, never as unavailable.

Recovery and retry history is claimed only where the normalized failure records and linked evidence IDs provide it; an absent recovery record is not converted into a presumed attempt.

12. Limitations, uncertainty, robustness checks, and claim boundaries

The normalized attempt ledger contains 5 conversion-failed attempts and 25 hardware-preflight blocks. Blocked cases have no fabricated runtime or quality observations.

Performance summaries use 3 recorded repetitions per passed case. They describe observed medians, selected-repetition TTFT, and worst-observed memory; no confidence interval or population-level uncertainty estimate was collected.

Within-route ranking is valid only on the same model, weight format, cache format, backend, prompt suite, rubric, denominator, and aggregation definition. Cross-repository or legacy-quality comparisons remain descriptive unless a separate comparability matrix confirms every required condition.

Note: No result establishes clinical safety, educational efficacy, model correctness for unseen tasks, or causal superiority of a quantization method.

13. Reproduction guidance

Use the frozen evidence and normalization instructions in docs/testing/final-results/opencvino-official-upstream/reproduction/README.md. Regeneration validates source identities and normalizes existing evidence; it does not rerun inference.

RE-01 — Reproduction inputs and outputs

Item	Repository-relative location
Canonical attempts	docs/testing/final-results/opencvino-official-upstream/results/attempts.csv
Canonical measurements	docs/testing/final-results/opencvino-official-upstream/results/measurements.csv
Canonical quality	docs/testing/final-results/opencvino-official-upstream/quality/scores.csv
Evidence index	docs/testing/final-results/opencvino-official-upstream/evidence/evidence-index.csv
Source workbook	docs/testing/final-results/opencvino-official-upstream/results/source/

14. Evidence index and hashes

The evidence index provides portable identities and hashes for every source item admitted to the normalized campaign bundle.

EV-01 — Complete normalized evidence index

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-0957a32a76e2	quality-prompt-input	fv1 prompt input Q35	0957a32a76e2fe74be28c143e690d0ec4be35096f3382dd92a92aebca87be433	1181	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/0957a32a76e2fe74be28c143e690d0ec4be35096f3382dd92a92aebca87be433.txt	Source	None
openvino-official-upstream-0ec7e2a0bdf	raw-case-result	fv1 raw result granite-3b__int4__tbq4	0ec7e2a0bdf09cffc190180a4c1c92020a17cf726ebfb5f71e1a77940926155	260481	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int4__tbq4.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-1030c70041d2	raw-case-result	fv1 raw result granite-3b__int4__u8	1030c70041d28ae6a6781f18dba6d25652ff29c70d5addf2ce3f5de7086428ea	259563	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int4__u8.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-14dbb011f2c4	missing-model-attempt-manifest	fv2 missing-model evidence guarded-retry-001/attempts/granite-3b__fp16/manifest.json	14dbb011f2c4a674fbcfb7cd3ec6b2eb6ceea7cb0d71f933dbc2a96b48a1cdc	3383	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/guarded-retry-001/attempts/granite-3b__fp16/manifest.json	Source	None
openvino-official-upstream-1b97409e2349	quality-prompt-input	fv1 prompt input Q40	1b97409e23492cd5041096f5b22ab2f14a80fd8d6b960570ccd8cafe23d4ea8b	1123	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/1b97409e23492cd5041096f5b22ab2f14a80fd8d6b960570ccd8cafe23d4ea8b.txt	Source	None
openvino-official-upstream-1d5fc2893e0c	source-workbook	fv2 revised final workbook	1d5fc2893e0c7f412140b3fa1a26c4a0c18e3c65ecfa356e80549dc4cd10aff7	431513	outputs/openvino-official-upstream-results/Granite_Official_OpenVINO_TurboQuant_Results_2026-08-30_v2_Missing_Attempts.xlsx	Source	None
openvino-official-upstream-2743f5a029eb	quality-prompt-input	fv1 prompt input Q16	2743f5a029eb58855b2bcc261826e3096cbf114fad8ef550644b7abc3c966cc9	89	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/2743f5a029eb58855b2bcc261826e3096cbf114fad8ef550644b7abc3c966cc9.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-277de33c834f	quality-prompt-input	fv1 prompt input Q10	277de33c834fc201a480f424bd6b5da18013518836363de336d16cfd363c4e43	89	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/277de33c834fc201a480f424bd6b5da18013518836363de336d16cfd363c4e43.txt	Source	None
openvino-official-upstream-27e4c3f8c1be	quality-prompt-input	fv1 prompt input Q03	27e4c3f8c1be42db726025869211598d145dac5fb94b2872690c0229daeb8d48	86	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/27e4c3f8c1be42db726025869211598d145dac5fb94b2872690c0229daeb8d48.txt	Source	None
openvino-official-upstream-314ad142957f	preflight-input	fv1 preflight input 314ad142957febe390cc7223b4deb1d1b21c187f84f6e7257a23fe46c27fcae3.txt	314ad142957febe390cc7223b4deb1d1b21c187f84f6e7257a23fe46c27fcae3	5	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/preflight/inputs/314ad142957febe390cc7223b4deb1d1b21c187f84f6e7257a23fe46c27fcae3.txt	Source	None
openvino-official-upstream-324bdd409b36	quality-prompt-input	fv1 prompt input Q48	324bdd409b3648d97542738ab7ccf93b0ff44da7444a5004fc209bf546830ddc	1157	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/324bdd409b3648d97542738ab7ccf93b0ff44da7444a5004fc209bf546830ddc.txt	Source	None
openvino-official-upstream-36d151562886	conversion-log	fv2 guarded-retry-002 conversion log	36d15156288619f17c972b5f0af9bc5380fe363cab90a8356feac4e5ca579d65	116	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/guarded-retry-002/attempts/granite-3b__fp16/conversion.log	Source	None
openvino-official-upstream-3a694c60f2dc	source-preflight	fv1 TurboQuant preflight	3a694c60f2dc2b359ad2d1be0d8cd55f255a05b903a4183aaef6781e06e6fd5e	9714	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/preflight/preflight-receipt.json	Source	openvino-official-upstream-314ad142957f, openvino-official-upstream-ca101275d196
openvino-official-upstream-3cc4b86e0a52	quality-prompt-input	fv1 prompt input Q36	3cc4b86e0a5231ac1ccff542f8d2ee91b73dfbddd029ebcd44cae353d03f87bf	1142	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/3cc4b86e0a5231ac1ccff542f8d2ee91b73dfbddd029ebcd44cae353d03f87bf.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-3ead43950da4	source-validation	fv1 audit report	3ead43950da47fbca18b9393f51a88796d0bc8978517da3cfd2da073d38c3176	640	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/audit-report.json	Source	None
openvino-official-upstream-43f30876ef84	quality-prompt-input	fv1 prompt input Q44	43f30876ef8424228ab945195b71adf00e48886bbe3f2b28bd26652b00970d8a	1106	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/43f30876ef8424228ab945195b71adf00e48886bbe3f2b28bd26652b00970d8a.txt	Source	None
openvino-official-upstream-455d04b8f613	quality-prompt-input	fv1 prompt input Q46	455d04b8f61370bdc2197011d5f69990a46d8075405c7a9539bce8afc6442775	1141	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/455d04b8f61370bdc2197011d5f69990a46d8075405c7a9539bce8afc6442775.txt	Source	None
openvino-official-upstream-48891656ca1f	quality-prompt-input	fv1 prompt input Q21	48891656ca1fc61bdf95f080a267d482fe317ac5237045cca5fa1ddebbf16d3b	370	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/48891656ca1fc61bdf95f080a267d482fe317ac5237045cca5fa1ddebbf16d3b.txt	Source	None
openvino-official-upstream-53fc6bb93a26	quality-prompt-input	fv1 prompt input Q23	53fc6bb93a26bb0d255c52507517fe6fe39f673a399800038464155c5513dc25	350	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/53fc6bb93a26bb0d255c52507517fe6fe39f673a399800038464155c5513dc25.txt	Source	None
openvino-official-upstream-540a9be22729	quality-prompt-input	fv1 prompt input Q09	540a9be22729fd4e0d70775a9f2fcc918e739b9cbaa06e93f1ab353ff3b1c5e8	52	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/540a9be22729fd4e0d70775a9f2fcc918e739b9cbaa06e93f1ab353ff3b1c5e8.txt	Source	None
openvino-official-upstream-544112ed79b9	raw-case-result	fv1 raw result granite-3b__int4__f16	544112ed79b9280ac13a99076fcd242b6993c7365f2f2d870962e2662a3b5c62	246302	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int4__f16.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-58ad3684b4ef	raw-case-result	fv1 raw result granite-8b__int4__tbq3	58ad3684b4ef33b34c11f263efa58a8261c428a6e52aad321d3137ce94f1696	262089	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-8b__int4__tbq3.json	Source	openvino-official-upstream-f2b9e8f0f100

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-595572cc4baf	quality-prompt-input	fv1 prompt input Q08	595572cc4baf62474158ef2e19f8ab8821b6c824d897e358106bbb89244ff39d	84	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/595572cc4baf62474158ef2e19f8ab8821b6c824d897e358106bbb89244ff39d.txt	Source	None
openvino-official-upstream-5b7486ba7df4	quality-prompt-input	fv1 prompt input Q33	5b7486ba7df49165ff830d1d7c5108bbdd9c19d42947b0977ae077f7ce6762	764	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/5b7486ba7df49165ff830d1d7c5108bbdd9c19d42947b0977ae077f7ce6762.txt	Source	None
openvino-official-upstream-5cd8ad3dd2c4	raw-case-result	fv1 raw result granite-8b__int4__u8	5cd8ad3dd2c4274a0742db68dbd5a6837d7cfa5569a15a0b9db6f2b21d1646f7	262730	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-8b__int4__u8.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-5d616388e740	raw-case-result	fv1 raw result granite-3b__int8__tbq4	5d616388e7408148e4789e3d833dff2f799681046f7632fd50ca57bf098faadc	257519	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int8__tbq4.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-5e6c30146b19	raw-case-result	fv1 raw result granite-3b__int8__u4	5e6c30146b19de5cb7073d27842ac2cef9c8f1ed6cd5990e53f1ab7dd38e82e	256886	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int8__u4.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-5f3981b202e5	missing-model-source-inventory	fv2 missing-model evidence guarded-retry-001/source-models.json	5f3981b202e5b968533739c66f1dc998bb50311dc89ada3ef3da13db9c2afae4	7932	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/guarded-retry-001/source-models.json	Source	None
openvino-official-upstream-615d04f9c4df	quality-prompt-input	fv1 prompt input Q05	615d04f9c4dfa816cff2f874dd1a8e143cd8a0f1eff1b5c7ac34b8f183166fa6	81	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/615d04f9c4dfa816cff2f874dd1a8e143cd8a0f1eff1b5c7ac34b8f183166fa6.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-61f222026965	quality-prompt-input	fv1 prompt input Q15	61f222026965b2f5a430b1e5088fe9d424c4b10e53ac503a33a34dfd472e2db0	63	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/61f222026965b2f5a430b1e5088fe9d424c4b10e53ac503a33a34dfd472e2db0.txt	Source	None
openvino-official-upstream-676c2e2ff16d	quality-prompt-input	fv1 prompt input Q30	676c2e2ff16d3a649143e708e2c39de48b0472f092082c483b2a172144617d0f	332	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/676c2e2ff16d3a649143e708e2c39de48b0472f092082c483b2a172144617d0f.txt	Source	None
openvino-official-upstream-67c056150968	prior-source-results	fv1 comparison index	67c0561509680cdee3eceed830215c93cd4530bc31a39ed0604a387afb53fde7	4769	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/official-openvino-comparison.csv	Source	None
openvino-official-upstream-67ce45459cbf	quality-prompt-input	fv1 prompt input Q32	67ce45459cbf6e5552dcbd66d5b1dbdb93b145f747823f367645f545032b7aee	389	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/67ce45459cbf6e5552dcbd66d5b1dbdb93b145f747823f367645f545032b7aee.txt	Source	None
openvino-official-upstream-6961b4765204	raw-case-result	fv1 raw result granite-3b__int8__f16	6961b4765204ed42b479f271e7bcea8374bb5d67cc77e68c49280568eb685064	244152	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int8__f16.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-6a657de4f1a4	quality-prompt-input	fv1 prompt input Q29	6a657de4f1a46dbeb25adffe22bc3c7b023b8e26c14c173c427e5d2064d4a3a0	355	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/6a657de4f1a46dbeb25adffe22bc3c7b023b8e26c14c173c427e5d2064d4a3a0.txt	Source	None
openvino-official-upstream-6c81b73be5d3	raw-case-result	fv1 raw result granite-8b__int4__tbq4	6c81b73be5d3793c24cb185d1ac0d917bdbc835fe4e7bc9122bffcac15f72030	262046	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-8b__int4__tbq4.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-742a17ebaf17	source-ledger	fv2 final source rows	742a17ebaf1758b17a2ba52acf58e729f60236ccd4c32a169084c38e66fc00fd	39293	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/consolidated/rows.json	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-7625c690f16e	missing-model-attempt-manifest	fv2 missing-model evidence attempts/granite-30b__int8/manifest.json	7625c690f16efe62dfc724b89a8fcca335b00f7e6c7b69aa842d2ab9f4dab92	4932	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempts/granite-30b__int8/manifest.json	Source	None
openvino-official-upstream-776c5fc60b7d	quality-prompt-input	fv1 prompt input Q24	776c5fc60b7ddc2c51ceca3c0e7c439973bcf731250758ff394523dc807ea7c4	367	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/776c5fc60b7ddc2c51ceca3c0e7c439973bcf731250758ff394523dc807ea7c4.txt	Source	None
openvino-official-upstream-7772a6c1df61	quality-prompt-input	fv1 prompt input Q31	7772a6c1df61229e02cd91db5fbb2b8c6e292ddcf43ff91b6c832deb358ac08c	302	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/7772a6c1df61229e02cd91db5fbb2b8c6e292ddcf43ff91b6c832deb358ac08c.txt	Source	None
openvino-official-upstream-7a78a81c98a6	quality-prompt-input	fv1 prompt input Q25	7a78a81c98a6383205ad49f85e60b40590560a72d04f2cd915a340dfce85511d	464	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/7a78a81c98a6383205ad49f85e60b40590560a72d04f2cd915a340dfce85511d.txt	Source	None
openvino-official-upstream-7b3e4e7d379c	quality-prompt-input	fv1 prompt input Q42	7b3e4e7d379c102404f7801a205bdadc845f25de7f44fbce7c4b9c918fd75bee	1123	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/7b3e4e7d379c102404f7801a205bdadc845f25de7f44fbce7c4b9c918fd75bee.txt	Source	None
openvino-official-upstream-7b63b3e81dc4	quality-prompt-input	fv1 prompt input Q17	7b63b3e81dc4212fb5d7e781a990319a5744e2d3008116e7e798ebe61d99c9c7	396	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/7b63b3e81dc4212fb5d7e781a990319a5744e2d3008116e7e798ebe61d99c9c7.txt	Source	None
openvino-official-upstream-80abc763effd	quality-prompt-input	fv1 prompt input Q28	80abc763effdb50d372eafff10c7fc0dae6034a5414be805e8fd5aad3681001	351	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/80abc763effdb50d372eafff10c7fc0dae6034a5414be805e8fd5aad3681001.txt	Source	None
openvino-official-upstream-845d14e24b22	quality-prompt-input	fv1 prompt input Q04	845d14e24b22d9fd9fba5834ce60358dd1797f5ddba96ce12bdf60999276470d	73	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/845d14e24b22d9fd9fba5834ce60358dd1797f5ddba96ce12bdf60999276470d.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-87f8e79eaaaa	quality-prompt-input	fv1 prompt input Q12	87f8e79eaaaa4c5260630e44b0fec4a1a57fe02331602d044bab7c29c2eb659f	71	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/87f8e79eaaaa4c5260630e44b0fec4a1a57fe02331602d044bab7c29c2eb659f.txt	Source	None
openvino-official-upstream-88b149e9b8eb	missing-model-attempt-manifest	fv2 missing-model evidence guarded-retry-002/attempts/granite-3b__fp16/manifest.json	88b149e9b8ebb32b1dc304644a3d47ad1dd9898cecb3a657c5f2a8f6eb86c99d	4722	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/guarded-retry-002/attempts/granite-3b__fp16/manifest.json	Source	None
openvino-official-upstream-88ec2313af67	missing-model-attempt-summary	fv2 missing-model evidence attempt-summary.json	88ec2313af67ceb636bdda528af40823653f0e31f8a0aed02970ce3b6c26a4fc	28118	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempt-summary.json	Source	None
openvino-official-upstream-8a7e943f1a70	quality-prompt-input	fv1 prompt input Q11	8a7e943f1a70337ca1256cdd0c28e274a4d319d56c3d8083c54bef4f89bdba02	44	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/8a7e943f1a70337ca1256cdd0c28e274a4d319d56c3d8083c54bef4f89bdba02.txt	Source	None
openvino-official-upstream-8b075f0ffd39	quality-prompt-input	fv1 prompt input Q47	8b075f0ffd39580d4e5f23b1cd3df5f7db208be451bf1c647ca425ce7539b02d	1103	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/8b075f0ffd39580d4e5f23b1cd3df5f7db208be451bf1c647ca425ce7539b02d.txt	Source	None
openvino-official-upstream-8ed7aacec825	quality-prompt-input	fv1 prompt input Q34	8ed7aacec8256902245374778e794ad30296d02d9760d1c39d244cf7b9f3f283	1219	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/8ed7aacec8256902245374778e794ad30296d02d9760d1c39d244cf7b9f3f283.txt	Source	None
openvino-official-upstream-9124358d912e	quality-prompt-input	fv1 prompt input Q45	9124358d912e7c1b34b4568a841d150b6e807171f187f11f4ef0f075a07eb46b	1157	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/9124358d912e7c1b34b4568a841d150b6e807171f187f11f4ef0f075a07eb46b.txt	Source	None
openvino-official-upstream-957608b566cd	quality-prompt-input	fv1 prompt input Q22	957608b566cd7c09ffde938e35020c73bb8e76d2526fd3bf665c2bb806a5da63	345	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/957608b566cd7c09ffde938e35020c73bb8e76d2526fd3bf665c2bb806a5da63.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-965b09972a47	quality-prompt-input	fv1 prompt input Q19	965b09972a4704a909dbeca63c6163638eac651e58d1f7be5bf0f181ea6603b0	388	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/965b09972a4704a909dbeca63c6163638eac651e58d1f7be5bf0f181ea6603b0.txt	Source	None
openvino-official-upstream-965fa680455e	missing-model-attempt-manifest	fv2 missing-model evidence attempts/granite-8b__int8/manifest.json	965fa680455e52bc65f18bca36eaf4ce8c56b03c3a32e80cc7ed70bb30cddb1c	3400	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempts/granite-8b__int8/manifest.json	Source	None
openvino-official-upstream-9ec0df1aac51	raw-case-result	fv1 raw result granite-8b__int4__f16	9ec0df1aac5120b4de30465387252e80744f60501b1a60f89fec006d3221e7db	249451	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-8b__int4__f16.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-a5731332bcee	quality-prompt-input	fv1 prompt input Q43	a5731332bceedf440857f21f9160c77f94ddabac76722b7b8c86fe1d69c0f866	1105	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/a5731332bceedf440857f21f9160c77f94ddabac76722b7b8c86fe1d69c0f866.txt	Source	None
openvino-official-upstream-ae0e0a006214	raw-case-result	fv1 raw result granite-3b__int4__tbq3	ae0e0a006214b4a923d5d331c5cb1f345a41882723cb86b3a47fd96859ee28ba	260678	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int4__tbq3.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-ae181a94c34b	quality-prompt-input	fv1 prompt input Q20	ae181a94c34b5a0a1f3099118a6a3b43a794e1fff99177333cd739d94ea7578f	362	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/ae181a94c34b5a0a1f3099118a6a3b43a794e1fff99177333cd739d94ea7578f.txt	Source	None
openvino-official-upstream-b3e26eae69c3	indexed-prior-workbook	fv1 original workbook	b3e26eae69c3854dec26536c6d141943572292f8a9ea331cb4de1d88c76b32b4	427757	outputs/openvino-official-upstream-results/Granite_Official_OpenVINO_TurboQuant_Results_2026-08-30.xlsx	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-b4e14dfc41cc	quality-prompt-input	fv1 prompt input Q41	b4e14dfc41cc0e847b7459dec73ae3c24d82b3c652b9fd4ec2cc5b2888012dda	1123	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/b4e14dfc41cc0e847b7459dec73ae3c24d82b3c652b9fd4ec2cc5b2888012dda.txt	Source	None
openvino-official-upstream-b5b05787f6d3	raw-case-result	fv1 raw result granite-3b__int4__u4	b5b05787f6d3c59f9df0d7fde1c8d8e929cd1911a6495fdea9f18503de553026	259367	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int4__u4.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-b74e4c0f599d	source-quality	fv1 quality details	b74e4c0f599d7ef7eaf170a0bbf40cd25d9ddb2a56f232bd04a6036fe4aabd5	2239989	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/experimental-openvino-quality-details.csv	Source	None
openvino-official-upstream-bab45fe4f497	source-coverage	fv2 final coverage	bab45fe4f497a819729b5b69de61b07b846206b83343d07e113755fcb16ec73b	173	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/consolidated/official-openvino-coverage.csv	Source	None
openvino-official-upstream-bab45fe4f497a819729b5b69de61b07b846206b83343d07e113755fcb16ec73b	prior-source-coverage	fv1 coverage index	bab45fe4f497a819729b5b69de61b07b846206b83343d07e113755fcb16ec73b	173	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/official-openvino-coverage.csv	Source	None
openvino-official-upstream-bc078d9f96b0	source-results	fv2 final comparison results	bc078d9f96b033a4e81dbfcefec4e87c788d9673c567189ef5e8215a7dece0fe	5599	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/consolidated/official-openvino-comparison.csv	Source	None
openvino-official-upstream-c2b33c08f0a6	quality-prompt-input	fv1 prompt input Q37	c2b33c08f0a603144376aeb9af998967745f4fcd14fcb4c1f6a9fcdab5bc466	1150	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/c2b33c08f0a603144376aeb9af998967745f4fcd14fcb4c1f6a9fcdab5bc466.txt	Source	None
openvino-official-upstream-c53576eaa4e3	prior-source-ledger	fv1 source rows	c53576eaa4e3b2cc260647b05c39e3aa04a3fe2c71d15b071fd96c6584368b0c	38376	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/rows.json	Source	None
openvino-official-upstream-c64af7c09c2d	quality-prompt-input	fv1 prompt input Q27	c64af7c09c2da9782c5443500b3081f36132c88a4f303c7c51771b7693f4fa10	328	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/c64af7c09c2da9782c5443500b3081f36132c88a4f303c7c51771b7693f4fa10.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-c6ba447ec601	quality-prompt-input	fv1 prompt input Q14	c6ba447ec6018abfd421e556303883c8fed2bc1a450287a18939a55cfadf776b	74	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/c6ba447ec6018abfd421e556303883c8fed2bc1a450287a18939a55cfadf776b.txt	Source	None
openvino-official-upstream-ca101275d196	preflight-input	fv1 preflight input ca101275d196803be37cb8fae1b81f1a7b2db733b7c1629293aae61465b2b3a0.txt	ca101275d196803be37cb8fae1b81f1a7b2db733b7c1629293aae61465b2b3a0	32	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/preflight/inputs/ca101275d196803be37cb8fae1b81f1a7b2db733b7c1629293aae61465b2b3a0.txt	Source	None
openvino-official-upstream-ca8ff9902e51	missing-model-attempt-summary	fv2 missing-model evidence guarded-retry-001/attempt-summary.json	ca8ff9902e518b99d78868a64adb64880b333959e9a6d4f4c7d7877940590484	3982	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/guarded-retry-001/attempt-summary.json	Source	None
openvino-official-upstream-cc594ccd64d9	prior-sources	fv1 passed measurement index	cc594ccd64d93dee5b14424bc2b8746f41999b1e324d70e6405ef0579eb4a776	24970	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/official-openvino-detailed-results.csv	Source	None
openvino-official-upstream-d0adcd32063d	raw-case-result	fv1 raw result granite-3b__int8__u8	d0adcd32063d68834f2e56562ede3234ec3324d5376335827e6a53bb8c847341	257438	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int8__u8.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-d1182d20b03f	raw-case-result	fv1 raw result granite-3b__int8__tbq3	d1182d20b03f88751d6470c6d83cfce63b6e888ba96de4423cf38e8319fe8365	259395	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-3b__int8__tbq3.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-d15fe77e8e99	quality-prompt-input	fv1 prompt input Q39	d15fe77e8e99e3f5178ad1ce97ab3e322688336f041c87beb4799480e569b838	1179	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/d15fe77e8e99e3f5178ad1ce97ab3e322688336f041c87beb4799480e569b838.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-d388141601d0	missing-model-attempt-summary	fv2 missing-model evidence guarded-retry-002/attempt-summary.json	d388141601d02ba319786700da5458cefb64970e672f9b4db0349481074a0230	5472	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/guarded-retry-002/attempt-summary.json	Source	None
openvino-official-upstream-d3991034bc6f	quality-prompt-input	fv1 prompt input Q01	d3991034bc6ffd70c4b65fdef1a0d319a3c678d66f0e79c19c306fd8ab35b8a6	85	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/d3991034bc6ffd70c4b65fdef1a0d319a3c678d66f0e79c19c306fd8ab35b8a6.txt	Source	None
openvino-official-upstream-d60b4f445021	missing-model-attempt-manifest	fv2 missing-model evidence attempts/granite-30b__int4/manifest.json	d60b4f445021ac02661a456b14fb3cc80ab72311ed2a013ee867cab3b4d44ef5	4932	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempts/granite-30b__int4/manifest.json	Source	None
openvino-official-upstream-d7be395e7e5f	missing-model-attempt-manifest	fv2 missing-model evidence attempts/granite-30b__fp16/manifest.json	d7be395e7e5f04673954f691e26e6249679cba7b041ccafb7d195a66bab48d37	4932	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempts/granite-30b__fp16/manifest.json	Source	None
openvino-official-upstream-d823c5c77289	raw-case-result	fv1 raw result granite-8b__int4__u4	d823c5c7728913465df933f4d534a0e1fdd8a5d7e4de8f9a18f3dcee115a48de	264516	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/raw/granite-8b__int4__u4.json	Source	openvino-official-upstream-f2b9e8f0f100
openvino-official-upstream-d8d54a60271b	quality-prompt-input	fv1 prompt input Q06	d8d54a60271bae4f633eef26af30798e326feb08b43290262847f941658c89a3	80	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/d8d54a60271bae4f633eef26af30798e326feb08b43290262847f941658c89a3.txt	Source	None
openvino-official-upstream-dbff31257c78	quality-prompt-input	fv1 prompt input Q38	dbff31257c7803ac80b1164258cf636b0b37baa29474bedb54df5044c1d47c8c	1190	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/dbff31257c7803ac80b1164258cf636b0b37baa29474bedb54df5044c1d47c8c.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-de53b9b4c999	missing-model-attempt-manifest	fv2 missing-model evidence attempts/granite-8b_fp16/manifest.json	de53b9b4c999c4005828dbb02eb6e7b9e7cc6ddab2cb266ec97cc01f5615752e	3400	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempts/granite-8b_fp16/manifest.json	Source	None
openvino-official-upstream-def32bad0a39	quality-prompt-input	fv1 prompt input Q13	def32bad0a3914f543a3f46a5e3dc43abd9497efff6d607472fe8a0a5d40db96	74	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/def32bad0a3914f543a3f46a5e3dc43abd9497efff6d607472fe8a0a5d40db96.txt	Source	None
openvino-official-upstream-e101455e0e6a	quality-prompt-input	fv1 prompt input Q18	e101455e0e6aba4fb65c29e16bb8814887a932a5d7f910938e597df4872005cd	349	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/e101455e0e6aba4fb65c29e16bb8814887a932a5d7f910938e597df4872005cd.txt	Source	None
openvino-official-upstream-e2f0ecf9929c	quality-prompt-input	fv1 prompt input Q26	e2f0ecf9929c76498147257c73a720ed7e121e707fbfbdc1e22bba6ec57ad7f1	351	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/e2f0ecf9929c76498147257c73a720ed7e121e707fbfbdc1e22bba6ec57ad7f1.txt	Source	None
openvino-official-upstream-ec8fa99ae159	missing-model-attempt-manifest	fv2 missing-model evidence attempts/granite-3b_fp16/manifest.json	ec8fa99ae159f92b51c2a5ee5da6fabd20863bf43791a32000bbc2966dc68b02	3014	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/attempts/granite-3b_fp16/manifest.json	Source	None
openvino-official-upstream-ecd7ea7c9e71	source-results	fv2 final detailed results	ecd7ea7c9e71d235d39c4bd29c00b52a7bc4ccdb2b151b7cfe9b6ba4e84c9116	25870	experiments/raw-results/openvino-official-upstream/2026-08-30/fv2-missing-model-attempts/consolidated/official-openvino-detailed-results.csv	Source	None
openvino-official-upstream-f07ae51054e2	quality-prompt-input	fv1 prompt input Q07	f07ae51054e2b27269a123b82863b977083b69464654f8c7f386c0cd6976cd99	64	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/f07ae51054e2b27269a123b82863b977083b69464654f8c7f386c0cd6976cd99.txt	Source	None
openvino-official-upstream-f2b9e8f0f100	benchmark-prompt-input	fv1 shared benchmark prompt input	f2b9e8f0f10053f3a04e1532ecd1e66d026ba1f37e7cde636bc2b5e2748c301c	123	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/f2b9e8f0f10053f3a04e1532ecd1e66d026ba1f37e7cde636bc2b5e2748c301c.txt	Source	None

Evidence ID	Role	Source label	SHA-256	Bytes	Repository-relative path	Kind	Input evidence IDs
openvino-official-upstream-f6a419176fd9	quality-prompt-input	fv1 prompt input Q02	f6a419176fd90bc46e237db9a889d799c24b83bc38098f48e7e0605839f8021e	72	experiments/raw-results/openvino-official-upstream/2026-08-30/fv1/inputs/f6a419176fd90bc46e237db9a889d799c24b83bc38098f48e7e0605839f8021e.txt	Source	None

SHA-256 and byte counts are preserved from the verified normalized evidence records.

15. Revision history

Revision entries describe changes to this generated master report, separately from the source campaign revision.

RV-01 — Report revision history

Revision	Date	Change
R1	2026-08-30	Initial evidence-bound master report publication

Markdown is canonical. DOCX and PDF are generated derivatives; semantic parity and PDF layout validation are recorded beside the report.