

SERVICE MANUAL



- **Technical Specification, Assembly.**
- Test Procedure & Wiring/Block Diagram,
 - **Controls Panel Board Schematic.**
- Cpu/Dsp & AD/DA Board, In/Out Board Schematics.
- Cpu/Dsp & AD/DA Pcb Layout.
- In/Out & Controls Panel Pcb Layouts.
 - Spare Part List.

Notice

Service must be carried out by qualified personnel only. Any tampering carried out by unqualified personnel during the guarantee period

For a correct operation of the instrument, after having switched off, be careful to wait at least 3 seconds before switching on again.

To improve the device's specifications, the schematic diagrams may be subject to change without prior notice.

All components marked by this symbol have special safety characteristics, when replacing any of these components use only manufacturer's specified parts.

The (μ) micro symbol of capacitance value is substituted by U.

The (Ω) omega symbol of resistance value is substituted by E.

The electrolytic capacitors are 25Vdc rated voltage unless otherwise specified.

All resistors are 1/8W unless otherwise specified.

All switches shown in the "OFF" position. All DC voltages measured to ground with a voltmeter 20 KOhm/V.

- ← Soldering point.
- Supply voltage.

■ Logic supply ground.

- Male connector.
- Test point.

Analog supply ground. _ Chassis ground.

- 5- Female connector. M/F faston connector.
- Flag joined with one or more flags with the same signal name inscribed.

 $\left(\begin{array}{c} \bot\end{array}\right)$ Earth ground.



ATTENTION Observe precautions when handling electrostatic sensitive devices.




code 270252

GENERALMUSIC S.p.A. Sales Division: 47842 S.Giovanni in Marignano (RN) ITALY - Via delle Rose, 12

Phone +39(0)541/959511 - Fax +39(0)541/957404 - Internet: www.generalmusic.com

DX 24 • TECHNICAL SPECIFICATIONS		
	INPUT section	
Connectors	2 x XLR-F	
Nominal input sensitivity	0dBu (0.775V _{RMS})	
Input Impedance	30kOhm, electronically balanced	
Maximum Input Level	+14dBu	
Input Gain	-30 / +6 dB variable in 0.5 dB steps	
	Output Section	
Connectors	4 x XLR-M	
Output Impedance	600 Ohms, electronically balanced	
Nominal Output Level	0 dBu	
Maximum Output Level	+14 dBu	
Output Gain	-30 / +6 dB variable in 0.5 dB steps	
Minimum Total Delay Time	1.224mS	
	DSP Section	
A/D converters	20 bit	
D/A converters	24 bit	
Internal dynamics	40 bit	
Sampling frequency	48 kHz	
	Features	
Configuration	2-WAY STEREO, 2,3,4-WAY MONO	
Crossover Filters Type	Bessel, Butterworth or Linkwitz-Riley	
Crossover Filters Slope	6, 12, 18, 24, or 48dB per octave	
Delay Step	21 microseconds minimum	
Max Delay time	582 ms (inputs), 189 ms (outputs)	
EQ filters	Up to 30 maximum (depending on the crossover slope)	
EQ Type	Peak, 6dB Lo-Shelf, 12dB Lo-Shelf, 6dB Hi-Shelf, 12dB Lo-Shelf, Notch	
EQ Gain	+/15dB, variable in 0.5dB steps	
EQ Bandwidth	0.05 to 3.00 octaves, variable in 0.05 steps	
EQ freq	15.6 Hz to 16 kHz	
Dynamics	Digital limiter on all the outputs	
Memories	17 FACTORY PRESETS + 64 USER PRESETS	
MIDI	MIDI IN/THRU/OUT	
	General Performance (with filters out)	
Frequency Response	20Hz - 20kHz, ±0.25dB	
Dynamic range	>102dB 20Hz to 20kHz	
Channel Separation	>100dB 20Hz to 20kHz	
Distortion (THD)	0.06%, 20Hz to 20kHz	
Input Metering	-24dB, -18dB, -12dB, -6dB, CLIP relative to Clip point (+14dBu)	
Output Metering	-24dB, -12dB, -6dB, LIMIT relative to limiter threshold setting, CLIP	
	General	
Dimensions	483x44x300 mm	
Weight	4.0 Kg	
Power supply	see label on the unit	



Testing procedure

Instruments required

- 1) Sinusoidal signal generator
- 2) Dual trace scope
- 3) Digital multimeter

Visual check

Check the internal cables and sockets for possible interruptions or shorts, also check the DC output voltages of the Switching Supply Unit disconnecting its output connector, if appears a damage don't try to repair it but replace the unit with a new one.

Setup

Switch off the unit.

Connect the signal generator to the IN A XLR socket, and set it at 1KHz, 0.775V_{RMS} (0dBu)

Connect the digital multimeter to the OUT 1 XLR socket, and set in dBu scale.

Connect the scope CH1 probe tip to the pin 2 - OUT 1 socket and the CH2 probe tip to the pin 2 - OUT 3 socket, a single gnd clip must be connected to a socket ground (pin1).

Note: If you use a balanced signal generator you have to check a balanced output signal level, or if you use an unbalanced signal generator you have to check an unbalanced output signal level, in this last case you have to check always the negative signal circuitry in either pin 3 of XLR input and output sockets, refer to schematics.

Control Panel Test

Press and hold the MUTE 3 and MUTE 4 buttons while switch on the unit, a semi-automatic test starts and goes on with the following steps:

- 1- Leds must switch on sequentially.
- 2- Press the MODE button, the display shows KEY 1.
- 3- Press the PREV button, the display shows KEY 2.
- 4- Press the LEFT button, the display shows KEY 3.
- 5- Press the NEXT button, the display shows KEY 4.
- 6- Press the RIGHT button, the display shows KEY 5.
- 7- Press the ENTER button, the display shows KEY 6.
- 8- Press the ESC button, the display shows KEY 7.
- 9- Press the MUTE 1 button, the display shows KEY 8. 10- Press the MUTE 2 button, the display shows KEY 9.
- 11- Press the MUTE 3 button, the display shows KEY 10.
- 12- Press the MUTE 4 button, the display shows KEY 11.
- 13- Turning the DIAL encoder clockwise the numbers at the right of DIAL text on the display increase, turning counterclockwise decrease.

MIDI test

Establish a loop connecting a MIDI cable between MIDI IN and MIDI OUT sockets, the display shows the number 85 at the right of MIDI text.

Check the OUT 1 level: it must be within 0±0.5dBu (775±50mV_{pMc}). Check the OUT 3 level: it must be within 0 ± 0.5 dBu $(775\pm50$ mV_{pms}). Sweeping the generator frequency from 20 to 20KHz no level changes must be detectable.

IN B test

Move the instruments connections to IN B and OUT 2 and 4 respectively.

Check the OUT 2 level: it must be within 0±0.5dBu (775±50mV_{PMS}). Check the OUT 4 level: it must be within 0±0.5dBu (775±50mV_{RMS}). Sweeping the generator frequency from 20 to 20KHz no level changes must be detectable.

RESET MEMORY

Switch off the unit.

Press and hold the PREV and LEFT buttons while switch on the unit, the display shows INITIALIZING ALL MEMORY.

O.S. Release & DX-editor


The DX-editor program permits to edit the DX24 loudspeaker processor parameters remotely using a notebook PC-Windows based computer, via a MIDI interface; let up to 32 DX24 processors must be controlled remotely.


DX-editor can be downloaded free from LEM website (http:// www.lemaudio.com).


To use the DX-editor, your DX24 unit must have an O.S. Release at least 2.0 or upper.


The O.S. Release appears on display while you turn on the unit. If you want to upgrade your unit you have to replace the "550686 - Firmware" eprom in IC13 position with a new one with the lastest contents, this eprom may be ordered from Generalmusic.


DX24 WIRING/BLOCK DIAGRAM














DRW G.BOCCATO	DWG# 550723	PCB# 313070/313073/313074	GENERALMUSIC S.p.A. ITALY	
CKD G.RICCI	DATE 22/03/01	SCHEMATIC DIAGRAM DX24	ALL RIGHTS ARE RESERVED. NO COPIES OR REPRODUCE THIS DOCUMENT WITHOUT	
APP. F.GAZZILLI	REV: A			WRITTEN CONSENT BY GENERALMUSIC.

Spare Part List

Legend	
EU = E	Europe Version 230Vac
US = l	Jnited States Version 115Vac
Code	Description

Accessories

277349	Owner's Manual (Italian-English)
130297	Mains Cable (EU)
130283	Mains Cable (US)

Assembly

	Assembly
667731	Cover
667729	Chassis
667728	Front Panel
657279	Display Screen
657277	Meters Screen
347060	Nylon Cable Tie with 3mm Eye
340961	Encoder Knob
340186	Adhesive Cable Fixing
340078	TO220 Insulated Bush
210215	Adhesive Rubber Foam 10x1.9mm (Specify mt)
190234	100X130X0.4mm Lateroid Insulator
150298	100x2.5mm Nylon Cable Tie
120827	10mm Threaded Spacer
120582	M3 Black Nut
120481	3mm Black Shakeproof Washer
120467	4.2x10x0.5 Nylon Washer
120276	B2.9x6.5mm Screw
120029	M3x6tc Black Screw
120025	M3x10tsp Black Screw
120005	M3x10tc Screw

Mains Supply 110614 Mains Socket

731011	SNP9541M 40W Switching Supply Unit
110285	4A 250Vac Bipolar Power Switch
110014	Mains Socket

Controls Panel Assembly

768245 2x16 Characters Lcd Mod	ıle

140860 * 14 Contacts Vert Male Dual In Line Strip 080757 * WM-C1602N-2GLYC Wintek 2x16 Characters Lcd Display

768244 Led & Meters Board (Pcb#313074) 140874 * Single In Line Vert Male Strip (specify contacts)

103028 * 74HC4094M1R SOIC 8bit Shift/Latch Register 081702 * Led Smd Yellow

081701 * Led Smd Green

081700 * Led Smd Red

054037 * 1K2 1/10w 5% Smd Resistor 0805

054012 * 10E 1/10w 5% Smd Resistor 0805

011060 * 100n 50V 10% Cer. Cap. Smd CL2 Y5V 0805

768243 Controls Panel Board (Pcb#313073)

841268 * 14 Wires 15cm Latch/Transition Flat Cable

340856 * 6,4mm Led Spacer 141018 * 20 Contacts Vert Female Connector

141015 * 14 Contacts Vert Female Connector

140918 * 2 Contacts Hor Male Connector

140529 * Microswitch 12V 50mA 0.25mm

110261 * Dial Encoder with 30 Snap H=15mm Alps 103032 * 74HC165D SOIC 8bit P To S Shift Register

103028 * 74HC4094M1R SOIC 8bit Shift/Latch Register

103010 * 74HC04D SOIC Hex Inverter

103000 * 74HC14D Soic Hex Inverter Schmitt Trigger 081000 * PMLL4148 Smd 100mA 75V Signal Diode

080705 * 3mm 60deg Diffused Red Led

055101 * 4K7 X4 1/16w 5% Smd Resistor Array

054060 * 100K 1/10w 5% Smd Resistor 0805

054048 * 10K 1/10w 5% Smd Resistor 0805

054045 * 5K6 1/10w 5% Smd Resistor 0805 054043 * 3K9 1/10w 5% Smd Resistor 0805

054037 * 1K2 1/10w 5% Smd Resistor 0805

054036 * 1K 1/10w 5% Smd Resistor 0805

040091 * 4E7 1/2W 5% Resistor

030565 * 220u 25V 20% Vert Electrolytic Capacitor 030246 * 10u 25V 20% Low Prof Vert Electrolytic Capacitor

011060 * 100n 50V 10% Cer. Cap. Smd CL2 Y5V 0805

011048 * 10n 50V 10% Cer. Cap. Smd CL2 X7R 0805 011020 * 47p 50V 10% Cer. Cap. Smd CL2 X7R 0805

347394 Rubber Switch Actuator

120579 M2 Nut

120021 M2x6tc Screw

Cou/Den & AD/DA Roard

	Cpu/Dsp & AD/DA Board
768226	Cpu/Dsp & AD/DA Board (Pcb#313069)
550686	* 27C4001D Eprom 4mbit "DX24 Firmware"
250524	* 25x25mm Thermoconductor Adhesive
231000	* BLM21A102STP Smd EMI Coil For Signal
177690	
171039	
141018	
141015	
141012	
141010	
140908 140606	
130175	
120276	
106003	
106001	
105008	· ·
104052	* AT24C64 64Kbit Serial Access EEProm
104003	* HM514260JP SOJ 4Mbit Dynamic Ram Ta=70ns
103043	* PCM1716 24 Bit Stereo Dac
103042	* PCM1800 20 Bit Stereo Adc
103010	
103007	· ·
103000	331
090856	
081000	
055103	· · · · · · · · · · · · · · · · · · ·
055102 055101	.,
055101	· · · · · · · · · · · · · · · · · · ·
054064	· · · · · · · · · · · · · · · · · · ·
054056	·
054054	·
054048	·
054044	* 4K7 1/10w 5% Smd Resistor 0805
054039	* 1K8 1/10w 5% Smd Resistor 0805
054038	* 1K5 1/10w 5% Smd Resistor 0805
054035	* 820E 1/10w 5% Smd Resistor 0805
054033	·
054032	·
054028	·
054024	,
054020	· · · · · · · · · · · · · · · · · · ·
054012	,
042605 042260	·
042260	,
031007	<u>'</u>
030/15	* 100u 25V 20% Vert Electrolytic Capacitor
011103	·
011060	
011032	
011020	
011014	
010722	* 24.576MHz Quartz Resonator
	In/Out Board
768221	In/Out Board (Pcb#313070)
700231	Alyone board (Comparation)

700231	111/	out board (FCD#313070)
230569	*	FL5R200PNT EMI Coil For Signal
141187	*	Hor Female XLR Socket (NC3FAH Neutrik)
141186	*	Hor Male XLR Socket (NC3MAH Neutrik)
141102	*	6 Contacts Vert Male Connector
141012	*	8 Contacts Vert Female Connector
141010	*	4 Contacts Vert Female Connector
140918	*	2 Contacts Hor Male Connector
140908	*	6 Contacts Vert Male Small Connector
140212	*	5 Poles Din Horizontal Female Socket
120857	*	6.3mm Vertical Male Faston for Pcb
100919	*	MC33078 Dual LN Operational Amplifier
100602	*	74HC04 Hex Inverter
100035	*	6N138 Optocoupler
080103	*	1N4148 100mA 75V Signal Diode
052048	*	10K 1/8w 5% Resistor
052044	*	4K7 1/8w 5% Resistor
052028	*	220E 1/8w 5% Resistor
052022	*	68E 1/8w 5% Resistor
042672	*	39K2 1/4W 1% Metalized Film Resistor
042632	*	18K2 1/4W 1% Metalized Film Resistor
042625	*	15K0 1/4W 1% Metalized Film Resistor
042611	*	11K5 1/4W 1% Metalized Film Resistor
042605	*	10K0 1/4W 1% Metalized Film Resistor
042524	*	2K43 1/4W 1% Metalized Film Resistor

042425 * 332E 1/4W 1% Metalized Film Resistor

042345 *	75E0 1/4W 1% Metalized Film Resistor
030858 *	4700uF 25V 20% Vert Electrolytic Capacitor
030403 *	47u 25V 20% Vert Electrolytic Capacitor
022002 *	1n5 2.5% 100V MKP Polypropylene Capacitor
010595 *	100n 50V -20+80% Ceramic Cap. Multilayer
010304 *	47p 50V 10% CL2 Ceramic Capacitor
010271 *	22p 50V 10% CL2 Ceramic Capacitor

	Wiring Connections
841271	27.5cm Yel/Grn Eye/Faston/Faston Wire with 10E Res
841270	Single 12.5cm AWG18 White Faston/Faston Wire
841269	2 Wires 40cm Faston/Crimp Terminal Cable
841264	6 AWG18 Wires 10cm Crimp Terminal Cable
841263	8 Wires 3cm Flat Cable
841252	6 Wires 12.5cm Crimp Terminal Cable
841206	4 Wires 20cm Flat Cable
841005	7.5cm Yel/Grn Faston/Faston AWG18 Wire
840838	20 Wires 15cm Flat Cable
840826	14 Wires 15cm Flat Cable
840799	4 Wires 7.5cm Flat Cable
840776	2 Wires 25cm Crimp Terminal Cable

Note:

- All dimensions are in mm unless otherwise specified.
- The screw description is defined as follows: type of screw + diameter + X + length + type of head

where type of screw is one of these: M = Metric thread

B = Self-tapping screw for metal WL = Self-tapping screw for wood

and type of head is one of these:

tc = cylinder Phillips head

ts = flared Phillips head

tt = rounded Phillips head

te = hexagonal nut head tsp = flat flared Phillips head

tce = cylinder Allen hexagonal head

tspe = flat flared Allen hexagonal head

- The washer description is defined as follow: hole diameter + X + external diameter + X + thick

Each spare part is single quantity unless otherwise specified.

Asterisk prefix explanation:

Omitted = First level spare part.

One asterisk = Second level, part of previous listed first level part.

= Third level, part of previous listed second level part. Two asterisk Three asterisk =

- Any request for not above mentioned part must encompass specific description including:
 - 1) Model name,
 - 2) Section name, 3) Module code,
 - 4) Reference name.
 - 5) Quantity number.