\Longrightarrow GENERALMUSIC $^\circ$

 \bigcirc

VHF PERSONAL MONITOR SYSTEM



Index

Transmitter Assembly, Block Diagram, Supply & Control Panel Board Diagram Transmitter RF Board Schematic Diagram.

Receiver Assembly and Block Diagram, Adjustments, Spare Part List.

Receiver Schematic Diagram.

Warnings

Notice

Service must be carried out by qualified personnel only. Any tampering carried out by unqualified personnel during the guarantee period

To improve the device's specifications, the schematic diagrams may be subject to change without prior notice

All components marked by this symbol have special safety characteristics, when replacing any of these components use only

The (u) micro symbol of capacitance value is substituted by U.


The (Ω) omega symbol of resistance value is substituted by E.

The electrolytic capacitors are 25Vdc rated voltage unless otherwise specified.

All switches shown in the "OFF" position. All DC voltages measured to ground with a voltmeter 20KOhm/V.

- Supply voltage.

- 5- Female connector.
- M/F faston connector.
- Flag joined with one or more flags
- لِـــُ)Earth ground.





Address



GENERALMUSIC S.p.A. Sales Division: 47842 S.Giovanni in Marignano (RN) ITALY – Via delle Rose, 12

Phone +39(0)541/959511 - Fax +39(0)541/957404 - GENERALMUSIC on the NET: http://www.generalmusic.com





 \bigcirc


 \bigcirc

PM1C - Transmitter Block Diagram

+8V IC3A COMPRESSOR MIC INPUT AND AGC CONTROL PRE-EMPHASIS NET-WORK IC7 HEADPHONE MONITOR CONTROL **EARPHONE** +5V TR7, TR8 LED TONE OSC 32.768KHZ IC5,IC6 IC4 DISPLAY ANT +5V TR2 TR3 TR4 TR5 TR6 RF AMP F*3 OSC BUFFER **BPF** 170-216MHz


OSCILLATOR


PM1C - Transmitter Control Panel Board - Schematic Diagram




 \bigcirc

 \bigcirc





PM1C - Receiver Block Diagram




PM1C - Spare Part List

PARTS AVAILABLE UP TO TODAY (DECEMBER 2001)	
	Transmitter
277367	PM1C SERIES OWNER'S MANUAL (I-UK)
SKK347000	WIRELESS SYSTEM BAG
SKK888015	PM1C TX VHF TRANSMITTER
SKK888019	HEADPHONE ADAPTER
SKK888010	MONO JACK-JACK CABLE L=1,5MT
SKK888011	ANTENNA FOR VHF SYSTEM
SKK888012	ADAPTER "D41WI120300-12/1" 230V VOUT=12VDC 300MA
SKK888013	ADAPTER "D41WI120300-12/1" 115V VOUT=12VDC 300MA
	Receiver
277376	PM1C RX INSTRUCTIONS SHEET (I-UK)
951311	KOSS "THE PLUG" HEARPHONES
SKK888016	PM1C RX VHF RECEIVER

 \bigcirc

 \bigcirc



□6

 \bigcirc

 \bigcirc