DIAGNOSING LUNG DISEASES USING DEEP LEARNING

By Ari Iwunze

Why Lung Diseases?

Pneumonia is the cause of 1 out of 6 childhood deaths, making it the leading cause of fatalities in children under 5 years

In the United States,
The death rate of pneumonia is 10 out of every
100,000 individuals



In Africa,
The death rate of pneumonia is 100 out of every
100,000 individuals

100,000

Deaths per year due to the misdiagnosis of pneumonia


Misdiagnosis

> Wrongful diagnosis of diseases like COVID-19 or pneumonia can be very life threatening given that it leads to an increase in severity due to lack of treatment. Especially in cases where the patient might have a more serious infection like COVID-19.

➤ Why so many misdiagnosis?

- Such errors are causes by rushing patents through examinations especially now during the times of COVID - 19.
- It can also be due to the health workers who often possess low education levels which causes them to lack the required knowledge for recognizing pneumonia.





iDiagnosis - https://davinciai.dev/idiagnosis

PNEUMONIA TIME SCALE

More deadly if younger than 5 years of age or older than 65

WEEK 1


30%

Temperature should have reduced.

WEEK 6

70%

cough and breathlessness should've reduced.



People most-likely recover when diagnosed and treated properly

WEEK 4

50%

Mucus and chest pain should have reduced.

WEEK 12

----- 90%

Most symptoms should have subsided by now.

Using the Kaggle's Image Dataset With X-Rays of Patients who Tested Both Positive and Negative For Pneumonia & Covid-19



38% Chest X-Rays showing normal lungs



24% Chest X-Rays showing lungs infected with Covid-19



38% Chest X-Rays showing lungs infected with Pneumonia


TOTAL: 3,554

Physical Examination

NORMAL



PNEUMONIA



Sequential Model's Results - Pneumonia

ACCURACY

The accuracy is 90% and this is the amount of time the predicted result is actually correct.


LOG LOSS


The model loss is 0.26 out and this is the amount the model penalizes for incorrect predictions.

RECALL

The recall score for pneumonia is 94% and this is the probability of the model diagnosing a correct positive case out of all the times it diagnosed a positive case.

Using A Base CNN Model





Precision Score: [0.89473684 0.92307692 Recall Score: [0.94444444 0.85714286] F1 Score: [0.91891892 0.88888889]

Accuracy Score: 0.90625

VGG-19 Model's Results - Pneumonia


ACCURACY

The accuracy is 94% and this is the amount of time the predicted result is actually correct.

LOG LOSS


The model loss is 0.17 out and this is the amount the model penalizes for incorrect predictions.

Using VGG19 Transfer Learning Model



RECALL

The recall score for pneumonia is 100% and this is the probability of the model diagnosing a correct positive case out of all the times it diagnosed a positive case.



Sequential Model's Results - Covid-19

ACCURACY

The accuracy is 88% and this is the amount of time the predicted result is actually correct.


LOG LOSS


The model loss is 0.04 out and this is the amount the model penalizes for incorrect predictions.

RECALL

The recall score for Covid-19 is 67% and this is the probability of the model diagnosing a correct positive case out of all the times it diagnosed a positive case.

Using A Base CNN Model





VGG-19 Model's Results - Covid-19


ACCURACY

The accuracy is 97% and this is the amount of time the predicted result is actually correct.

LOG LOSS


The model loss is 0.05 out and this is the amount the model penalizes for incorrect predictions.

Using VGG19 Transfer Learning Model



RECALL

The recall score for Covid-19 is 93% and this is the probability of the model diagnosing a correct positive case out of all the times it diagnosed a positive case.



Sequential Model's Results - Covid-19 vs Pneumonia

ACCURACY

The accuracy is 94% and this is the amount of time the predicted result is actually correct.


LOG LOSS


The model loss is 0.24 out and this is the amount the model penalizes for incorrect predictions.

RECALL

The recall score for Covid-19 is 86% and this is the probability of the model diagnosing a correct positive case out of all the times it diagnosed a positive case.

Using A Base CNN Model





VGG-19 Model's Results - Covid-19 vs Pneumonia


ACCURACY

The accuracy is 100% and this is the amount of time the predicted result is actually correct.

LOG LOSS


The model loss is 0.2 out and this is the amount the model penalizes for incorrect predictions.

Using VGG19 Transfer Learning Model



RECALL

The recall score for Covid-19 is 100% and this is the probability of the model diagnosing a correct positive case out of all the times it diagnosed a positive case.



Conclusion



The Pneumonia model has a recall score of 100% for pneumonia, the covid model has a recall score of 93% for covid-19, and the pneumonia vs covid multi-classification model has a recall score of 100% for covid-19. They could be improved by trying different parameters but these scores are good enough as it is so Doctors and Radiologists are more than welcomed to integrate this models into their medical applications to help in the correct diagnosing of lung diseases, after thorough verification.

Recommendation




- Use the vgg-19 model since it shows its 26% better at correctly diagnosing a covid case in the binary classification model and 15% better at correctly diagnosing a covid case in the multi-classification model
- Add a dropout layer before the final dense layer to dropout half of the output from the prior dense layer using 512 nodes in order to reduce overfitting when using the VGG19 model.

Future Work

Other Lung Diseases

Create a classifier to differentiate pneumonia x-rays from other lung infections like Tuberculosis, etc.



Target Detection

Create a classifier to detect what section of the lungs the infection is located.

Model Improvement

Collect more data and tune more layers to the transfer learning model to improve its performance.


THANK YOU


References

- Misdiagnosis of Pneumonia: Passen & Dowell: Chicago Injury Trial Lawyers. (2018, May 08). Retrieved from https://www.passenpowell.com/misdiagnosis-of-pneumonia/
- (n.d.). Retrieved from https://www.nhs.uk/conditions/pneumonia/treatment/
- Sasimov, H. (2019, November 27). Pneumonia Detection from chest radiograph (CXR). Retrieved from https://towardsdatascience.com/pneumonia-detection-from-chest-radiograph-cxr-d02c2fc11609
- > towardsdatascience.com/pneumonia-detection-from-chest-radiograph-cxr-d02c2fc11609.
- Ambardekar, N. (2020, June 13). Chemical Pneumonia. Retrieved from https://www.webmd.com/lung/chemical-pneumonia
- Unit8co. (2019, January 28). Unit8.co/amld-workshop-pneumonia. Retrieved from https://github.com/unit8co/amld-workshop-pneumonia/blob/master/3_pneumonia/p2_model.ipynb

Appendix - Pneumonia


- The AUC score is 0.90 and this is the average probability that the model can diagnose each X-ray image correctly.
- The model loss is 0.17 out and this is the amount the model penalizes for incorrect predictions.






Appendix - Covid-19

- The AUC score is 0.100 and this is the average probability that the model can diagnose each X-ray image correctly.
- The model loss is 0.05 out and this is the amount the model penalizes for incorrect predictions.





Appendix - Covid-19 vs Pneumonia

- The AUC score is 0.93 and this is the average probability that the model can diagnose each X-ray image correctly.
- The model loss is 0.02 out and this is the amount the model penalizes for incorrect predictions.

