

MODEL EVALUATION

CHEAT SHEET

for Machine Learning

Save for later reference



CLASSIFICATION METRICS

Accuracy:

from sklearn.metrics import accuracy_score accuracy = accuracy_score(y_true, y_pred)

Precision:

from sklearn.metrics import precision_score precision = precision_score(y_true, y_pred)

Recall (Sensitivity):

from sklearn.metrics import recall_score recall = recall score(y true, y pred)

F1 Score:

from sklearn.metrics import f1_score f1 = f1_score(y_true, y_pred)

Confusion Matrix:

from sklearn.metrics import confusion_matrix cm = confusion_matrix(y_true, y_pred)





ROC-AUC SCORE

from sklearn.metrics import roc_auc_score auc_score = roc_auc_score(y_true, y_prob)

03

REGRESSION METRICS

Mean Absolute Error (MAE):

from sklearn.metrics import mean_absolute_error mae = mean_absolute_error(y_true, y_pred)

Mean Squared Error (MSE):

from sklearn.metrics import mean_squared_error mse = mean_squared_error(y_true, y_pred)

R-squared (Coefficient of Determination):

from sklearn.metrics import r2_score r_squared = r2_score(y_true, y_pred)





CROSS-VALIDATION

Cross-Validation Score:

from sklearn.model_selection import cross_val_score

scores = cross_val_score(model, X, y, cv=5, scoring='accuracy')

Stratified K-Fold Cross-Validation:

from sklearn.model_selection import StratifiedKFold

cv = StratifiedKFold(n_splits=5, shuffle=True, random_state=42)
scores = cross_val_score(model, X, y, cv=cv, scoring='accuracy')

HYPERPARAMETER TUNING

Grid Search:

from sklearn.model_selection import GridSearchCV

param_grid = {'param_name': [value1, value2, ...]}
grid_search = GridSearchCV(model, param_grid,
cv=5)

Randomized Search:

from sklearn.model_selection import RandomizedSearchCV

param_dist = {'param_name': [value1, value2, ...]} random_search = RandomizedSearchCV(model, param_distributions=param_dist, n_iter=10, cv=5)





HANDLING INCONSISTENT DATA TYPES

Ensure Proper Data Types: Ensure that each column has the correct data type.

df = df.astype({'numeric_column': 'float64',

'categorical_column': 'category'})

Use the astype method to explicitly set the data type of each column.

Convert Data Types: Convert data types, for example, from string to numeric.

df['numeric_column'] =
pd.to_numeric(df['numeric_column'], errors='coerce')
Use pd.to_numeric to convert a column to numeric,
handling errors as specified.

Convert Text to Lowercase or Uppercase: Standardize text data by converting to lowercase or uppercase.

df['text_column'] = df['text_column'].str.lower()
Use str.lower() or str.upper() to standardize text data.





MODEL INTERPRETABILITY

Feature Importance (for tree-based models):

importances = model.feature_importances_

Permutation Importance:

from sklearn.inspection import
permutation_importance
result = permutation_importance(model, X_test,
y_test, n_repeats=10, random_state=42)
importance = result.importances_mean



Never Miss a Post!Turn on the Notifications



Wasit helpful?

Follow Us For More Amazing Data Science & Programming Related Posts











OMMENT



IARE



Checkout Our Other Posts



07 Killer Data Science Project ideas

With Description



Actual Projects
That Data
Scientists Work

On In Companies



Data Science Concepts Explained

Overfitting & Underfitting



Data Science Interview

Questions & Answers

Save for later reference

