```
mysql> SELECT TYPE, COUNT(*) FROM ACCOUNTS GROUP BY TYPE;
+------+----------+
| TYPE | COUNT(*) |
+------+----------+
| CA   |        3 |
| SB   |        4 |
+------+----------+

mysql> SELECT NAME, COUNT(TYPE) FROM ACCOUNTS GROUP BY NAME HAVING
COUNT(*)>1;
+-------+-------------+
| NAME  | COUNT(TYPE) |
+-------+-------------+
| Rohit |           2 |
+-------+-------------+

mysql> SELECT BRANCHNO, COUNT(*) FROM ACCOUNTS GROUP BY BRANCHNO;
+----------+----------+
| BRANCHNO | COUNT(*) |
+----------+----------+
| B1       |        2 |
| B2       |        3 |
| B3       |        2 |
+----------+----------+

mysql> SELECT BRANCHNO, COUNT(*) FROM ACCOUNTS GROUP BY BRANCHNO
ORDER BY BRANCHNO ASC;
+----------+----------+
| BRANCHNO | COUNT(*) |
+----------+----------+
| B1       |        2 |
| B2       |        3 |
| B3       |        2 |
+----------+----------+

mysql> SELECT COUNT(OPENDATE) FROM ACCOUNTS WHERE
OPENDATE>'2015-01-03' HAVING COUNT(*)>1;
Empty set (0.00 sec)
```