


Define a query as a hyperlink

18/11/2018 • 2 minutos para ler • Colaboradores 

Neste artigo

[Query hyperlink syntax](#)

[Related articles:](#)

[Azure Boards](#) | [Azure DevOps Server 2019](#) | [TFS 2018](#) | [TFS 2017](#) | [TFS 2015](#) | [TFS 2013](#)


The easiest way to define a hyperlink is to create a query that matches what you want and then copy the URL for the query. The hyperlink uses the work item query language (WIQL), which resembles Transact-SQL. For details about constructing WIQLs, see [Syntax for the Work Item Query Language \(WIQL\)](#).

Observação


Most browsers enforce a limit of between 2000 and 2083 characters for a URL string.

Query hyperlink syntax


You must encode the WIQL portion of the URL syntax. You can use any URL encoder tool to encode your URL.

	 Copiar
<pre>https://dev.azure.com/OrganizationName/ProjectName/_workitems?_a=query&wiql={Encoded WorkItem-QueryLanguage}</pre>	

For example, the following hyperlink lists the ID and title of all active bugs defined under the FabrikamFiber/Web area path for the fabrikam.visualstudio.com account.

	 Copiar
<pre>https://dev.azure.com/fabrikam/FabrikamFiber/_workitems?_a=query&wiql=SELECT%20%5BSystem.ID%5D%2C%20%5BSystem.Title%5D%20FROM%20WorkItems%20WHERE%20%5BSystem.TeamProject%5D%3D'Fabrikam-Fiber'%20AND%20%5BSystem.WorkItemType%5D%3D'Bug'%20AND%20%5BSystem.State%5D%3D'Active'%20AND%20%5BSystem.AreaPath%5D%3D'FabrikamFiber%5CWeb'</pre>	

The decoded WIQL conforms to:

wiql	 Copiar
<pre>SELECT [System.ID], [System.Title] FROM WorkItems WHERE [System.TeamProject]='FabrikamFiber' AND [System.WorkItemType]='Bug' AND [System.State]='Active' AND [System.AreaPath]='FabrikamFiber\Web'</pre>	

Observação

For queries made against Azure Boards, the WIQL length must not exceed 32K characters. The system

won't allow you to create or run queries that exceed that length.

 Copiar

```
https://{ServerName}/{CollectionName}/{ProjectName}/_workitems?_a=query&wiql={Encoded WorkItem-QueryLanguage}]
```

For example, the following hyperlink lists the ID, title, and state of all bugs under the FabrikamFiber/Web area path hosted on the fabrikam server.

 Copiar

```
http://fabrikam:8080/tfs/DefaultCollection/FabrikamFiber/_workitems?_a=query&wiql=SELECT
%20%5BSystem.ID%5D%2C%20%5BSystem.Title%5D%2C%20%5BSystem.State%5D%20FROM%20WorkItems%20WHERE
%20%5BSystem.TeamProject%5D%3D'FabrikamFiber'%20AND%20%5BSystem.WorkItemType%5D%3D'Bug'%20AND
%20%5BSystem.AreaPath%5D%3D'FabrikamFiber%5CWeb'%20%20
```

Which is comparable to the non-encoded entry:

 Copiar

```
http://fabrikam:8080/tfs/DefaultCollection/FabrikamFiber/_workitems?_a=query&wiql=
SELECT [System.ID], [System.Title], [System.State]
FROM WorkItems
WHERE [System.TeamProject]='FabrikamFiber'
AND [System.WorkItemType]='Bug'
AND [System.AreaPath]='FabrikamFiber\Web'
```

Related articles:

- [Syntax for the Work Item Query Language \(WIQL\)](#)
- [Wiql Editor, a Marketplace extension](#)
- [REST API, Wiql](#)