

Nama: Ariel Ardani Aris Putra

NIM: 254107020129

No. Absen: 04

Kelas: TI 1G

Kode Program

Class Pembeli04

```
package cm2;
```

```
public class Pembeli04 {
```

```
    String namaPembeli;
```

```
    String noHp;
```

```
    Pembeli04(String b,String c){
```

```
        namaPembeli = b;
```

```
        noHp = c;
```

```
    }
```

```
    void tampil(){
```

```
        System.out.println(namaPembeli+"\t| "+noHp);
```

```
    }
```

```
}
```

Class Pesanan04

```
package cm2;
```

```
public class Pesanan04 {
```

```
    int kodePesanan;
```

```
    String namaPesanan;
```

```
    int harga;
```

```

Pesanan04(int a, String b, int d){
    kodePesanan = a;
    namaPesanan = b;
    harga = d;
}

void tampil(){
    System.out.println(kodePesanan + "\t| " + namaPesanan + "\t| " + harga + "\t| ");
}
}

```

Class NodePembeli04

```

package cm2;

public class NodePembeli04 {
    Pembeli04 data;
    NodePembeli04 prev;
    NodePembeli04 next;

    public NodePembeli04(Pembeli04 data) {
        this.data = data;
        this.prev = null;
        this.next = null;
    }
}

```

Class NodePesanan04

```

package cm2;

public class NodePesanan04 {
    Pesanan04 data;
}

```

```
NodePesanan04 prev;
```

```
NodePesanan04 next;
```

```
public NodePesanan04(Pesanan04 data) {
```

```
    this.data = data;
```

```
    this.prev = null;
```

```
    this.next = null;
```

```
}
```

```
}
```

Class DLLPembeli04

```
package cm2;
```

```
public class DLLPesanan04 {
```

```
    NodePesanan04 head;
```

```
    NodePesanan04 tail;
```

```
public DLLPesanan04() {
```

```
    head = null;
```

```
    tail = null;
```

```
}
```

```
public boolean isEmpty() {
```

```
    return head == null;
```

```
}
```

```
public void addLast(Pesanan04 data) {
```

```
    NodePesanan04 newNode = new NodePesanan04(data);
```

```
    if (isEmpty()) {
```

```
        head = tail = newNode;
```

```

    } else {
        tail.next = newNode;
        newNode.prev = tail;
        tail = newNode;
    }
}

```

```

public void print() {
    NodePesanan04 current = head;
    while (current != null) {
        current.data.tampil();
        current = current.next;
        System.out.println("-----");
    }
}

```

```

public void sortNama() {
    // sorting yang saya gunakan adalah selection sort
    NodePesanan04 current = head;

    while (current != null) {
        NodePesanan04 min = current;
        NodePesanan04 temp = current.next;
        while (temp != null) {
            if
(temp.data.namaPesanan.compareToIgnoreCase(min.data.namaPesanan) < 0) {
                min = temp;
            }
            temp = temp.next;
        }
    }
}

```

```

    }

    Pesanan04 tukar = current.data;
    current.data = min.data;
    min.data = tukar;

    current = current.next;
}
}
}

```

Class DLLPesanan04

```

package cm2;

public class DLLPembeli04 {
    NodePembeli04 head;
    NodePembeli04 tail;

    public DLLPembeli04() {
        head = null;
        tail = null;
    }

    public boolean isEmpty() {
        return head == null;
    }

    public void addLast(Pembeli04 data) {
        NodePembeli04 newNode = new NodePembeli04(data);
    }
}

```

```

    if (isEmpty()) {
        head = tail = newNode;
    } else {
        tail.next = newNode;
        newNode.prev = tail;
        tail = newNode;
    }
}

```

```

public void print() {
    if (isEmpty()) {
        System.out.println("Linked List masih kosong.");
        return;
    }
    NodePembeli04 current = head;
    while (current != null) {
        current.data.tampil();
        current = current.next;
        System.out.println("-----");
    }
}

```

```

public void removeFirst() {
    Pembeli04 hapus = head.data;
    if (head == tail) {
        head = tail = null;
    } else {
        head = head.next;
        head.prev = null;
    }
}

```

```

    }
    System.out.print(hapus.namaPembeli+" Telah memesan ");
}
}

```

Class Main04

```
package cm2;
```

```
import java.util.Scanner;
```

```
public class Main04 {
```

```
    static Scanner sc = new Scanner(System.in);
```

```
    public static void main(String[] args) {
```

```
        DLLPesanan04 dllPesan = new DLLPesanan04();
```

```
        DLLPembeli04 dllPembeli = new DLLPembeli04();
```

```
        while (true) {
```

```
            tampilkanMenu();
```

```
            System.out.print("Pilih menu : ");
```

```
            int key = sc.nextInt();
```

```
            sc.nextLine();
```

```
            switch (key) {
```

```
                case 1:
```

```
                    Pembeli04 inp = inputPembeli();
```

```
                    dllPembeli.addLast(inp);
```

```
                    break;
```

```
                case 2:
```

```
                    dllPembeli.print();
```

```

        break;
    case 3:
        if (dllPembeli.isEmpty()){
            System.out.println("Tidak ada antrean");
            break;
        }else{
            Pesanan04 inp2 = inputPesanan();
            dllPesan.addLast(inp2);
            dllPembeli.removeFirst();
            System.out.println(inp2.namaPesanan);
            break;
        }
    case 4:
        if (dllPesan.isEmpty()){
            System.out.println("Belum ada pesanan tercatat");
            break;
        }else {
            dllPesan.sortNama();
            dllPesan.print();
            break;
        }
    case 0:
        System.out.println("Keluar Program");
        sc.close();
        return;
    default:
        System.out.println("Input salah");
        break;
}

```



```
}  
}
```

```
public static void tampilkanMenu() {  
    System.out.println("=====");  
    System.out.println("SISTEM ANTRIAN ROYAL DELISH");  
    System.out.println("=====");  
    System.out.println("1. Tambah Antrian");  
    System.out.println("2. Cetak Antrian");  
    System.out.println("3. Hapus Antrian dan Pesan");  
    System.out.println("4. Laporan Pesan");  
    System.out.println("0. Keluar");  
    System.out.println("-----");  
}
```

```
public static Pembeli04 inputPembeli() {  
    System.out.print("Nama Pembeli: ");  
    String np = sc.nextLine();  
    System.out.print("No HP: ");  
    String nh = sc.nextLine();  
    return new Pembeli04(np, nh);  
}
```

```
public static Pesanan04 inputPesanan() {  
    System.out.print("Kode pesanan: ");  
    int kd = sc.nextInt();  
    sc.nextLine();  
    System.out.print("Nama Pesanan: ");  
    String nape = sc.nextLine();  
}
```

```
        System.out.print("Harga: ");  
        int hg = sc.nextInt();  
        return new Pesanan04(kd, nape, hg);  
    }  
}
```

Hasil Compile

```
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 1
Nama Pembeli: Ariel
No HP: 08123
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 1
Nama Pembeli: Chloe
No HP: 08987
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 1
Nama Pembeli: Leira
No HP: 08345
```

```
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 1
Nama Pembeli: Takagi
No HP: 08678
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 2
Ariel   | 08123
-----
Chloe   | 08987
-----
Leira   | 08345
-----
Takagi  | 08678
-----
```

```
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 3
Kode pesanan: 1
Nama Pesanan: Kopi
Harga: 3000
Ariel Telah memesan Kopi
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 3
Kode pesanan: 2
Nama Pesanan: Es Teh Hangat
Harga: 2500
Chloe Telah memesan Es Teh Hangat
```

```
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 3
Kode pesanan: 3
Nama Pesanan: Susu
Harga: 4000
Leira Telah memesan Susu
=====
SISTEM ANTRIAN ROYAL DELISH
=====
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
-----
Pilih menu : 3
Kode pesanan: 4
Nama Pesanan: Nasgor Goreng
Harga: 50000
Takagi Telah memesan Nasgor Goreng
```

```
=====
SISTEM ANTRIAN ROYAL DELISH
=====
```

- ```
1. Tambah Antrian
2. Cetak Antrian
3. Hapus Antrian dan Pesan
4. Laporan Pesan
0. Keluar
```

```

Pilih menu : 4
```

```
2 | Es Teh Hangat | 2500 |
```

```

1 | Kopi | 3000 |
```

```

4 | Nasgor Goreng | 50000 |
```

```

3 | Susu | 4000 |
```

```

```