

Color Theming

Color Theme One

Solid Colors	color-primary:	#000D59
Color Tints	color-primary-90:	#19256A
	color-primary-80:	#333D7A
	color-primary-70:	#4D568B
	color-primary-60:	#666E9B
	color-primary-50:	#8086AC
	color-primary-40:	#999EBD
	color-primary-30:	#B3B6CD
	color-primary-20:	#CCCFDE

--color-primary-10:

--color-primary:

#E6E7EE

#05111F

#030000

color-secondary:	#507FDE
color-secondary-90:	#628CE1
color-secondary-80:	#7399E5
color-secondary-70:	#85A5E8
color-secondary-60:	#96B2EB
color-secondary-50:	#A8BFEF
color-secondary-40:	#B9CCF2
color-secondary-30:	#CBD9F5
color-secondary-20:	#DCE5F8
color-secondary-10:	#EEF2FC

Color Theme Two

Color Tints

color-primary-90:	#0E2238
color-primary-80:	#1D3552
color-primary-70:	#304C6B
color-primary-60:	#496585
color-primary-50:	#6A85A3
color-primary-40:	#88A1BD
color-primary-30:	#A3B9D1
color-primary-20:	#C3D3E6
color-primary-10:	#DAE4F0

color-secondary:	#11404D
color-secondary-90:	#174D5C
color-secondary-80:	#2F6473
color-secondary-70:	#457D8C
color-secondary-60:	#6397A6
color-secondary-50:	#80B0BD
color-secondary-40:	#9FC6D1
color-secondary-30:	#BADAE3
color-secondary-20:	#D3E9F0
color-secondary-10:	#E4F1F5

Color Theme Three

Solid Colors

Color Tints

-color-primary-90: #1A1A1A --color-primary-80: #333333 --color-primary-70: #4D4D4D --color-primary-60: #666666 -color-primary-50: --color-primary-40: #9A9A9A --color-primary-30: #B3B3B3 --color-primary-20: #CDCCCC --color-primary-10: #E6E6E6

--color-primary:

color-secondary:	#FFD530
color-secondary-90:	#FFDA45
color-secondary-80:	#FFE159
color-secondary-70:	#FFEB82
color-secondary-60:	#FFEB82
color-secondary-50:	#FFED96
color-secondary-40:	#FFF2AB
color-secondary-30:	#FFF6BF
color-secondary-20:	#FFFAD4
color-secondary-10:	#FFFCE8

Shared Colors



Semantic Color CSS Variables

color-error-darkest:	#b71c1c
color-error-dark:	#d32f2f
color-error:	#f44336
color-error-light:	#EF9A9A
color-error-light:	#FFEBEE
	color-error:color-error-light:

#081BA4
#1230B9
#193EC6
#8C9FE3
#E3E8F8

#007800
#009200
#00A400
#80D280
#E0F4E0

Signifying Colors


color-warning-darkest:	#ffad12
color-warning-dark:	#FFCC2E
color-warning:	#FFCC2E
color-warning-light:	#FFE697
color-warning-lightest:	#FFFAEA

Sequential Color Schemes





Data Visualization



Dark Mode



Typography

Font CSS Variables

Heading Sizes (Desktop)

font-size-display:	36px
font-size-h1:	32px
font-size-h2:	26px
font-size-h3:	22px

font-size-h4:	18px
font-size-h5:	18px
font-size-h6:	16px

Content Sizes

font-size-base:	16px
font-size-s:	14px
font-size-xs:	12px

Font Weights

font-bold:	700
font-semi-bold:	600
font-regular:	400
font-light:	300

Typography Rules

Line Height

Line height for all font sizes: **1.5rem**

Character Spacing

Header Text: 0.2em Paragraph Text: 0.4em

Paragraph Spacing

Header Text: 0.5em Body Text: 1.0em

Justification

Text should never be justified

Alignment

The majority of text used within the MyVector Platform should be left-aligned.

Long blocks of text should always be left-aligned.

Text within tables: left aligned

Button Text: centered

Right- and center-alignment should be used sparingly, and should never be applied to large blocks of text.

Hyphens

Hyphens, for word breaks, are allowed, but should be used sparingly. If hyphens are present in a block of text, then it should be

>

Iconography

Help Icon

		Size	CSS Class(es)	Corresponding CSS
question icon	?	1em (12px)	.icon .fa .fa-question-circle .fa-1x	<pre>[data-upload] [data-icon] { background-color: transparent; color: var(color-primary); line-height: 1; margin-right: var(space-base); width: auto; }</pre>
				<pre>[data-upload].uploaded [data-icon] { background-color: transparent; }</pre>
question icon (focus visible)	1	1em (12px)	.icon .fa .fa-question-circle .fa-1x	Focus box styled according to checkbox focus variables

Using help icons

Use the help icon to provide additional information about a particular item on the page. When a user clicks or taps on a help icon, a popup is triggered displaying relevant information.

Layout: Help icons must always be displayed after its corresponding text with 6px of margin on the left.

Sizing: Help icons must be implemented using the Font Awesome 5 Pro font, sized at 1em (12px).

Accessibility: Help icons must allow a visible focus for users with visual impairments or those using a screen reading software.

Button & Action Menu Icons

		Size	CSS Class(es)	Style variables	
edit		24 x 24px			
delete		24 x 24px			
add	(+)	24 x 24px			
archive		24 x 24px			

File Type Icons

		Size	CSS Class(es)	Style variables
pdf		24 x 24px		
blank-file		24 x 24px		
generic-file		24 x 24px		
word	w	24 x 24px		
excel	×	24 x 24px		
image		24 x 24px		

User Information Icons

			Size	CSS Class(es)	Style variables
location	•		24 x 24px		
phone number			24 x 24px		
email		•	24 x 24px		
Mailing Address			24 x 24px		
ID			24 x 24px		

Navigation Icons

	Size	CSS Class(es)	Style variables	
Click into	24 x 24px			

Icons - Character Styles

Font Awesome 5 Icon Character Styles - Solid

Style	Size	CSS Classes
solid	XS	fas fa-file-alt fa-xs
solid	sm	fas fa-file-alt fa-sm
solid	(default)	fas fa-file-alt
solid	lg	fas fa-file-alt fa-lg
solid	2x	fas fa-file-alt fa-2x
solid	3x	fas fa-file-alt fa-3x
solid	5x	fas fa-file-alt fa-5x
solid	7x	fas fa-file-alt fa-7x
solid	10x	fas fa-file-alt fa-10x

Font Awesome 5 Icon Character Styles - Regular

Style	Size	CSS Classes
regular	XS	far fa-file-alt fa-xs
regular	sm	far fa-file-alt fa-sm
regular	(default)	far fa-file-alt
regular	lg	far fa-file-alt fa-lg
regular	2x	far fa-file-alt fa-2x
regular	3x	far fa-file-alt fa-3x
regular	5x	far fa-file-alt fa-5x
regular	7x	far fa-file-alt fa-7x
regular	10x	far fa-file-alt fa-10x

Font Awesome 5 Icon Character Styles - Light

Style	Size	CSS Classes
light	XS	fal fa-file-alt fa-xs
light	sm	fal fa-file-alt fa-sm
light	(default)	fal fa-file-alt
light	lg	fal fa-file-alt fa-lg
light	2x	fal fa-file-alt fa-2x
light	3x	fal fa-file-alt fa-3x
light	5x	fal fa-file-alt fa-5x
light	7x	fal fa-file-alt fa-7x
light	10x	fal fa-file-alt fa-10x

Shadows (for reference)

•

Drop Shadow Sizes

Size	Components associated with this size
xx-small	Button, Alert, Actions Menu (open
x-small	Card
small	
medium	Floating Action, Pop Up, Modal
large	
x-large	Side Panel, Bottom Panel
xx-large	Top Navigation

Using Drop Shadow

Each component has its own level on the elevation scale.

Buttons start at xx-small, and increase in level once interacted with. The closer the component is to the user, the bigger its shadow.

Drop Shadow: Responsive Elevation

Pressed - one level

Hover & Focus + one level

Active + two levels

Dragged + three levels

Disabled Remove all shadow

Text, Media Element, Link, Tags, Container Alert, Nav Card, Form Pieces

Card, Form Pieces

Inset Shadow Sizes

Size	Components associated with this size
x-small	Pieces (input radio chekcbox)
small	Scroll Boxes (tables etc)
medium	TBA Larger View/Scroll Areas
large	

Using Inset Shadow

Input pieces that are interactive use inset shadows to show a user input "goes into them". This can also be applied to components that contain a view of an item, similar to a view-master

Drop Shadow: Responsive Elevation

Hover & Focus & Active + one level

Disabled Remove all shadow

>

Spacer (for reference)

Spacer Sizes (States)

Size	Vertical	Horizontal
XS		
S		
base		
m		
l		
xl		
xxl		

Using Spacer

Use this XD component to accurately place space between components and text. The opacity is at 1% so that it is grabbable. You may lower it to 100% if leaving it in your design.

BAM UI Color Theme

SHARED

Steed color teaching and disabled that deliance is taked a disable is steed in a disable is steed in a disable is steed in a disable in a disable is steed and a disable in a disable is steed and a disable in a disable is steed and a disable is steed a	State of the content of the conten	Field Colors			
Structure designated about 1	Secretario contrologo de la contrologo d	Field Colors		\$color-neutral-6	
### Control of Control	State class and growth and and a state of the state of	\$field-color-text-disabled	Text color for disabled fields		
### State of the following control of the first of the fi	### State of the field and and an extra control of the control of	\$field-color-background-disabled	Background color for disabled fields		
State concentration State of the Content of the	Special contents of the conten	\$field-color-border-disabled	Border color for disabled fields		
State colored accounts of the	Settle-interaction Settle	\$field-color-background	Background color for fields/input content		
Sind solor desired action Find a solor formation 1 Section received 1 Section received 2 Section received 3 Section received 4 Section recei	Sind does does deep comments of the control of the	\$field-color-border	Background color for fields/input content		
Field color bodies across Field color bodies across Field color forms of training across of the receiver across to the color across of the color	### State and a state in the company of the company	\$field-color-text	Text color for fields/input		
Sillaborate control production of the control of th	### And the Colors Processor of the first outcomes Section and the Colors and the Colors	\$field-color-border-active	Border color for active state of fields/input content		
Link Colors Sink-color Section and Substitute data Substitute data Substitute data Substit	Link Colors State Color State Color State St	\$field-color-border-hover	Border color for hover state of fields/input content		
Silence color forcer Secretarian Silence color secretaria Silence c	State color founds and the second an	\$field-color-border-error	Border color for error state of fields/input content		
Selective Color Section Section Process Selective Color Section Section Process Section Proc	State color bodgmand over School color to enter the order of the color bodgmand over School color bodg	Link Colors			
State color focus State color f	Silve coloration Silve colora		Primary links	\$color-info-dark	
Sillab color-rative Color all to filtre to extract Sillab color-rative and Social ratio a	Simulation and the state of the				
Siline-color-disabled Color of an An Amery to Audion Siline-color-disabled Color of an An Amery to Audion Siline-color-color disabled Color of an An Amery to Audion Siline-color-color and Amery to Audion Color of an An Amery to Audion Siline-color-color and Amery to Audion Color of an An Amery to Audion Siline-color-color and Amery to Audion Color of an Amery to Audion Siline-color-color and	Sind-catorination Control to that substances Control to the substances Con				
Sink color-facilities Cober of the Back processor Cober of the Back proc	Similar color focus. Cour of the matter for the matter for the color of color matter. Similar color of color of color focus. Cour of the matter for them water. Similar color of color of color focus. Similar col	\$link-color-active	Color of link that is active	#3352CC	
State color focus Color of the Mitter for several data Color of the Mitter for several data of the Mitter for several data Color of the Mitter for several data	Similar color-resident Color of a fluctuation and a series of plus and	\$link-color-disabled	Color of link that is disabled	#8B8B8B	
Table Colors Stow-color-background-active Decayson cloth factor and Social methods of the analysis of the stable	Table Colors Trow color background active	\$link-color-focus	Color of link that is being focused on		
Storw color-background active Partyround (after for a new Sub-background interactive Partyround (after for a new Partyround (aft	Sooton color background active Sooton color background flower Sooton color background Sooton color flower Sooton	\$link-color-visited	Color of a link that has been visited		
Stow-color-background-tover Bodground solver in the being record over and interest verifiers Sub-background-interactive	Storw-color-background-hover Exception cateland a more time thangs beared out and bitterceine Exception cateland a more time thangs beared out and bitterceine Exception cateland a more time thangs beared out and bitterceine Exception cateland a more time thangs beared out and bitterceine Exception cateland a more time thanks and the second out that time thanks are secondary to be presented out thanks, unusual rather time shalled whole Stables headed coolor-background Lanks, unusual rather time shalled whole Stables headed coolor-background Lanks, unusual rather time shalled whole Stables headed coolor-background Lanks, unusual rather time shalled whole Stables headed coolor-background time cateland thanks or who year on blass tig shard to cateland. Stables background-out interactive inte	Table Colors			
Show-color-background-new Usacyound color for a scoreron being added to a table Show-color-background-early Usacyound color for a scoreron being added to a table Show-color-background-early Usacyound color for a scoreron being added to a table Show-color-background-early Usacyound-color for a scoreron being added to a table Show-color-background-early Usacyound-color for a scorer for early been as been assisted. Stable-header-color-background-background-background-early to a stable bearer early an arrivor in given it and it is startistic. Controls Colors Socrotibar-color-background-background-background-background-alteractive interactive. Daskground-color-background-background-background-background-alteractive interactive. Socrotibar-color-background-backgrou	Stock Stoc	\$row-color-background-active	Background color for a row		
Stable-header-color-background Stable-header-color-background bedground color for a table header Stable-header-color-background bedground color for a table header Stable-header-color-background bedground color for a table header Stable-header-color-background- blower Stable-header-color-background- blower Stable-header-color-background- blower Stable-header-color-background- blower Stable-header-color-background- blower Starollbar-color-background- blower Starollbar-color-background- blower Starollbar-color-background- blower Background-color in a standard scrillbar Starollbar-color-background- blower Starollbar-color-background- blower Background-color in a standard scrillbar Starollbar-color-background- blower Starollba	Stable-header-color-background Society S	\$row-color-background-hover	Background color of a row when it is being hovered over and is interactive		
Stable-header-color-background background-color for a table moder Stable-header-color-background background-color for a table moder background-color for a table moder when you are bowing over it and it is stressed. Controls Colors Secrotlbar-color-background Declaground-color for a table moder when you are bowing over it and it is stressed. Secrotlbar-color-background Declaground-color for a transferrid secrotlbar Secrotlbar-color-background-track Moderground-color for a transferrid secrotlbar Secrotlbar-color-background-track Moderground-color for a transferrid secrotlar december for moderate transferrid secrotlbar Secrotlbar-color-background-track Misc Stable-header-color-background-track Misc Stable-header-color-background-track Misc Stable-header-color-background-track Misc Stable-header-color-background-track Mackground-color-for section-slicker data, pag nation control among tool buttons test color ##################################	Stable-header-color-background Stable-header-color-background Stable-header-color-background- Stable-header-color-background- Stable-header-color-background- Stable-header-color-background- hover Starollbac-color-background- bover Starollbac-color-background- Background tools for a soard-aid collitar Starollbac-color-background- Starollbac-color-background- stack Starollbac-color-background- Starollbac-color-	\$row-color-background-new	Background color for a new row being added to a table		
Stable-header color-background-bover background-bover background-b	Stable-header-color-background- hover hover background- Background-color-background- Background-color-background- Background-color-background- Background-color-background- Background-color-background- background-color-background- background-color-background- background-background- background-color-background- background-color-background- background-color-background- background-background- background-background- background-background- background-background- background-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background- background-color-background-color-background-color-background-color-ba	\$row-color-background-selected	Background color of a row that has been selected		
Sacrollbar-color-background Sacrollbar-color	Second color of the added to	\$table-header-color-background	background color for a table header		
Sscrollbar-color-background Background color for a standard scrollbar Scolor-neutral-0 PEFFFF Background-color for the track of a standard scrollbar Scolor-neutral-6 #888888 Scontrol-color-01 Color for active slider dots; pagination control arrow; tool buttons test color Misc Skeleton-color-background background color for skeleton toaded content Scolor-neutral-2 #101 0129 Button Blend Modes Sbutton-blend-mode-solid Blend mode for solid buttons Overlay Sbutton-blend-mode-alt Blend mode for salternative ghost and outline buttons Soft-light Sbutton-overlay-opacity Opacity for inicial and disabled button overlay states 0	Secrollbar-color-background Beckground color for a standard scrollbar Scrollbar-color-background-track Beckground color for the track of a standard scrollbar Scolor neutral-6 ###################################				
Scrollbar-color-background Background color for a standard scrollbar \$color-neutral-6 #88888 Scontrol-color-01 Color for active slider dbts; pagination control arrow; tool buttons text color #33322CC Misc \$skeleton-color-background background color for skeleton loaded content \$color-neutral-2 #3012CC \$skeleton-color-background background color for skeleton loaded content \$color-neutral-2 #301 DI DI Button Blend Modes \$button-blend-mode-solid Blend mode for solid buttons Overlay \$button-blend-mode-alt Blend mode for alternative ghost and outline buttons \$color-neutral-2 #301 DI DI Button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states 0	Sacrollban color-background Background color for at standard scrollban Scolor-neutral-6 ABBBBBB Scontrol-color-01 Calor for active slider dots; pagination control among tool bacters seed color ABBBBBB Scolor-neutral-6 ABBBBBB Scolor-neutral-6 ABBBBBB Scolor-info ABBBBBB Scolor-neutral-6 ABBBBBB Scolor-info ABBBBBB Scolor-neutral-2 ABBBBBBB Scolor-neutral-2 ABBBBBBB Scolor-neutral-2 ABBBBBB Scolor-neutral-2 ABBBBBB Scolor-neutral-2 ABBBBBB Scolor-neutral-2 ABBBBBBB Scolor-neutral-2 ABBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	Controls Colors			
Scolor-neutral-5 #888888 Scolor-neutral-6 #8888888 Color-info Scolor-info #3352CC Misc Skeleton-color-background background color for skeleton loaded content Scolor-neutral-2 #3572CC Scolor-neutral-2 #370F0F0F Button Blend Modes Subtton-blend-mode-solid Blend mode for solid buttons Button Overlay Opacity Subtton-overlay-opacity Opacity for initial and disabled button overlay states 0	Scottrol-color-01 Color for active-slider date; pagination control arrow; tool battors lied color ASSOCC Solor-neutral-6 4888888 Scolor-neutral-6 4888888 Scolor-neutral-6 4888888 Scolor-neutral-6 4888888 Scolor-neutral-2 48888888 Scolor-neutral-2 48888888 Scolor-neutral-2 48888888 Scolor-neutral-2 48888888 Scolor-neutral-2 48888888 Scolor-neutral-2 488888888 Scolor-neutral-2 488888888 Scolor-neutral-2 488888888 Scolor-neutral-2 488888888 Scolor-neutral-2 4888888888 Scolor-neutral-2 4888888888 Scolor-neutral-2 48888888888888888888 Scolor-neutral-2 4888888888888888888888888888888888888	\$scrollbar-color-background	Background color for a standard scrollbar		
\$control-color-01 Color for active slider dots; pagination control arrow; tool buttons text color \$color-info #3352CC Misc Sskeleton-color-background background color for skeleton loaded content \$color-neutral-2 #DEPEDE Button Blend Modes Sbutton-blend-mode-solid Blend mode for solid buttons Overlay Sbutton-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity Opacity for initial and disabled button overlay states 0	\$control-color-01 Color for active slider dots: pagination control arrow: tool buttons text color Scolor-info Misc Systeleton-color-background background color for skeleton loaded content: Scolor-neutral-2 PDI DEP Button Blend Modes Sputton-blend-mode-solid It level mode for solid buttons Overlay Sputton-blend-mode-alt Blend mode for solid buttons Overlay Sputton-overlay-opacity Opacity for initial and disabled button overlay states 0 Sputton-overlay-opacity-selected Opacity for overlay layers of selected buttons 24 Sputton-overlay-opacity-hover Opacity-for overlay layers of bovered and focused buttons 48	\$scrollbar-color-background-track	Background color for the track of a standard scrollbar		
Misc Sskeleton-color-background background color for skeleton loaded content Scolor-neutral-2 appEDEDE Button Blend Modes Sbutton-blend-mode-solid Blend mode for solid buttons Overlay Sbutton-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity Sbutton-overlay-opacity Opacity opacity	Misc Sakeleton-color-background background color for skeleton loaded content scolor-neutral-2 apperproper skeleton-color-background background color for skeleton loaded content scolor-neutral-2 apperproper scolor-neutr		Color for active slider dots: pagination control arrow: tool buttons text color		
Sskeleton-color-background background color for skeleton loaded content Scolor-neutral-2 wDFDFDF Button Blend Modes \$button-blend-mode-solid Blend mode for solid buttons Overlay \$button-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states 0	Skeleton-color-background background color for skeleton loaded content Scolor-neutral-2 #DEPDEDE Button Blend Modes Sbutton-blend-mode-solid Blend mode for solid buttons Overlay Sbutton-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity Sbutton-overlay-opacity Opacity for initial and disabled button overlay states 0 Sbutton-overlay-opacity-selected Opacity for overlay layers of selected buttons 48 Sbutton-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48		Pagnation control arrow, tool buttons text color	#3352CC	
Button Blend Modes Sbutton-blend-mode-solid Blend mode for solid buttons Overlay Sbutton-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity Sbutton-overlay-opacity Opacity for initial and disabled button overlay states 0	Button Blend Modes			\$color-neutral-2	
\$button-blend-mode-solid Blend mode for solid buttons Overlay \$button-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states 0	Sbutton-blend-mode-solid Blend mode for solid buttons Overlay Sbutton-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity Sbutton-overlay-opacity Opacity for initial and disabled button overlay states 0 Sbutton-overlay-opacity-selected Opacity for overlay layers of selected buttons 24 Sbutton-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48	\$skeleton-color-background	background color for skeleton loaded content	•	
\$button-blend-mode-alt Blend mode for alternative ghost and outline buttons Soft-light Button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states 0	\$button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states Opacity for overlay layers of selected buttons \$button-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48	Button Blend Mode	es		
Button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states 0	Button Overlay Opacity \$button-overlay-opacity Opacity for initial and disabled button overlay states 0 \$button-overlay-opacity-selected Opacity for overlay layers of selected buttons 24 \$button-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48	\$button-blend-mode-solid	Blend mode for solid buttons	Overlay	
\$button-overlay-opacity Opacity for initial and disabled button overlay states 0	\$button-overlay-opacity Opacity for initial and disabled button overlay states 0 \$button-overlay-opacity-selected Opacity for overlay layers of selected buttons 24 \$button-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48	\$button-blend-mode-alt	Blend mode for alternative ghost and outline buttons	Soft-light	
	\$button-overlay-opacity-selected Opacity for overlay layers of selected buttons 24 \$button-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48	Button Overlay Op	acity		
\$button-overlay-opacity-selected Opacity for overlay layers of selected buttons 24	\$button-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48	\$button-overlay-opacity	Opacity for initial and disabled button overlay states	0	
		\$button-overlay-opacity-selected	Opacity for overlay layers of selected buttons	24	
\$button-overlay-opacity-hover Opacity for overlay layer of hovered and focused buttons 48		\$button-overlay-opacity-hover	Opacity for overlay layer of hovered and focused buttons	48	
Chutton availar anacity massad	\$button-overlay-opacity-pressed Opacity for overlay layer of pressed buttons 16	\$button-overlay-opacity-pressed	Opacity for overlay layer of pressed buttons	16	

Applied Color Theme

THEMED

Text Colors			
\$header-color-01	main header text color	\$color-neutral-10 #000000	
\$text-color-01	Primary text; Body copy; Headers;	\$color-neutral-10 #000000	
\$text-color-02	Secondary text;	\$color-neutral-8 #464646	
\$text-color-03	Placeholder text	\$color-neutral-7 #686868	
\$text-color-04	Text on high-contrast backgrounds i.e. solid buttons	\$color-neutral-0 #ffffff	
\$text-color-05	Tertiary text; Help text;	\$color-neutral-9 #232323	
con Colors			
\$icon-color-01	Primary Icons	\$color-secondary #507FDE	
\$icon-color-02	Secondary Icons	\$color-info #3352CC	
\$icon-color-03	Icons displayed inline with text	\$text-color-01 #000000	
Border Colors			
\$container-border	Border for most ui element containers within the platform	\$color-neutral-2 #DFDFDF	
\$border-color-01	Border for progress, timeline, or other overview content	\$color-neutral-8 #464646	
\$border-color-02	Lower contrast border for stylistic elements within the platform	\$color-neutral-4 #BEBEBE	
Interactive Colors			
\$selection-color-background	default background color for selected content	\$color-neutral-3 #CECECE	
\$helper-content-color	Color of helper text indicator; color of helper balloon background	\$color-primary #000D59	
\$ui-background-interactive	Background color for containers that are interactive (can be the standard color or the on hover color)	\$color-secondary-05 #F5F7FC	
Background Colors	5		
\$color-background	Default background color for the whole app.	n/a #FEFEFE	
		<u>-</u> . <u>-</u> . <u>-</u> . <u>-</u>	

Component Colors

\$ui-color-background-02

Toggle			
\$toggle-color-background	standard background color for a toggle	\$ui-background-02 #F8F8F8	
\$toggle-color-background-disabled	standard background color for a disabled toggle	\$color-neutral-2 #DFDFDF	
\$toggle-color-background-hover	standard background color for a toggle that is being hovered over	\$ui-background-interactive #F5F7FC	

Secondary container background

n/a

#F8F8F8



Applied Primary

THEMED

Buttons		
\$button-color-main	Solid button background; outline button border	\$color-primary #000D59
\$button-color-secondary	Text color for outline and ghost buttons	\$color-primary #000D59
\$button-color-tertiary	Text color for outline and ghost buttons default state	\$color-primary #000D59
\$button-color-highlight-01	Overlay color for solid button overlays	\$color-primary-lightest #E6E7EE
\$button-color-highlight-02	Overlay color for ghost and outline buttons	\$color-primary-20 #CCCFDE

>

Alternative

THEMED

Buttons			
\$button-color-main	Solid button background; outline button border	\$color-neutral-0 #CC3D33	
\$button-color-secondary	Text color for outline and ghost buttons in the pressed, focused, hovered, and selected states	\$color-primary #000D59	
\$button-color-tertiary	Text color for outline and ghost buttons default state	\$color-primary #000D59	
\$button-color-highlight-01	Overlay color for solid button overlays	\$color-info #FFF3F2	
\$button-color-highlight-02	Overlay color for ghost and outline buttons	\$color-info-a100 #D0D4FF	

Error (negative)

SHARED

Base Styling			
Ssemantic-text-color	Color to use when depicting 'error' or negatively weighted text	\$color-error-darkest #A61B11	
Ssemantic-border-color	Color for the border on a container surrounding error' or negatively weighted content	\$color-error-dark #BF1F13	
Ssemantic-background-01	Background for containers containing error or negatively weighted content. Should only use text-color-01 or semantic-text-color-01 for textual elements contained within it	\$color-error-lightest #FFF3F2	
Ssemantic-background-02	Background color for containers containing error or negatively weighted content. Content inside of containers using this background should use text-color-04. Should be used sparingly within the platform for content of high importance. Should only ever contain as small snippet of text.	\$color-error #FFF3F2	
Ssemantic-background-03	Used for icons in the error state or that contain a negative weight; can be used for small stylistic accent content. Should be used sparingly within the platform	\$color-error-dark #BF1F13	
Buttons			
button-color-main	Solid button background; outline button border	\$color-error #CC3D33	
button-color-secondary	Text color for outline and ghost buttons in the pressed, focused, hovered, and selected states	\$color-neutral-10 #000000	
button-color-tertiary	Text color for outline and ghost buttons default state	\$color-error-darkest #A61B11	
button-color-highlight-01	Overlay color for solid button overlays	\$color-error-lightest #FFF3F2	
Sbutton-color-highlight-02	Overlay color for ghost and outline buttons	\$color-error-2	

Sample text
















Info (informative content)


SHARED

Base Styling			
\$semantic-text-color	Color to use when depicting 'info' or informative snippets of text	\$color-info-darkest #0F2B99	
\$semantic-border-color	Color for the border on a container surrounding informative content	\$color-info-dark #1336BF	
\$semantic-background-01	Background for containers containing informative content. Should only use text-color-01 or semantic-text-color-01 for textual elements contained within it	\$color-info-lightest #F2F5FF	
\$semantic-background-02	Background color for containers containing informative content. Content inside of containers using this background should use text-color-04. Should be used sparingly within the platform for content of high importance. Should only ever contain as small snippet of text.	\$color-info #3352CC	
\$semantic-background-03	Used for icons that are informative; can be used for small stylistic accent content. Should be used sparingly within the platform	\$color-info-dark #1336BF	

Sample text

Sample text
















Success (positive)

SHARED

Base Styling		
\$semantic-text-color	Color to use when depicting positive text	\$color-success-darkest #0D800D
\$semantic-border-color	Color for the border on a container surrounding positive content	\$color-success-dark #0F990F
\$semantic-background-01	Background for containers containing positive content. Should only use text-color-01 or semantic-text-color-01 for textual elements contained within it	\$color-success-lightest #F2FFF2
\$semantic-background-02	Background color for containers containing positive content. Content inside of containers using this background should use text-color-04. Should be used sparingly within the platform for content of high importance. Should only ever contain as small snippet of text.	\$color-success #30BF30
\$semantic-background-03	Used for icons that communicate success or positive feedback; can be used for small stylistic accent content. Should be used sparingly within the platform	\$color-success-dark #0F990F






Warning

SHARED

Base Styling			
\$semantic-text-color	Color to use when depicting warning text	\$color-success-darkest #CC7A00	
\$semantic-border-color	Color for the border on a container surrounding warning content	\$color-warning-dark #E68E0B	
\$semantic-background-01	Background for containers containing warning content. Should only use text-color-01 or semantic-text-color-01 for textual elements contained within it	\$color-warning-lightest #FFFAF2	
\$semantic-background-02	Background color for containers containing warning content. Content inside of containers using this background should use text-color-04. Should be used sparingly within the platform for content of high importance. Should only ever contain as small snippet of text.	\$color-warning #F2B355	
\$semantic-background-03	Used for icons that are warnings; can be used for small stylistic accent content. Should be used sparingly within the platform	\$color-warning-dark #E68E0B	



Applied Color Theme 2

THEMED

Text Colors			
\$header-color-01	main header text color	\$color-neutral-10 #000000	
\$text-color-01	Primary text; Body copy; Headers;	\$color-neutral-10 #000000	
\$text-color-02	Secondary text;	\$color-neutral-8 #464646	
\$text-color-03	Placeholder text	\$color-neutral-7 #686868	
\$text-color-04	Text on high-contrast backgrounds i.e. solid buttons	\$color-neutral-0 #ffffff	
\$text-color-05	Tertiary text; Help text;	\$color-neutral-9 #232323	
Icon Colors			
\$icon-color-01	Primary Icons	\$color-primary #030000	
\$icon-color-02	Secondary Icons	\$color-secondary #3352CC	
\$icon-color-03	Icons displayed inline with text	\$text-color-01 #000000	
Border Colors			
\$container-border	Border for most ui element containers within the platform	\$color-neutral-2 #DFDFDF	
\$border-color-01	Border for progress, timeline, or other overview content	\$color-neutral-8 #464646	
\$border-color-02	Lower contrast border for stylistic elements within the platform	\$color-neutral-4 #BEBEBE	
Interactive Colors			
\$selection-color-background	default background color for selected content	\$color-primary-05 #F7F7F7	
\$helper-content-color	Color of helper text indicator; color of helper balloon background	\$color-primary #030000	
Background Color	'S		
\$color-background	Default background color for the whole app.	n/a #F5F5F5	
\$ui-color-background-01	Primary container background	\$color-neutral-0 #FFFFFF	
\$ui-color-background-02	Secondary container background	n/a #F8F8F8	
\$image-overlay-color-background	Color of mask overlay that sits on top of an image when text is present.	\$color-primary #030000	
\$inverse-color-background-light	Light variant of COLOR_BACKGROUND_INVERSE.	\$color-neutral-0 #FFFFFF	
\$inverse-color-background	Default background color for dark portions of the app (like Stage Left or tooltips).	\$color-primary #030000	

Component Colors

Toggle		
\$toggle-color-background	standard background color for a toggle	?????? #000000
\$toggle-color-background-disabled	standard background color for a disabled toggle	?????? #000000
\$toggle-color-background-hover	standard background color for a toggle that is being hovered over	?????? #000000

Applied Color Theme 3

THEMED

Tout Colone			
Text Colors			
\$header-color-01	main header text color	\$color-neutral-10 #000000	
\$text-color-01	Primary text; Body copy; Headers;	\$color-neutral-10 #000000	
\$text-color-02	Secondary text;	\$color-neutral-8 #464646	
\$text-color-03	Placeholder text	\$color-neutral-7 #686868	
\$text-color-04	Text on high-contrast backgrounds i.e. solid buttons	\$color-neutral-0 #ffffff	
\$text-color-05	Tertiary text; Help text;	\$color-neutral-9 #232323	
Icon Colors			
\$icon-color-01	Primary Icons	\$color-primary-90 #0E2238	
\$icon-color-02	Secondary Icons	\$color-secondary #11404D	
\$icon-color-03	Icons displayed inline with text	\$text-color-01 #000000	
Border Colors			
\$container-border	Border for most ui element containers within the platform	\$color-neutral-2 #DFDFDF	
\$border-color-01	Border for progress, timeline, or other overview content	\$color-neutral-8 #464646	
\$border-color-02	Lower contrast border for stylistic elements within the platform	\$color-neutral-4 #BEBEBE	
Interactive Colors			
\$selection-color-background	default background color for selected content	\$color-neutral-3 #CECECE	
\$helper-content-color	Color of helper text indicator; color of helper balloon background	\$color-primary #05111F	
\$ui-background-interactive	Background color for containers that are interactive (can be the standard color or the on hover color)	\$color-secondary-10 #E4F1F5	
Background Colo	rs		
\$color-background	Default background color for the whole app.	n/a #FEFEFE	
\$ui-color-background-01	Primary container background	\$color-neutral-0 #FFFFFF	
\$ui-color-background-02	Secondary container background	n/a #E8E8E8	

Component Colors

Toggle			
\$toggle-color-background	standard background color for a toggle	\$ui-background-02 #F8F8F8	
\$toggle-color-background-disabled	standard background color for a disabled toggle	\$color-neutral-2 #DFDFDF	
\$toggle-color-background-hover	standard background color for a toggle that is being hovered over	\$ui-background-interactive #F5F7FC	

#F8F8F8

Applied Color Theme 3

THEMED

Buttons		
\$button-color-main	Solid button background; outline button border	\$color-primary #05111F
\$button-color-secondary	Text color for outline and ghost buttons	\$color-primary #05111F
\$button-color-tertiary	Text color for outline and ghost buttons default state	\$color-primary #05111F
\$button-color-highlight-01	Overlay color for solid button overlays	\$color-primary-10 #DAE4F0
\$button-color-highlight-02	Overlay color for ghost and outline buttons	\$color-primary-20 #C3D3E6