

Monitoring Nilai Siswa¹ OAS3

API for Monitoring Nilai Siswa

[Contact Ari Bayu Prasetyo](#)

[APACHE 2.0](#)

[Github Ari bayu Prasetyo](#)

Servers

https://{environment}.aribayuprasetyo.com/api/v1 - Monitoring Nilai Siswa Server ▾

Computed URL: https://admin.aribayuprasetyo.com/api/v1

Server variables

environment

admin ▾

admin

guru

murid

Monitoring Nilai



GET

/monitoring Get Value from Teacher ▾

POST

/monitoring Create new data ▾

PUT

/monitoring/{monitoringId} Update existing data ▾

DELETE

/monitoring/{monitoringId} Delete existing data ▾

GET

/monitoring

Get Value from Teacher

^

Siswa dapat melihat nilai yang di inputkan guru

Parameters

Try it out

Name	Description
Melihat_nilai	Siswa berhasil melihat nilai

string

(query)

Melihat_nilai

Responses

Code	Description	Links
200	Siswa success lihat data nilai	No links

Media type

application/json

Controls Accept header

Example Value | Schema

```
[
  {
    "id_siswa": "string",
    "nama_siswa": "string",
    "nilai": 0
  }
]
```

Monitoring Nilai



GET

/monitoring

Get Value from Teacher

⌵

POST

/monitoring

Create new data

⌴

Admin input data guru dan siswa | Guru input nilai siswa

Parameters

Try it out

No parameters

Request body

required

application/json

⌵

Example Value

Schema

```
{
  "guru": "string",
  "siswa": "string"
}
```

Responses

Code	Description	Links
200	Guru dan Admin berhasil input data	No links

Media type

application/json

⌵

Controls Accept header

Example Value

Schema

```
{
  "id_admin": "string",
  "id_guru": "string"
}
```

Monitoring Nilai



GET

/monitoring

Get Value from Teacher

▼

POST

/monitoring

Create new data

▼

PUT

/monitoring/{monitoringId}

Update existing data

▲

Admin update data guru dan siswa | Guru update nilai siswa

Parameters

Try it out

Name	Description
monitoringId * required	monitoring Id for update
string (path)	<input type="text" value="monitoringId"/>

Request body

required

application/json ▼

Example Value

Schema

```
{
  "guru": "string",
  "siswa": "string"
}
```

DELETE

/monitoring/{monitoringId}

Delete existing data

▲

Admin bisa delete data guru dan siswa | Guru bisa delete nilai siswa

Parameters

Try It out

Name	Description
monitoringId * required	monitoring Id for deleted
string (path)	<input type="text" value="monitoringId"/>

Responses

Code	Description	Links
200	Success delete todolist	No links
<div><div>Media type</div><div>application/json ▼</div><div>Controls: Accept Header:</div><div><div>Example Value</div><div>Schema</div></div><pre>{ "success": true }</pre><div><div>Example Description</div><div>Success delete todolist</div></div></div>		
404	Failed delete not found todolist	No links
<div><div>Media type</div><div>application/json ▼</div><div>Controls: Accept Header:</div><div><div>Example Value</div><div>Schema</div></div><pre>{ "success": false }</pre><div><div>Example Description</div><div>Failed delete todolist</div></div></div>		