

DeskMind — Product User Guide

Classify · Route · Resolve — DeskMind is an AI-powered IT support desk that automatically classifies every ticket into the right domain, routes it to the right team, and suggests a resolution — using a 4-classifier ensemble, a knowledge graph of your infrastructure, and a local LLM (no cloud, no data leaving your network).

This guide walks through DeskMind from a user's point of view. It's organized by **the three roles** in the system, so jump to the section that matches how you use the product.

Role	What you do	Jump to
Requester	Submit IT tickets, answer follow-up questions, track status, ask the AI assistant	§3 For Requesters
Engineer	Work your team's queue — pick up, resolve, escalate, or correct the AI	§4 For Engineers
Admin	Manage users, explore the knowledge graph, and view system-wide analytics	§5 For Admins

1. What is DeskMind?

When an IT issue is reported, DeskMind reads the description, figures out **which of 6 IT domains** it belongs to, **how confident** it is, and **which team** should handle it — in a few seconds, with no manual triage.

Every ticket flows through a five-stage pipeline:


1. **Prepare** — extract entities (servers, services, error codes) and assess description quality
2. **Retrieve** — find similar past tickets, matching error codes, and infrastructure context from the knowledge graph
3. **Classify** — four independent classifiers vote: **LLM (40%), Centroid (30%), KNN (15%), Keyword (15%)**
4. **Aggregate** — combine the votes into a final category + confidence
5. **Decide** — route to the right team, or escalate to a human if confidence is low

The result: faster routing, fewer misrouted tickets, and a suggested fix grounded in what actually worked before.

2. Getting Started

Logging in


Open DeskMind in your browser (e.g. `http://localhost:3000`) and sign in with your email and password.



Demo instance: sign in as the seeded administrator `arif.asadullah@schwettmann.in` (password as configured during setup — see the [Deployment Guide](#)). Admins create all other accounts from the **Users** screen (see §5).

Finding your way around

After signing in you land on the **Domain Dashboard**. The top bar is your main navigation:



- **Dashboard** — tickets grouped by the 6 IT domains, with live counts
- **New Ticket** — open the ticket-submission form (any role)
- **Analytics** — charts and metrics (team-scoped for engineers, global for admins)
- **Graph** — the infrastructure knowledge graph (*admins only*)
- **Users** — account management (*admins only*)
- **Theme toggle** (sun/moon), your **email + role badge**, and **Logout** on the right
- **Ask Mindy** — the floating AI-assistant button (bottom-right)

The cards across the top show at-a-glance health: **Total Tickets**, **Avg Confidence**, **Escalation Rate**, **Avg Resolution time**, **AI Agreement**, and **AI Helpfulness**.

Degraded-mode banner: if a component (the LLM, database, or cache) is unavailable, a banner appears showing the degradation level (1–4). DeskMind keeps working with fewer classifiers rather than going offline — it just routes more conservatively.

3. For Requesters

Submitting a ticket

Click **New Ticket**, then describe the issue in plain language:

- **Title** — a short summary
- **Description** — the details: affected systems, error messages, impact
- **Priority** — `low` , `medium` , Or `high`
- **Screenshots (optional)** — drag-and-drop an image (e.g. an error log or stack trace). DeskMind runs OCR to read the text and pull out servers, services, and error codes automatically.

Click **Submit** and DeskMind classifies and routes the ticket in a few seconds.

Understanding the result

You'll see the assigned **category**, a **confidence** score, the **team** it was routed to, and the AI's reasoning. Confidence drives what happens next:

Confidence	What happens
$\geq 70\%$	Routed automatically to the right team
50–69%	Escalated for a human to confirm
$< 70\%$ + low quality	DeskMind asks you for more details (enrichment)

Answering follow-up questions (enrichment)

If your description is too vague to classify confidently, DeskMind asks a few targeted questions instead of guessing. Click the suggested chips or type your own answer, then **Submit & Re-classify**:

The interface shows a central form for classifying a ticket. At the top, four classification boxes are visible: LLM Network (98% confidence), KNN Security (88% confidence), Centroid Security (84% confidence), and Keyword Network (100% confidence). The main form area is titled 'AI DeskMind needs more details' and contains several sections:

- AI**: A message stating 'No server or service mentioned. No error code detected' and a note 'Based on your 10 previous tickets — you often report **Application** issues'.
- Which server or system is affected?**: Radio buttons for 'prod-mail-01', 'prod-db-01', 'prod-db-02', and 'Not sure'. A note below says 'You usually report issues about prod-mail-01'.
- What error message or symptom are you seeing?**: Buttons for 'Connection refused', 'Timeout', 'Out of memory', 'Slow response', 'Service unavailable', and 'Permission denied'. A text input field below says 'Include the exact error message if possible'.
- What's the business impact?**: Buttons for 'Production down', 'Performance degraded', 'Dev/staging only', and 'No impact yet'. A note below says 'This helps us prioritize accurately'.
- SIMILAR PAST TICKETS**: A list of three similar tickets:

ID	Issue	Similarity
#309281	SSL Certificate Expired	69% similar
#309429	prod-web-02 SSL Certificate Expiry	65% similar
#309155	SSL certificate expired	64% similar

At the bottom right of the form is a button 'Submit & Re-classify'. Below the form is a 'Suggested Resolution' section with a red circle icon and the text '95% effectiveness'.


It even personalizes the questions based on your past tickets and shows similar issues it found. Once you answer, the ticket is re-classified with the new detail — usually jumping straight to a confident route.

Tracking your ticket

Open any ticket from the dashboard to see its current **status**, the full **audit timeline** (every action, by the AI or a person), and — once an engineer resolves it — the resolution steps. Status badges tell you where it stands: **Routed** → **In Progress** → **Resolved** (or **Escalated** / **Pending Human** if it needs review).

Asking Mindy (the AI assistant)

Click **Ask Mindy** (bottom-right) any time to ask about tickets, teams, or IT issues in plain English — e.g. *"status of ticket #206129"* or *"which team handles database?"*. Mindy is **grounded**: it answers from real database facts, not invented data.



4. For Engineers

Engineers see and work the tickets routed to **their team**.

Your queue

The dashboard lists your team's tickets. Filter by **status** or **priority**, **search** by keyword or ticket ID, and switch between **card** and **list** views:

DeskMind
DISCOVER · ANALYZE · RESOLVE

Dashboard

New Ticket

Analytics

Graph

Users

arif.asadullah@schwettmann.in
ADMIN

Logout

< All Domains

All Tickets

42

Open

1

In Progress

2

Resolved

TOTAL TICKETS

45

AVG CONFIDENCE

80%

ESCALATION RATE

18%

AVG RESOLUTION

182h
44m

AI AGREEMENT

56%

AI HELPFULNESS

100%

AI Predicted Incidents (3)

DeskMind detected unusual patterns in recent tickets — these are not tickets, they are AI-generated alerts

WARNINGTREND

Application tickets trending up: 3 this week vs 1 last week

200% increase from last week

Suggested: Review recent Application changes and deployments

WARNINGTREND

Database tickets trending up: 3 this week vs 2 last week

50% increase from last week

Suggested: Review recent Database changes and deployments

WARNINGTREND

Network tickets trending up: 7 this week vs 1 last week

600% increase from last week

Suggested: Review recent Network changes and deployments

All Statuses

All Priorities

Search tickets...

45 results

Card

List

#322828

CriticalEscalated

My database is down

my database is down and giving error

65%

Database Admin

3w ago

#353595

MediumRouted

SCIM provisioning sync broken with ...

Okta SCIM provisioning to our internal IdP stopped syncing 3 days ago. New hires are...

73%

Access Management

2w ago

#353672

HighRouted

Kubernetes pods CrashLoopBackOff ...

After updating the config map for auth-service, all pods entered CrashLoopBackOff...

70%

Infrastructure Ops

2w ago

#353763

HighRouted

PostgreSQL connection pool exhaust...

All 200 connections in the PostgreSQL connection pool on prod-db-01 are in use....

95%

Database Admin

2w ago

#358231

HighRouted

Docker daemon crashing repeatedly ...

The Docker daemon on prod-web-01 keeps crashing with SIGSEGV signal. All containers...

95%

Infrastructure Ops

1w ago

#360886

CriticalRouted

prod-app-01 server completely unres...

Production server prod-app-01 has been down since 5 AM. No SSH access, ping timing out...

90%

Infrastructure Ops

1w ago

#361012

CriticalRouted

Docker daemon failing to start on pro...

Docker daemon on prod-web-02 crashes on startup with SIGSEGV. All containers on the...

95%

Infrastructure Ops

1w ago

#361118

CriticalRouted

PostgreSQL connection pool exhaust...

All 200 connections in the PostgreSQL connection pool on prod-db-01 are in use....

95%

Database Admin

1w ago

#361169

CriticalEscalated

SSL certificate expired on main load ...

The wildcard SSL certificate for *.company.com expired 2 hours ago. All...

65%

Network Engineering

1w ago

#361223

HighRouted

Multiple users locked out of Active Di...

Approximately 40 users have been locked out of Active Directory after the quarterly...

90%

Access Management

1w ago

#362570

CriticalIn Progress

Linux kernel panic on prod-app-02 c...

prod-app-02 has been experiencing kernel panics every 20 minutes since 3 AM. The...

95%

Infrastructure Ops

1w ago

#363298

MediumRouted

Grafana alerts not triggering despite ...

Our Grafana alerting has stopped working since the upgrade to v10.2. Alert rules are...

82%

Application Support

1w ago

< Prev

1 / 4

Next >

Ask Mindy

Reading a ticket

Open a ticket to see the full AI analysis:

Ticket #353763
Routed
High

PostgreSQL connection pool exhausted on prod-db-01

DESCRIPTION

All 200 connections in the PostgreSQL connection pool on prod-db-01 are in use. New connections refused with FATAL too many connections. Payment service returning 500 errors. Suspect connection leak in latest deployment.

SUBMITTED BY: arif.asadullah@schwettmann.in CREATED: May 27, 2026, 3:16 PM (2w ago) ROUTED TO: Database Admin

AI Classification

Database
HIGH quality

CONFIDENCE

95%

AI REASONING

The ticket describes a situation where the PostgreSQL connection pool on prod-db-01 is exhausted, leading to new connections being refused and services returning errors. This issue directly relates to database resource management and has caused significant impact by affecting dependent services like Payment service with 500 errors.

Classifier Votes

LLM Database 98% confidence	KNN Database 100% confidence	Centroid Database 99% confidence	Keyword Database 67% confidence
--	---	---	--

Suggested Resolution
95% effectiveness

- **AI Classification** — the category, a **quality** badge (HIGH/MEDIUM/LOW), the **confidence** bar, and the AI's **reasoning**
- **Classifier Votes** — how each of the four classifiers voted, with a check on the ones that agree with the final decision. This is the transparency layer: you can see *why* a category won (and when one classifier dissents — e.g. Keyword voting "Application" while the ensemble holds "Security").

Scroll down for the **Suggested Resolution** (with an effectiveness score), a **Recommended Runbook**, any **Automation Suggestion** for recurring issues, and the **Recommended Expert**:

95% effectiveness

- 1 Checked max_connections was set to 100
- 2 Found 45 idle connections from stale app instances
- 3 Killed idle connections: SELECT pg_terminate_backend(pid) FROM pg_stat_activity WHERE state = 'idle'
- 4 Increased max_connections to 200 in postgresql.conf
- 5 Restarted PostgreSQL: sudo systemctl restart postgresql

RECOMMENDED RUNBOOK
KB-0001: PostgreSQL connection limit exceeded [View →](#)

RECOMMENDED EXPERT
M Meera Patel

[+ Pick Up](#) [↑ Escalate](#)

[↗ Override Classification](#)

AUDIT TIMELINE

AI Classified by AI Classifier May 27, 03:16 PM 5/27/2026

Category: Database Priority: high Team: Database Admin
Confidence: 95%

LLM 92% KNN 188% CEN 99% KEY 67%

Relevant runbooks only: DeskMind shows a runbook **only** when it genuinely **matches** the ticket. If no runbook is a real fit, none is shown — a wrong runbook is worse than none. For example, this brute-force **Security** ticket correctly shows **no** runbook rather than an unrelated one:

Ticket #423499 • Routed • Critical

Multiple failed login attempts on API Gateway

DESCRIPTION
Credential stuffing attack: 500+ failed logins from foreign IP addresses in 10 minutes. Suspected brute-force on the auth endpoint.

SUBMITTED BY arif.asadullah@schwettmann.in CREATED Jun 11, 2026, 5:30 PM (3h ago) ROUTED TO Security Ops

AI Classification
Security MEDIUM quality
CONFIDENCE 84%

AI REASONING
The ticket describes a credential stuffing attack with multiple failed login attempts from foreign IP addresses in a short period of time, which is indicative of a brute-force attack on the authentication endpoint. This aligns with the critical category as it poses an active security breach risk.

Classifier Votes

LLM Security 95% confidence	KNN Security 188% confidence	Centroid Security 69% confidence	Keyword Application 67% confidence
-----------------------------------	------------------------------------	--	--

Suggested Resolution
97% effectiveness

- 1 Revoke compromised tokens

Picking up and resolving

For a routed ticket, click **Pick Up** (status → *In Progress*), then **Resolve** when done. The resolve form **pre-fills the AI's suggested steps** so you can confirm or edit them, record the runbook used, and rate whether the AI suggestion helped:

Resolve Ticket #423558

• **AI SUGGESTION** 98% effective

- 1 Checked VPN gateway logs, found IKE rekey failures
- 2 IKE Phase 1 lifetime mismatch between client and server
- 3 Updated VPN gateway IKE lifetime to match client
- 4 VPN connections stable for 48 hours

RESOLUTION STEPS

- 1 Checked VPN gateway logs, found IKE rekey failures
- 2 IKE Phase 1 lifetime mismatch between client and server
- 3 Updated VPN gateway IKE lifetime to match client
- 4 VPN connections stable for 48 hours

+ Add Step

DID THE AI SUGGESTION HELP?

☒ Yes ☐ Partially ☐ No

RUNBOOK USED


KB-0003: VPN connectivity troubl

Cancel Resolve Ticket

You can also **Escalate** a ticket at any point if it needs a higher tier or another team.

Correcting the AI (override)

If the AI got the category wrong, click **Override Classification**. You'll see the AI's predictions and per-classifier votes for context, then choose the correct **category** and **priority** and give a **reason**. The override is recorded in the audit trail — and feeds DeskMind's self-learning so it improves over time:



Giving feedback

After a ticket is resolved, rate the AI's suggestion 👍 **Helpful** / 👎 **Not Helpful**. This feedback loop is how DeskMind's accuracy keeps improving.

5. For Admins

Admins have full visibility across all teams and domains, plus three admin-only areas.

Managing users

The **Users** screen lets you create accounts, assign each user a **role** (admin / engineer / requester) and a **team**, and activate/deactivate accounts:

DeskMind
DISCOVER · BUILD · RESOLVE

DashboardNew TicketAnalyticsGraphUsers🔄

arif.asadullah@schwettmann.in
ADMINLogout

User Management

1 user registered

+ Create User


EMAIL	ROLE	TEAM	STATUS	ACTIONS
arif.asadullah@schwettmann.in	Admin	All teams	Active	Deactivate

Ask Mindy

Engineers are scoped to exactly one team and only see that team's tickets. Admins bypass team scoping and see everything.

Exploring the knowledge graph

The **Graph** screen visualizes the infrastructure DeskMind reasons over — teams, engineers, servers, services, tickets, and error codes, and the relationships between them. Filter by node type or domain, and click a node to inspect its connections:




Viewing analytics

The **Analytics** screen shows system-wide trends — tickets by category, status, and priority; confidence distribution; classifier agreement; resolution times; and AI-helpfulness:


Analytics

45 tickets analyzed


Tickets by Category



Status Distribution




Priority Distribution




Ask Mindy


Daily Ticket Volume



Confidence by Category



AI Feedback



Admins also have access to the **SLA-breach report** to spot tickets at risk of missing their service-level target.

6. Reference

The 6 domains and their teams

Domain	Routes to	Typical issues
Infrastructure	Infrastructure Ops	Servers, VMs, OS, Kubernetes, hardware
Application	Application Support	APIs, deployments, bugs, HTTP errors
Database	Database Admin	PostgreSQL, Redis, queries, replication
Network	Network Engineering	DNS, firewall, VPN, SSL, latency
Security	Security Ops	Vulnerabilities, breaches, malware, brute-force
Access Management	Access Management	LDAP, SSO, MFA, RBAC, permissions

Ticket statuses

Status	Meaning
Routed	Auto-assigned to a team, awaiting pick-up
In Progress	An engineer has picked it up
Escalated	Flagged for human review (medium confidence)
Pending Human	Queued for an analyst (low confidence / degraded mode)
Resolved	Fixed; resolution steps recorded

Confidence & routing

Confidence	Outcome
≥ 0.70	Routed automatically
0.50 – 0.69	Escalated for confirmation
< 0.50 (degraded)	Pending human review

Priority & SLA targets

Priority	SLA to resolve
Critical	2 hours
High	4 hours
Medium	8 hours
Low	24 hours

Roles & permissions

Capability	Requester	Engineer	Admin
Submit tickets	✓	✓	✓
Track own tickets	✓	✓	✓
Ask Mindy	✓	✓	✓
Work / resolve tickets	—	✓ (own team)	✓ (all)
Override classification	—	✓ (own team)	✓ (all)
Give AI feedback	✓	✓	✓
Analytics	own	team	global
Knowledge graph	—	—	✓
Manage users	—	—	✓

DeskMind — Classify · Route · Resolve. For setup and deployment, see the [Deployment Guide](#). For architecture and design, see [docs/nasscom-r2/](#).