



DeskMind

CLASSIFY · ROUTE · RESOLVE

DeskMind — Product User Guide

Table of Contents

Introduction	2
About DeskMind	2
About this guide	2
Conventions	3
Getting Started	4
Logging in	4
Finding your way around	5
For Users	6
Submitting a ticket	6
Understanding the result	6
Answering follow-up questions (enrichment)	7
Tracking your ticket	7
Asking Mindy (the AI assistant)	8
For Engineers	9
Your queue	9
Reading a ticket	11
Picking up and resolving	13
Correcting the AI (override)	14
Giving feedback	15
For Admins	16
Managing users	16
Exploring the knowledge graph	17
Viewing analytics	18
Reference	20
The 6 domains and their teams	20
Ticket statuses	20
Confidence & routing	20
Priority & SLA targets	21
Roles & permissions	21
Glossary	22

1. Introduction

About DeskMind

Classify · Route · Resolve — DeskMind is an AI-powered IT support desk that automatically classifies every ticket into the right domain, routes it to the right team, and suggests a resolution — using a 4-classifier ensemble, a knowledge graph of your infrastructure, and a local LLM (no cloud, no data leaving your network).

When an IT issue is reported, DeskMind reads the description, figures out **which of 6 IT domains** it belongs to, **how confident** it is, and **which team** should handle it — in a few seconds, with no manual triage.

Every ticket flows through a five-stage pipeline:

1. **Prepare** — extract entities (servers, services, error codes) and assess description quality
2. **Retrieve** — find similar past tickets, matching error codes, and infrastructure context from the knowledge graph
3. **Classify** — four independent classifiers vote: **LLM (40%), Centroid (30%), KNN (15%), Keyword (15%)**
4. **Aggregate** — combine the votes into a final category + confidence
5. **Decide** — route to the right team, or escalate to a human if confidence is low

The result: faster routing, fewer misrouted tickets, and a suggested fix grounded in what actually worked before.

About this guide

This guide walks through DeskMind from a user's point of view. It's organized by **the three roles** in the system, so jump to the section that matches how you use the product.

Role	What you do	Jump to
User	Submit IT tickets, answer follow-up questions, track status, ask the AI assistant	§3 For Users
Engineer	Work your team's queue — pick up, resolve, escalate, or correct the AI	§4 For Engineers
Admin	Manage users, explore the knowledge graph, and view system-wide analytics	§5 For Admins

Conventions


This guide uses a few consistent conventions:

- **Bold** marks UI labels and buttons (e.g. **New Ticket**).
 - Orange callout boxes flag important notes and tips.
 - Screenshots show the real DeskMind interface; **red boxes** highlight the relevant control.
 - Status badges (Routed, In Progress, Resolved, ...) are defined in [§6 → Ticket statuses](#).
-

2. Getting Started

Logging in


Open DeskMind in your browser at the address provided by your administrator and sign in with your email and password.



Demo instance: sign in as the seeded administrator `arif.asadullah@schwettmann.in` (password as configured during setup — see the Deployment Guide). Admins create all other accounts from the **Users** screen (see §5).

Finding your way around

After signing in you land on the **Domain Dashboard**. The top bar is your main navigation:



- **Dashboard** — tickets grouped by the 6 IT domains, with live counts
- **New Ticket** — open the ticket-submission form (any role)
- **Analytics** — charts and metrics (team-scoped for engineers, global for admins)
- **Graph** — the infrastructure knowledge graph (admins only)
- **Users** — account management (admins only)
- **Theme toggle** (sun/moon), your **email + role badge**, and **Logout** on the right
- **Ask Mindy** — the floating AI-assistant button (bottom-right)

The cards across the top show at-a-glance health:


- **Total Tickets** — volume in the current view
- **Avg Confidence** — how certain the AI is, on average
- **Escalation Rate** — share of tickets sent for human review
- **Avg Resolution** — mean time to resolve a ticket
- **AI Agreement** — how often the four classifiers agree
- **AI Helpfulness** — share of resolutions users rated Helpful

Degraded-mode banner: if a component (the LLM, database, or cache) is unavailable, a banner appears showing the degradation level (1–4). DeskMind keeps working with fewer classifiers rather than going offline — it just routes more conservatively.

3. For Users

Submitting a ticket

Click **New Ticket**, then describe the issue in plain language:



The screenshot shows a 'New Ticket' modal form overlaid on a blurred 'Domain Dashboard'. The form has a title 'New Ticket' and a subtext 'DeskMind will classify and route it automatically.' It contains four main sections: 'TITLE' with a text input field labeled 'Brief summary of the issue'; 'DESCRIPTION' with a larger text area labeled 'Provide details — affected systems, error messages, impact...'; 'Screenshots (optional)' with a dashed border box containing an upload icon and text 'Drop screenshots here or click to upload PNG, JPG, GIF, WEBP (max 5MB each)'; and 'PRIORITY' with three radio buttons labeled 'Low', 'Medium' (which is selected), and 'High'. A 'Submit' button with a checkmark icon is at the bottom right of the form. In the bottom right corner of the dashboard background, there is an 'Ask Mindy' button.

- **Title** — a short summary
- **Description** — the details: affected systems, error messages, impact
- **Priority** — `low`, `medium`, or `high`
- **Screenshots (optional)** — drag-and-drop a screenshot (e.g. of an error message or stack trace). DeskMind runs OCR to read the text and pull out servers, services, and error codes automatically.

Click **Submit** and DeskMind classifies and routes the ticket in a few seconds.

Understanding the result

You'll see the assigned **category**, a **confidence** score, the **team** it was routed to, and the AI's reasoning. Confidence drives what happens next:

Confidence	What happens
$\geq 70\%$	Routed automatically to the right team
50-69%	Escalated for a human to confirm
$< 70\%$ + low quality	DeskMind asks you for more details (enrichment)

Answering follow-up questions (enrichment)

If your description is too vague to classify confidently, DeskMind asks a few targeted questions instead of guessing. Click the suggested chips or type your own answer, then **Submit & Re-classify**:

The screenshot displays the DeskMind enrichment interface. At the top, four classification confidence boxes are shown: LLM Network (98% confidence), KNN Security (80% confidence), Centroid Security (84% confidence), and Keyword Network (100% confidence). Below these, a central panel titled 'AI DeskMind needs more details' contains several questions and interactive elements:

- AI DeskMind needs more details**: No server or service mentioned. No error code detected.
- Based on your 10 previous tickets — you often report Application issues**: A text input field.
- Which server or system is affected?**: Buttons for 'prod-mail-01', 'prod-db-01', 'prod-db-02', and 'Not sure'. A note below says 'You usually report issues about prod-mail-01'.
- What error message or symptom are you seeing?**: Buttons for 'Connection refused', 'Timeout', 'Out of memory', 'Slow response', 'Service unavailable', and 'Permission denied'. A text input field below says 'Include the exact error message if possible'.
- What's the business impact?**: Buttons for 'Production down', 'Performance degraded', 'Dev/staging only', and 'No impact yet'. A note below says 'This helps us prioritize accurately'.
- SIMILAR PAST TICKETS**: A list of three tickets:
 - #309281: SSL Certificate Expired (69% similar)
 - #309429: prod-web-02 SSL Certificate Expiry (65% similar)
 - #309155: SSL certificate expired (64% similar)
- Submit & Re-classify**: A button at the bottom right of the central panel.

At the bottom of the interface, a 'Suggested Resolution' box shows '95% effectiveness'.

It even personalizes the questions based on your past tickets and shows similar issues it found. Once you answer, the ticket is re-classified with the new detail — usually jumping straight to a confident routing decision.

Tracking your ticket

Open any ticket from the dashboard to see its current **status**, the full **audit timeline** (every action, by the AI or a person), and — once an engineer resolves it — the resolution steps. Status badges tell you where it stands: **Routed** → **In Progress** → **Resolved** (or **Escalated** / **Pending Human** if it needs review).

Asking Mindy (the AI assistant)

Click **Ask Mindy** (bottom-right) any time to ask about tickets, teams, or IT issues in plain English — e.g. "status of ticket #206129" or "which team handles database?". Mindy is **grounded**: it answers from real database facts, not invented data.

The screenshot shows the DeskMind dashboard interface. The top navigation bar includes links for Dashboard, New Ticket, Analytics, Graph, and Users. The user is logged in as arif.asadullah@schwettmann.in. The main section is titled "All Tickets" and displays a summary of ticket status: 18 Open, 8 In Progress, and 4 Resolved. Below this, there are five key performance indicators (KPIs): Total Tickets (30), Avg Confidence (67%), Escalation Rate (20%), Avg Resolution (33h 12m), and AI Agreement (37%). A search bar and filters for All Statuses and All Priorities are available. The dashboard lists several tickets, including #67405 (Medium, Escalated) titled "Users getting 500 Internal Server Err...", #67787 (Medium, In Progress) titled "PostgreSQL replication lag is spiking ...", and #69272 (Medium, Routed) titled "LDAP dir...".

The Mindy AI assistant overlay is active, showing a greeting: "Hi! I'm Mindy, your DeskMind AI assistant. Ask me about tickets, teams, or IT issues." It suggests a query: "Try: 'status of ticket #206129' or 'which team handles database?'". Below this, it displays the details for ticket #67405:

```
Ticket #67405 :
- **Status:** Escalated
- **Routed to:** Application Support
- **Submitted by:** arif.asadullah@schwettmann.in
- **Created:** 2026-05-18T18:21:50.877+00:00
```

The overlay also includes a text input field with the placeholder "Ask about tickets, teams, status..." and a "Close" button.

4. For Engineers

Engineers see and work the tickets routed to **their team**.


Your queue

The dashboard lists your team's tickets. Filter by **status** or **priority**, **search** by keyword or ticket ID, and switch between **card** and **list** views:

< All Domains

All Tickets

• 42 Open • 1 In Progress • 2 Resolved



AI Predicted Incidents (3)

DeskMind detected unusual patterns in recent tickets — these are not tickets, they are AI-generated alerts

WARNING TREND

Application tickets trending up: 3 this week vs 1 last week

200% increase from last week

Suggested: Review recent Application changes and deployments

WARNING TREND

Database tickets trending up: 3 this week vs 2 last week

50% increase from last week

Suggested: Review recent Database changes and deployments

WARNING TREND

Network tickets trending up: 7 this week vs 1 last week

600% increase from last week

Suggested: Review recent Network changes and deployments

All Statuses

All Priorities

Q Search tickets...

45 results

Card

List

Ask Mindy

#322828

Critical Escalated

My database is down

my database is down and giving error

65% Database Admin 3w ago

#353595

Medium Routed

SCIM provisioning sync broken with ...

Okta SCIM provisioning to our internal IdP stopped syncing 3 days ago. New hires are...

73% Access Management 2w ago

#353672

High Routed

Kubernetes pods CrashLoopBackOff ...

After updating the config map for auth-service, all pods entered CrashLoopBackOff...

78% Infrastructure Ops 2w ago

#353763

High Routed

PostgreSQL connection pool exhaust...

All 200 connections in the PostgreSQL connection pool on prod-db-01 are in use....

95% Database Admin 2w ago

#358231

High Routed

Docker daemon crashing repeatedly ...

The Docker daemon on prod-web-01 keeps crashing with SIGSEGV signal. All containers...

95% Infrastructure Ops 1w ago

#368886

Critical Routed

prod-app-01 server completely unres...

Production server prod-app-01 has been down since 5 AM. No SSH access, ping timing out....

98% Infrastructure Ops 1w ago

#361012

Critical Routed

Docker daemon failing to start on pro...

Docker daemon on prod-web-02 crashes on startup with SIGSEGV. All containers on the...

95% Infrastructure Ops 1w ago

#361118

Critical Routed

PostgreSQL connection pool exhaust...

All 200 connections in the PostgreSQL connection pool on prod-db-01 are in use....

95% Database Admin 1w ago

#361169

Critical Escalated

SSL certificate expired on main load ...

The wildcard SSL certificate for *.company.com expired 2 hours ago. All...

65% Network Engineering 1w ago

#361223

High Routed

Multiple users locked out of Active Di...

Approximately 40 users have been locked out of Active Directory after the quarterly...

98% Access Management 1w ago

#362570

Critical In Progress

Linux kernel panic on prod-app-02 c...

prod-app-02 has been experiencing kernel panics every 20 minutes since 3 AM. The...

95% Infrastructure Ops 1w ago

#363298

Medium Routed

Grafana alerts not triggering despite ...

Our Grafana alerting has stopped working since the upgrade to v10.2. Alert rules are...

82% Application Support 1w ago

< Prev 1 / 4 Next >

Reading a ticket

Open a ticket to see the full AI analysis:

The screenshot displays a ticket interface for 'Ticket #353763', which is 'Routed' and 'High' priority. The title is 'PostgreSQL connection pool exhausted on prod-db-01'. The description states: 'All 200 connections in the PostgreSQL connection pool on prod-db-01 are in use. New connections refused with FATAL too many connections. Payment service returning 500 errors. Suspect connection leak in latest deployment.' Metadata includes 'Submitted by: arif.asadullah@schwettmann.in', 'Created: May 27, 2026, 3:16 PM (2w ago)', and 'Routed to: Database Admin'.


The 'AI Classification' section shows the category 'Database' and a 'HIGH quality' badge. A 'CONFIDENCE' bar is at 95%. The 'AI REASONING' text explains: 'The ticket describes a situation where the PostgreSQL connection pool on prod-db-01 is exhausted, leading to new connections being refused and services returning errors. This issue directly relates to database resource management and has caused significant impact by affecting dependent services like Payment service with 500 errors.'

The 'Classifier Votes' section shows four classifiers: LLM (98% confidence, Database), KNN (100% confidence, Database), Centroid (99% confidence, Database), and Keyword (67% confidence, Database). All have checkmarks indicating agreement.


The 'Suggested Resolution' section shows a warning icon and '95% effectiveness'.

- **AI Classification** — the category, a **quality** badge (HIGH/MEDIUM/LOW), the **confidence** bar, and the AI's **reasoning**
- **Classifier Votes** — how each of the four classifiers voted, with a check on the ones that agree with the final decision. This is the transparency layer: you can see why a category won (and when one classifier dissents — e.g. Keyword voting "Application" while the ensemble holds "Security").

Scroll down for the **Suggested Resolution** (with an **effectiveness score** — how well that fix worked before), a **Recommended Runbook**, any **Automation Suggestion** (flags a recurring issue so it can be automated), and the **Recommended Expert**:



Relevant runbooks only: DeskMind shows a runbook **only when it genuinely matches** the ticket. If no runbook is a real fit, none is shown — a wrong runbook is worse than none. For example, this brute-force **Security** ticket correctly shows **no** runbook rather than an unrelated one:



Picking up and resolving

For a routed ticket, click **Pick Up** (status → In Progress), then **Resolve** when done. The resolve form **pre-fills the AI's suggested steps** so you can confirm or edit them, record the runbook used, and rate whether the AI suggestion helped:

Resolve Ticket #423558

• **AI SUGGESTION** 90% effective

- 1 Checked VPN gateway logs, found IKE rekey failures
- 2 IKE Phase 1 lifetime mismatch between client and server
- 3 Updated VPN gateway IKE lifetime to match client
- 4 VPN connections stable for 48 hours

RESOLUTION STEPS

- 1 Checked VPN gateway logs, found IKE rekey failures
- 2 IKE Phase 1 lifetime mismatch between client and server
- 3 Updated VPN gateway IKE lifetime to match client
- 4 VPN connections stable for 48 hours

+ Add Step

DID THE AI SUGGESTION HELP?


RUNBOOK USED

KB-0003: VPN connectivity troubl

You can also **Escalate** a ticket at any point if it needs a higher tier or another team.


Correcting the AI (override)

If the AI got the category wrong, click **Override Classification**. You'll see the AI's predictions and per-classifier votes for context, then choose the correct **category** and **priority** and give a **reason**. The override is recorded in the audit trail — and feeds DeskMind's self-learning so it improves over time:



Giving feedback

After a ticket is resolved, rate the AI's suggestion **Helpful** or **Not Helpful**. This feedback loop is how DeskMind's accuracy keeps improving.




5. For Admins

Admins have full visibility across all teams and domains, plus three admin-only areas.

Managing users

The **Users** screen lets you create accounts, assign each user a **role** (admin / engineer / user) and a **team**, and activate/deactivate accounts:



The screenshot shows the DeskMind web application interface. The top navigation bar includes links for Dashboard, New Ticket, Analytics, Graph, and Users (which is highlighted). The user profile in the top right shows 'arif.asadullah@schwettmann.in' with the role 'ADMIN' and a 'Logout' button. The main content area is titled 'User Management' and indicates '4 users registered'. There is a '+ Create User' button in the top right of the content area. Below this is a table with the following data:


EMAIL	ROLE	TEAM	STATUS	ACTIONS
arif.asadullah@schwettmann.in	Admin	All teams	Active	Deactivate
arjun.nair@schwettmann.in	Engineer	Database Admin	Active	Deactivate
anil.choudhury@schwettmann.in	User	—	Active	Deactivate
vikram.singh@company.com	Engineer	Application Support	Active	Deactivate

At the bottom right of the interface is an 'Ask Mindy' button.

Engineers are scoped to exactly one team and only see that team's tickets. Admins bypass team scoping and see everything.


Exploring the knowledge graph

The **Graph** screen visualizes the infrastructure DeskMind reasons over — teams, engineers, servers, services, tickets, error codes, and network devices — along with the relationships between them. Filter by node type or domain, and click a node to inspect its connections:



Viewing analytics

The **Analytics** screen shows system-wide trends — tickets by category, status, and priority; daily ticket volume; confidence by category; and AI-helpfulness:



Admins also have access to the **SLA-breach report** to spot tickets at risk of missing their service-level target.

6. Reference

The 6 domains and their teams

Domain	Routes to	Typical issues
Infrastructure	Infrastructure Ops	Servers, VMs, OS, Kubernetes, hardware
Application	Application Support	APIs, deployments, bugs, HTTP errors
Database	Database Admin	PostgreSQL, Redis, queries, replication
Network	Network Engineering	DNS, firewall, VPN, SSL, latency
Security	Security Ops	Vulnerabilities, breaches, malware, brute-force
Access Management	Access Management	LDAP, SSO, MFA, RBAC, permissions

Ticket statuses

Status	Meaning
Routed	Auto-assigned to a team, awaiting pick-up
In Progress	An engineer has picked it up
Escalated	Flagged for human review (medium confidence)
Pending Human	Queued for an analyst (low confidence / degraded mode)
Resolved	Fixed; resolution steps recorded

Confidence & routing

Confidence	Outcome
≥ 0.70	Routed automatically
0.50 - 0.69	Escalated for confirmation

Confidence	Outcome
< 0.50 (degraded)	Pending human review

Priority & SLA targets

Priority	SLA to resolve
Critical	2 hours
High	4 hours
Medium	8 hours
Low	24 hours

Roles & permissions

Capability	User	Engineer	Admin
Submit tickets	✓	✓	✓
Track own tickets	✓	✓	✓
Ask Mindy	✓	✓	✓
Work / resolve tickets	✗	✓ (own team)	✓ (all)
Override classification	✗	✓ (own team)	✓ (all)
Give AI feedback	✓	✓	✓
Analytics	own	team	global
Knowledge graph	✗	✗	✓
Manage users	✗	✗	✓

Glossary

- **Centroid classifier** — classifies by comparing a ticket to the average ("centroid") of each domain's past tickets.
- **Confidence** — how sure the AI is of its classification (0–100%); drives routing vs. escalation.
- **Degraded mode** — reduced operation when the LLM, database, or cache is unavailable; DeskMind keeps working with fewer classifiers.
- **Effectiveness score** — how well a past resolution actually worked, used to rank suggested fixes.
- **Enrichment** — the follow-up questions DeskMind asks when a ticket is too vague to classify confidently.
- **Escalation** — sending a medium-confidence ticket to a human to confirm the AI's classification.
- **Keyword classifier** — classifies by matching domain-specific keywords in the ticket text.
- **KNN classifier** — classifies by the categories of the most similar past tickets (k-nearest neighbours).
- **Knowledge graph** — a map of your infrastructure (teams, servers, services, error codes, network devices) DeskMind reasons over.
- **LLM** — the local large language model (via Ollama) that reads and classifies tickets; no data leaves your network.
- **Pending Human** — a very low-confidence ticket (in degraded mode) queued for an analyst to handle.
- **Runbook** — a step-by-step fix procedure, shown only when it genuinely matches the ticket.
- **SLA** — service-level agreement: the target time to resolve a ticket, set by priority.

DeskMind — Classify · Route · Resolve. For setup and deployment, see the Deployment Guide.