





PRODUCT




LED INDIRECT TROFFER
Page 2-4




LED TROFFER LIGHT
Page 5-7




LED PANEL LIGHT
Page 8-11



LED MODULAR LIGHT
Page 12



LED LOUVER FITTING
Page 13-14




LED LINEAR
Page 15-19

Success begins with choice-Jason

LED TROFFER LIGHT

LUNA II Series

Indirect




CRI 80	PF>0.9	UGR<16	120°	CE	CB
--------	--------	--------	------	----	----

RoHS	ErP	RECESSED	SUSPENDED	110LM/W
------	-----	----------	-----------	---------

Optional

AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
-------------	--------	------	-------	------	-----------

WIFI	Bluetooth	ZigBee	Up to 140LM/W
------	-----------	--------	---------------




	Code	Power	Current	Lumen 4000K	Efficacy 4000K	Size (L*W*Hmm)
	HJLF6060A	36W	900mA	3960lm	110/W	595*595*90
	HJLF6060B	42W	1050mA	4620lm	110/W	595*595*90
	HJLF6060A1	28W	800mA	3920lm	140/W	595*595*90
	HJLF6060B1	33W	950mA	4620lm	140/W	595*595*90

LED TROFFER LIGHT

LUNA III Series


Indirect



CRI 80	PF>0.9	UGR<16	120°	CE	CB
RoHS	ErP	RECESSED	SUSPENDED	110LM/W	

Optional

AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
WIFI	Bluetooth	ZigBee	Up to 140LM/W		




	Code	Power	Current	Lumen 4000K	Efficacy 4000K	Size (L*W*Hmm)
	HJLF6060A3	36W	900mA	3960lm	110lm/W	595*595*50mm
	HJLF6060B3	42W	1050mA	4620lm	110lm/W	595*595*50mm
	HJLF6060A4	28W	800mA	3920lm	140lm/W	595*595*50mm
	HJLF6060B4	33W	950mA	4620lm	140lm/W	595*595*50mm

LED TROFFER LIGHT

Drow Series

Backlit




CRI 80	PF>0.9	UGR<22	120°	CE	CB
RoHS	ErP	RECESSED	SUSPENDED	140LM/W	

Optional

AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
WIFI	Bluetooth	ZigBee	UGR<19	Up to 180LM/W	



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJTL3060	24W	600mA	3360lm	140lm/W	295*595*50mm
	HJTL6060	36W	900mA	5040lm	140lm/W	595*595*50mm
	HJTL6060	42W	1050mA	5880lm	140lm/W	595*595*50mm
	HJTL30120	42W	1050mA	5880lm	140lm/W	295*1195*50mm
	HJTL60120	84W	1050mA	11760lm	140lm/W	595*1195*50mm

LED TROFFER LIGHT

LUNA I Series
Indirect



CRI 80

PF>0.9

UGR<16

120°

CE

CB

RoHS

ErP

RECESSED

SUSPENDED

110LM/W

Optional

AC 110-277V

CRI 90

3CCT

0-10V

DALI


Emergency

WIFI

Bluetooth

ZigBee

Up to 140LM/W




	Code	Power	Current	Lumen 4000K	Efficacy 4000K	Size (L*W*Hmm)
	HJLF30120A	36W	900mA	3960lm	110lm/W	295*1195*90mm
	HJLF30120B	42W	1050mA	4620lm	110lm/W	295*1195*90mm

LED TROFFER LIGHT

BM series

Front access



CRI 80	PF>0.9	UGR<22	120°	CE	CB
RoHS	ErP	RECESSED	110LM/W	IP54	

Optional

AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
WIFI	Bluetooth	ZigBee	UGR<19	Up to 180LM/W	IP65




	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJBM3060	24W	600mA	2640lm	110lm/W	295*595*90mm
	HJBM6060	36W	900mA	3960lm	110lm/W	595*595*90mm
	HJBM6060	42W	1050mA	4620lm	110lm/W	595*595*90mm
	HJBM30120	42W	1050mA	4620lm	110lm/W	295*1195*90mm
	HJBM60120	84W	1050mA	9240lm	110lm/W	595*1195*90mm

LED TROFFER LIGHT

Storm Series

Prison lighting



CRI 80

PF>0.9

UGR<22

120°

CE

CB

RoHS

ErP

SURFACE MOUNTED

110LM/W

IP65 IK10

Optional

AC 110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth

ZigBee

UGR<19

60°




	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJPS3060A	30W	250mA	3300lm	110lm/W	715*305*75mm
	HJPS3060B	40W	350mA	4400lm	110lm/W	715*305*75mm
	HJPS30120A	36W	250mA	3960lm	110lm/W	1315*305*75mm
	HJPS30120B	50W	350mA	5500lm	110lm/W	1315*305*75mm

LED PANEL LIGHT

Razor Series

Edgelit



CRI 80	PF>0.9	UGR<22	120°	CE	CB
--------	--------	--------	------	----	----

RoHS	ErP	RECESSED	SUSPENDED	100LM/W
------	-----	----------	-----------	---------

Optional

AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
-------------	--------	------	-------	------	-----------


WIFI	Bluetooth	ZigBee	UGR<19	Up to 160LM/W	90°
------	-----------	--------	--------	---------------	-----



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJEL3060	24W	600mA	2400lm	100lm/W	295*595*10
	HJEL6060	36W	900mA	3600lm	100lm/W	595*595*10
	HJEL6060	42W	1050mA	4200lm	100lm/W	595*595*10
	HJEL30120	42W	1050mA	4200lm	100lm/W	295*1195*10
	HJEL60120	72W	900mA	7200lm	100lm/W	595*1195*10

LED PANEL LIGHT

LEGO Series
DF40



CRI 80

PF > 0.9

UGR < 17

80°

CE

CB

RoHS

ErP

RECESSED

SUSPENDED

150LM/W

Optional

AC 110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth


ZigBee

UGR < 19

Up to 180LM/W

65°




	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
				White	Black	
	HJDF40-LGA1	30W	750mA	4500lm 150lm/W	4200lm 140lm/W	595*595*22mm
	HJDF40-LGA2	36W	900mA	5400lm 150lm/W	5040lm 140lm/W	595*595*22mm
	HJDF40-LGA3	42W	1050mA	6300lm 150lm/W	5880lm 140lm/W	595*595*22mm
	HJDF40-LGB1	30W	750mA	4500lm 150lm/W	4200lm 140lm/W	295*1195*22mm
	HJDF40-LGB2	36W	900mA	5400lm 150lm/W	5040lm 140lm/W	295*1195*22mm
	HJDF40-LGB3	42W	1050mA	6300lm 150lm/W	5880lm 140lm/W	295*1195*22mm

LED PANEL LIGHT

KOLT Series

Backlit




CRI 80 PF>0.9 UGR<22 120° CE CB

RoHS ErP RECESSED SUSPENDED 100LM/W

Optional

AC 110-277V CRI 90 3CCT 0-10V DALI Emergency

WIFI Bluetooth ZigBee UGR<19 Up to 180LM/W 90°




	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJBLK3030	16W	400mA	1600lm	100lm/W	295*295*35mm
	HJBLK3060	24W	600mA	2400lm	100lm/W	295*595*35mm
	HJBLK6060	36W	900mA	3600lm	100lm/W	595*595*35mm
	HJBLK6060	42W	1050mA	4200lm	100lm/W	595*595*35mm
	HJBLK6060H1	23W	650mA	3680lm	160lm/W	595*595*35mm
	HJBLK6060H2	23W	650mA	4140lm	180lm/W	595*595*35mm
	HJBLK6262	40W	1050mA	4800lm	120lm/W	620*620*35mm
	HJBLK30120	42W	1050mA	4200lm	100lm/W	295*1195*35mm
	HJBLK60120	80W	1050mA	8000lm	100lm/W	595*1195*35mm

LED PANEL LIGHT

Invoker Series

Backlit



CRI 80

PF>0.9

UGR<22

120°

CE

CB

RoHS

ErP

RECESSED

SUSPENDED

100LM/W

Optional

AC
110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth

ZigBee

UGR<19

Up to 180LM/W

90°




	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (W*L*Hmm)
	HJBLA3030	16W	400mA	1600lm	100lm/W	295*295*45mm
	HJBLA3060	24W	600mA	2400lm	100lm/W	295*595*45mm
	HJBLA6060	36W	900mA	3600lm	100lm/W	595*595*45mm
	HJBLA6060	42W	1050mA	4200lm	100lm/W	595*595*45mm
	HJBLA30120	36W	900mA	3600lm	100lm/W	295*1195*45mm
	HJBLA30120	42W	1050mA	4200lm	100lm/W	295*1195*45mm

LED PANEL LIGHT

Phoanix Series

Airvent



CRI 80

PF>0.9

UGR<22

120°

CE

CB

RoHS

ErP

RECESSED

100LM/W

Optional

AC
110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth

ZigBee

UGR<19

Up to
180LM/W

90°




	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJAT6060A	36W	900mA	3600lm	100lm/W	595*595*35mm
	HJAT30120A	42W	1050mA	4200lm	100lm/W	295*1195*35mm
	HJAT60120A	72W	900mA	7200lm	100lm/W	595*1195*35mm
	HJAT6060B	24W	600mA	2400lm	100lm/W	595*595*35mm
	HJAT30120B	30W	750mA	3000lm	100lm/W	295*1195*35mm
	HJAT60120B	42W	1050mA	4200lm	100lm/W	595*1195*35mm

LED LOUVER FITTING

Mars B Series

Surfaced




CRI 80	PF > 0.9	UGR < 19	90°	CE	CB
--------	----------	----------	-----	----	----

RoHS	ErP	SURFACE MOUNTED	SUSPENDED	130LM/W
------	-----	-----------------	-----------	---------

Optional

AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
-------------	--------	------	-------	------	-----------


WIFI	Bluetooth	ZigBee
------	-----------	--------



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJLF6060-B	29W	200mA	3770lm	130lm/W	595*595*40mm
	HJLF6060-B	36W	250mA	4680lm	130lm/W	595*595*40mm
	HJLF6262-B	29W	200mA	3770lm	130lm/W	620*620*40mm
	HJLF6262-B	36W	250mA	4680lm	130lm/W	620*620*40mm
	HJLF30120-B	36W	250mA	4680lm	130lm/W	295*1195*40mm
	HJLF30120-B	40W	300mA	5200lm	130lm/W	295*1195*40mm
	HJLF30120-B	45W	350mA	5850lm	130lm/W	295*1195*40mm
	HJLF13150-B	21W	300mA	2730lm	130lm/W	130*1495*40mm
	HJLF13150-B	24W	350mA	3120lm	130lm/W	130*1495*40mm
	HJLF30150-B	40W	300mA	5200lm	130lm/W	295*1495*40mm
	HJLF30150-B	45W	350mA	5850lm	130lm/W	295*1495*40mm

LED LOUVER FITTING

Mars series I



CRI 80

PF>0.9

UGR<19

90°

CE

CB

RoHS

ErP

RECESSED

SUSPENDED

130LM/W

Optional

AC 110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth

ZigBee


Up to 180LM/W



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJLF3060-A	24W	600mA	3120lm	130lm/W	295*595*38mm
	HJLF6060-A	36W	900mA	4680lm	130lm/W	595*595*38mm
	HJLF6060-A	42W	1050mA	5460lm	130lm/W	595*595*38mm
	HJLF30120-A	42W	1050mA	5460lm	130lm/W	295*1195*38mm
	HJLF60120-A	84W	1050mA	10920lm	130lm/W	595*1195*38mm
	HJLF30150-A	50W	1300mA	6500lm	130lm/W	295*1495*38mm

LED Linear

BS series



CRI 80

PF>0.9

UGR<16

120°

CE

CB

RoHS

ErP

SURFACE MOUNTED

SUSPENDED

140LM/W

IP40

Optional

AC 110-277V

CRI 90

3CCT

0-10V

DALI

Emergency


WIFI

Bluetooth

ZigBee

Up to 180LM/W



	Code	Power	Current	Lumen	Efficacy	Size (L*W*Hmm)
	HJBS60W	26W	350mA	3640lm	140lm/W	600*50*65mm
	HJBS120W	36W	350mA	5040lm	140lm/W	1100*50*65mm
	HJBS150W	50W	350mA	7000lm	140lm/W	1500*50*65mm

LED LINEAR

G series

waterproof



CRI 80

PF>0.9

UGR<16

120°

CE

CB

RoHS

ErP

SURFACE MOUNTED

SUSPENDED

120LM/W

IP65 IK08

Optional

AC
110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth

ZigBee



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJG118	20W	250mA	2400lm	120lm/W	580*75*66mm
	HJG136	40W	250mA	4800lm	120lm/W	1180*75*66mm
	HJG158	50W	350mA	6000lm	120lm/W	1480*75*66mm

LED LINEAR

K series

waterproof



CRI 80

PF>0.9

UGR<16

120°

CE

CB

RoHS

ErP

SURFACE MOUNTED

SUSPENDED

120LM/W

IP65 IK08

Optional

AC
110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth

ZigBee



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJK118	14W	350mA	1680lm	120lm/W	665x70x80mm
	HJK218	28W	350mA	3360lm	120lm/W	665x100x80mm
	HJK136	24W	600mA	2880lm	120lm/W	1265x70x80mm
	HJK236	48W	650mA	5760lm	120lm/W	1265x100x80mm
	HJK158	34W	200mA	4080lm	120lm/W	1565x70x80mm
	HJK258	60W	350mA	7200lm	120lm/W	1565x100x80mm

LED LINEAR
X series
waterproof



CRI 80	PF>0.9	UGR<16	120°	CE	CB
RoHS	ErP	SURFACE MOUNTED	SUSPENDED	120LM/W	IP65 IK08
Optional					
AC 110-277V	CRI 90	3CCT	0-10V	DALI	Emergency
WIFI	Bluetooth	ZigBee			



	Code	Power	Current	Lumen 4000k	Efficacy 4000k	Size (L*W*Hmm)
	HJX118	28W	350mA	3360lm	120lm/W	600*85*78mm
	HJX136	48W	350mA	5760lm	120lm/W	1200*85*78mm
	HJX158	52W	350mA	6240lm	120lm/W	1500*85*78mm

LED LINEAR

LD60 series



CRI 80

PF>0.9

UGR<19

90°

CE

CB

RoHS

ErP

SURFACE MOUNTED

SUSPENDED

140LM/W

Optional

AC 110-277V

CRI 90

3CCT

0-10V

DALI

Emergency

WIFI

Bluetooth


ZigBee

60°



	Code	Power	Current	Lumen	Efficacy	Size (L*W*Hmm)
	HJLD60-1	16W	500mA	2240lm	140lm/W	1195*37*61mm
	HJLD60-2	20W	600mA	2800lm	140lm/W	1195*37*61mm
	HJLD60-3	22W	700mA	3080lm	140lm/W	1195*37*61mm
	HJLD60-3	26W	800mA	3640lm	140lm/W	1195*37*61mm

THANKS

A minimalist illustration of two white, dome-shaped pendant lights hanging from thin white cords. Each light fixture emits a wide, conical beam of light, represented by a lighter shade of the background color. The beams from the two lights overlap in the center of the lower half of the image.

苏州市华杰五金照明电器厂
SUZHOU HUAJIE HARDWARE LIGHTING APPLIANCE FACTORY
地址：江苏省苏州市吴江区七都镇亨通大道52号
NO. 52, Hengtong Road, Wujiang Area, Suzhou City,
Jiangsu Province, China
电话(Tel) : 0512-63812288
邮箱(E-mail) : hjwjzm@hotmail.com
网址 : hjwjzm.1688.com