

TUGAS 3

APLIKASI PERSEDIAAN DAN PENJUALAN



NAMA : Arifa Ajda Kamila

NIM : 12030123130210

KELAS : D

Perintah:

Buat aplikasi sederhana persediaan dan penjualan dengan menggunakan kode HTML, CSS, Java Script!



```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>

  <title>Aplikasi Persediaan & Penjualan</title>

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"/>

  <style>

    body {

      background-color: #fef9f4;

      font-family: 'Segoe UI', sans-serif;

    }

    .card-header.bg-earth-1 {

      background-color: #d8c3a5; /* beige */

      color: #4e342e;

    }

    .card-header.bg-earth-2 {

      background-color: #a5a58d; /* sage */

      color: #fff;

    }

    .card-header.bg-earth-3 {

      background-color: #cb997e; /* terracotta */

      color: #fff;

    }

    .btn-earth {

      background-color: #b5a68d;

      color: #fff;
```

```
        border: none;
    }
    .btn-earth:hover {
        background-color: #a28d72;
    }
    .table thead {
        background-color: #f4e1d2;
    }
</style>
</head>
<body>
<div class="container mt-5">
    <h2 class="text-center mb-4">Aplikasi Persediaan & Penjualan</h2>

    <div class="card">
        <div class="card-header bg-earth-1">Tambah Produk</div>
        <div class="card-body">
            <div class="row g-2">
                <div class="col-md-4">
                    <input type="text" id="productName" class="form-control" placeholder="Nama
Produk">
                </div>
                <div class="col-md-3">
                    <input type="number" id="productPrice" class="form-control" placeholder="Harga">
                </div>
                <div class="col-md-3">
                    <input type="number" id="productStock" class="form-control" placeholder="Stok">
                </div>
            </div>
        </div>
    </div>
</div>
```

```
<div class="col-md-2">

  <button class="btn btn-earth w-100" onclick="addProduct()">Tambah</button>

</div>

</div>

</div>

</div>
```

```
<div class="card mt-4">

  <div class="card-header bg-earth-2">Daftar Produk</div>

  <div class="card-body">

    <table class="table table-bordered">

      <thead>

        <tr>

          <th>Nama</th>

          <th>Harga</th>

          <th>Stok</th>

          <th>Aksi</th>

        </tr>

      </thead>

      <tbody id="productTableBody"></tbody>

    </table>

  </div>

</div>
```

```
<div class="card mt-4">

  <div class="card-header bg-earth-3">Riwayat Penjualan</div>

  <div class="card-body">

    <table class="table table-bordered">
```

```
<thead>
  <tr>
    <th>Produk</th>
    <th>Jumlah</th>
    <th>Total</th>
  </tr>
</thead>
<tbody id="salesHistoryBody"></tbody>
</table>
</div>
</div>
</div>
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
```

```
<script>
```

```
let products = [];
```

```
let salesHistory = [];
```

```
function addProduct() {
```

```
  let name = document.getElementById("productName").value;
```

```
  let price = parseFloat(document.getElementById("productPrice").value);
```

```
  let stock = parseInt(document.getElementById("productStock").value);
```

```
  if (!name || isNaN(price) || isNaN(stock)) {
```

```
    alert("Semua kolom harus diisi dengan benar!");
```

```
    return;
```

```
  }
```

```
products.push({ name, price, stock });  
renderProducts();  
document.getElementById("productName").value = "";  
document.getElementById("productPrice").value = "";  
document.getElementById("productStock").value = "";  
}
```

```
function renderProducts() {  
  let tbody = document.getElementById("productTableBody");  
  tbody.innerHTML = "";
```

```
  products.forEach((product, index) => {  
    let row = `<tr>  
      <td>${product.name}</td>  
      <td>Rp ${product.price.toLocaleString()}</td>  
      <td>${product.stock}</td>  
      <td><button class='btn btn-sm btn-danger'  
onlick='sellProduct(${index})'>Jual</button></td>  
    </tr>`;   
    tbody.innerHTML += row;  
  });  
}
```

```
function sellProduct(index) {  
  let quantity = prompt("Masukkan jumlah yang ingin dijual:");  
  quantity = parseInt(quantity);  
  if (isNaN(quantity) || quantity <= 0 || quantity > products[index].stock) {  
    alert("Jumlah tidak valid!");
```

```
    return;
```

```
}
```

```
products[index].stock -= quantity;
```

```
salesHistory.push({
```

```
    name: products[index].name,
```

```
    quantity: quantity,
```

```
    total: products[index].price * quantity
```

```
});
```

```
renderProducts();
```

```
renderSalesHistory();
```

```
}
```

```
function renderSalesHistory() {
```

```
    let tbody = document.getElementById("salesHistoryBody");
```

```
    tbody.innerHTML = "";
```

```
    salesHistory.forEach(sale => {
```

```
        let row = `<tr>
```

```
            <td>${sale.name}</td>
```

```
            <td>${sale.quantity}</td>
```

```
            <td>Rp ${sale.total.toLocaleString()}</td>
```

```
        </tr>`;
```

```
        tbody.innerHTML += row;
```

```
    });
```

```
}
```

```
</script>
```

```
</body>
```

</html>