


# Project 1: Search in Pacman

(Thanks to John DeNero and Dan Klein!)

---



All those colored walls,  
Mazes give Pacman the blues,  
So teach him to search.

## Introduction

In this project, your Pacman agent will find paths through his maze world, both to reach a particular location and to collect food efficiently. You will build general search algorithms and apply them to Pacman scenarios.

The code for this project consists of several Python files, some of which you will need to read and understand in order to complete the assignment, and some of which you can ignore. All the code and supporting files are in your SVN repo.

### Files you'll edit:

[search.py](#) Where all of your search algorithms will reside.

[searchAgents.py](#) Where all of your search-based agents will reside.

### Files you might want to look at:

[pacman.py](#) The main file that runs Pacman games. This file describes a Pacman GameState type, which you use in this project.

[game.py](#) The logic behind how the Pacman world works. This file describes several supporting types like AgentState, Agent, Direction, and Grid.

[util.py](#) Useful data structures for implementing search algorithms.

### Supporting files you can ignore:

[graphicsDisplay.py](#) Graphics for Pacman

<a href="#">graphicsUtils.py</a>	Support for Pacman graphics
<a href="#">textDisplay.py</a>	ASCII graphics for Pacman
<a href="#">ghostAgents.py</a>	Agents to control ghosts
<a href="#">keyboardAgents.py</a>	Keyboard interfaces to control Pacman
<a href="#">layout.py</a>	Code for reading layout files and storing their contents

**What to submit:** You will fill in portions of [search.py](#) and [searchAgents.py](#) during the assignment. You should start by typing in the command `svn update` in the root directory of your cse511a svn repository. Please update the `partners.txt` file and also make sure the `pleasegrade.txt` file has all questions uncommented (no leading # sign) in your final submit. Type `svn commit -m "some message what you did"` to submit your code. (During intermediate submits it is recommended to have all questions that you do not want to have graded commented out in `pleasegrade.txt`.) Finally, each project has its own `codename.txt` file.

**Evaluation:** Your code will be autograded for technical correctness. Please *do not* change the names of any provided functions or classes within the code, or you will wreak havoc on the autograder. However, the correctness of your implementation – not the autograder's output – will be the final judge of your score. If necessary, we will review and grade assignments individually to ensure that you receive due credit for your work.

**Academic Dishonesty:** We will be checking your code against other submissions in the class for logical redundancy. If you copy someone else's code and submit it with minor changes, we will know. These cheat detectors are quite hard to fool, so please don't try. We trust you all to submit your own work only; *please* don't let us down. If you do, we will pursue the strongest consequences available to us.

**Getting Help:** You are not alone! If you find yourself stuck on something, contact the course staff for help. Office hours and Piazza are there for your support; please use them. If you can't make our office hours, let us know and we will schedule more. We want these projects to be rewarding and instructional, not frustrating and demoralizing. But, we don't know when or how to help unless you ask. One more piece of advice: if you don't know what a variable does or what kind of values it takes, print it out.

## Welcome to Pacman

After changing to the `project1/` directory in your SVN repo, you should be able to play a game of Pacman by typing the following at the command line:

```
python pacman.py
```

Pacman lives in a shiny blue world of twisting corridors and tasty round treats. Navigating this world efficiently will be Pacman's first step in mastering his domain.

The simplest agent in [searchAgents.py](#) is called the `GoWestAgent`, which always goes West (a trivial reflex agent). This agent can occasionally win:

```
python pacman.py --layout testMaze --pacman GoWestAgent
```

But things get ugly for this agent when turning is required:

```
python pacman.py --layout tinyMaze --pacman GoWestAgent
```

If pacman gets stuck, you can exit the game by typing CTRL-c into your terminal.

Soon, your agent will solve not only `tinyMaze`, but any maze you want.

Note that [pacman.py](#) supports a number of options that can each be expressed in a long way (e.g., `--layout`) or a short way (e.g., `-l`). You can see the list of all options and their default values via:

```
python pacman.py -h
```

Also, all of the commands that appear in this project also appear in [commands.txt](#), for easy copying and pasting. In UNIX/OS X, you can even run all these commands in order with `bash commands.txt`.

Note: if you get error messages regarding Tkinter, see [this page](#).

# Finding a Fixed Food Dot using Search Algorithms

In [searchAgents.py](#), you'll find a fully implemented SearchAgent, which plans out a path through Pacman's world and then executes that path step-by-step. The search algorithms for formulating a plan are not implemented – that's your job. As you work through the following questions, you might need to refer to this [glossary of objects in the code](#).

First, test that the SearchAgent is working correctly by running:

```
python pacman.py -l tinyMaze -p SearchAgent -a fn=tinyMazeSearch
```

The command above tells the SearchAgent to use tinyMazeSearch as its search algorithm, which is implemented in [search.py](#). Pacman should navigate the maze successfully.

Now it's time to write full-fledged generic search functions to help Pacman plan routes! Pseudocode for the search algorithms you'll write can be found in the lecture slides and textbook. Remember that a search node must contain not only a state but also the information necessary to reconstruct the path (plan) which gets to that state.

*Important note:* All of your search functions need to return a list of *actions* that will lead the agent from the start to the goal. These actions all have to be legal moves (valid directions, no moving through walls).

*Hint:* Each algorithm is very similar. Algorithms for DFS, BFS, UCS, and A\* differ only in the details of how the fringe is managed. So, concentrate on getting DFS right and the rest should be relatively straightforward. Indeed, one possible implementation requires only a single generic search method which is configured with an algorithm-specific queuing strategy. (Your implementation need *not* be of this form to receive full credit).

*Hint:* Make sure to check out the Stack, Queue and PriorityQueue types provided to you in [util.py](#)!

## Question 1 (2 points)

Implement the depth-first search (DFS) algorithm in the depthFirstSearch function in [search.py](#). To make your algorithm *complete*, write the graph search version of DFS, which avoids expanding any already visited states (textbook section 3.5).

Your code should quickly find a solution for:

```
python pacman.py -l tinyMaze -p SearchAgent
python pacman.py -l mediumMaze -p SearchAgent
python pacman.py -l bigMaze -z .5 -p SearchAgent
```

The Pacman board will show an overlay of the states explored, and the order in which they were explored (brighter red means earlier exploration). Is the exploration order what you would have expected? Does Pacman actually go to all the explored squares on his way to the goal?

*Hint:* If you use a Stack as your data structure, the solution found by your DFS algorithm for mediumMaze should have a length of 130 (provided you push successors onto the fringe in the order provided by getSuccessors; you might get 244 if you push them in the reverse order). Is this a least cost solution? If not, think about what depth-first search is doing wrong.

## Question 2 (1 point)

Implement the breadth-first search (BFS) algorithm in the breadthFirstSearch function in [search.py](#). Again, write a graph search algorithm that avoids expanding any already visited states. Test your code the same way you did for depth-first search.

```
python pacman.py -l mediumMaze -p SearchAgent -a fn=bfs
python pacman.py -l bigMaze -p SearchAgent -a fn=bfs -z .5
```

Does BFS find a least cost solution? If not, check your implementation.

*Hint:* If Pacman moves too slowly for you, try the option --frameTime 0.

*Note:* If you've written your search code generically, your code should work equally well for the eight-puzzle search problem (textbook section 3.2) without any changes.

```
python eightpuzzle.py
```

## Varying the Cost Function

While BFS will find a fewest-actions path to the goal, we might want to find paths that are "best" in other senses. Consider [mediumDottedMaze](#) and [mediumScaryMaze](#). By changing the cost function, we can encourage Pacman to find different paths. For example, we can charge more for dangerous steps in ghost-ridden areas or less for steps in food-rich areas, and a rational Pacman agent should adjust its behavior in response.

### Question 3 (2 points)

Implement the uniform-cost graph search algorithm in the `uniformCostSearch` function in [search.py](#). We encourage you to look through [util.py](#) for some data structures that may be useful in your implementation. You should now observe successful behavior in all three of the following layouts, where the agents below are all UCS agents that differ only in the cost function they use (the agents and cost functions are written for you):

```
python pacman.py -l mediumMaze -p SearchAgent -a fn=ucs
```

```
python pacman.py -l mediumDottedMaze -p StayEastSearchAgent
```

```
python pacman.py -l mediumScaryMaze -p StayWestSearchAgent
```

*Note:* You should get very low and very high path costs for the `StayEastSearchAgent` and `StayWestSearchAgent` respectively, due to their exponential cost functions (see [searchAgents.py](#) for details).

*Note:* The cost functions are based on the horizontal position of the agent, NOT the contents of the maze.

## A\* search

### Question 4 (3 points)

Implement A\* graph search in the empty function `aStarSearch` in [search.py](#). A\* takes a heuristic function as an argument. Heuristics take two arguments: a state in the search problem (the main argument), and the problem itself (for reference information). The `nullHeuristic` heuristic function in [search.py](#) is a trivial example.

You can test your A\* implementation on the original problem of finding a path through a maze to a fixed position using the Manhattan distance heuristic (implemented already as `manhattanHeuristic` in [searchAgents.py](#)).

```
python pacman.py -l bigMaze -z .5 -p SearchAgent -a fn=astar,heuristic=manhattanHeuristic
```

You should see that A\* finds the optimal solution slightly faster than uniform cost search (about 549 vs. 620 search nodes expanded in our implementation, but ties in priority may make your numbers differ slightly). What happens on `openMaze` for the various search strategies?

## Finding All the Corners

The real power of A\* will only be apparent with a more challenging search problem. Now, it's time to formulate a new problem and design a heuristic for it.

In *corner mazes*, there are four dots, one in each corner. Our new search problem is to find the shortest path through the maze that touches all four corners (whether the maze actually has food there or not). Note that for some mazes like [tinyCorners](#), the shortest path does not always go to the closest food first! *Hint:* the shortest path through `tinyCorners` takes 28 steps.

### Question 5 (2 points)

Implement the `CornersProblem` search problem in [searchAgents.py](#). You will need to choose a state representation that encodes all the information necessary to detect whether all four corners have been reached. Now, your search agent should solve:

```
python pacman.py -l tinyCorners -p SearchAgent -a fn=bfs,prob=CornersProblem
```

```
python pacman.py -l mediumCorners -p SearchAgent -a fn=bfs,prob=CornersProblem
```

To receive full credit, you need to define an abstract state representation that *does not* encode irrelevant information (like the position of ghosts, where extra food is, etc.). In particular, do not use a Pacman GameState as a search state. Your code will be very, very slow if you do (and also wrong).

*Hint:* The only parts of the game state you need to reference in your implementation are the starting Pacman position and the location of the four corners.

Our implementation of breadthFirstSearch expands just under 2000 search nodes on [mediumCorners](#). However, heuristics (used with A\* search) can reduce the amount of searching required.

### Question 6 (3 points)

Implement a non-trivial, consistent heuristic for the CornersProblem in `cornersHeuristic`.

Grading: inconsistent heuristics will get *no* credit. 1 point for any non-trivial consistent heuristic. 1 point for expanding fewer than 1600 nodes. 1 point for expanding fewer than 1200 nodes. Expand fewer than 800, and you're doing great!

```
python pacman.py -l mediumCorners -p AStarCornersAgent -z 0.5
```

*Note:* AStarCornersAgent is a shortcut for `-p SearchAgent -a fn=aStarSearch,prob=CornersProblem,heuristic=cornersHeuristic`.

*Admissibility vs. Consistency:* Remember, heuristics are just functions that take search states and return numbers that estimate the cost to a nearest goal. More effective heuristics will return values closer to the actual goal costs. To be *admissible*, the heuristic values must be lower bounds on the actual shortest path cost to the nearest goal (and non-negative). To be *consistent*, it must additionally hold that if an action has cost  $c$ , then taking that action can only cause a drop in heuristic of at most  $c$ .

Remember that admissibility isn't enough to guarantee correctness in graph search – you need the stronger condition of consistency. However, admissible heuristics are usually also consistent, especially if they are derived from problem relaxations. Therefore it is usually easiest to start out by brainstorming admissible heuristics. Once you have an admissible heuristic that works well, you can check whether it is indeed consistent, too. The only way to guarantee consistency is with a proof. However, inconsistency can often be detected by verifying that for each node you expand, its successor nodes are equal or higher in  $f$ -value. Moreover, if UCS and A\* ever return paths of different lengths, your heuristic is inconsistent. This stuff is tricky! If you need help, don't hesitate to ask the course staff.

*Non-Trivial Heuristics:* The trivial heuristics are the ones that return zero everywhere (UCS) and the heuristic which computes the true completion cost. The former won't save you any time, while the latter will timeout the autograder. You want a heuristic which reduces total compute time, though for this assignment the autograder will only check node counts (aside from enforcing a reasonable time limit).

Additionally, any heuristic should always be non-negative, and should return a value of 0 at every goal state (technically this is a requirement for admissibility!). We will deduct 1 point for any heuristic that returns negative values, or doesn't behave properly at goal states.

## Eating All The Dots

Now we'll solve a hard search problem: eating all the Pacman food in as few steps as possible. For this, we'll need a new search problem definition which formalizes the food-clearing problem: `FoodSearchProblem` in [searchAgents.py](#) (implemented for you). A solution is defined to be a path that collects all of the food in the Pacman world. For the present project, solutions do not take into account any ghosts or power pellets; solutions only depend on the placement of walls, regular food and Pacman. (Of course ghosts can ruin the execution of a solution! We'll get to that in the next project.) If you have written your general search methods correctly, A\* with a null heuristic (equivalent to uniform-cost search) should quickly find an optimal solution to [testSearch](#) with no code change on your part (total cost of 7).

```
python pacman.py -l testSearch -p AStarFoodSearchAgent
```

*Note:* AStarFoodSearchAgent is a shortcut for `-p SearchAgent -a fn=astar,prob=FoodSearchProblem,heuristic=foodHeuristic`.

You should find that UCS starts to slow down even for the seemingly simple [tinySearch](#). As a reference, our implementation takes 2.5 seconds to find a path of length 27 after expanding 4902 search nodes.

## Question 7 (5 points)

Fill in `foodHeuristic` in [searchAgents.py](#) with a consistent heuristic for the `FoodSearchProblem`. Try your agent on the `trickySearch` board:

```
python pacman.py -l trickySearch -p AStarFoodSearchAgent
```

Our UCS agent finds the optimal solution in about 13 seconds, exploring over 16,000 nodes. Any non-trivial consistent heuristic will receive 1 point. You will also receive the following additional points, depending on how few nodes your heuristic expands.

Fewer nodes than:	Points
15000	1
12000	2
9000	3 (medium)
7000	4 (hard)

*Remember:* If your heuristic is inconsistent, you will receive *no* credit, so be careful! Can you solve [mediumSearch](#) in a short time? If so, we're either very, very impressed, or your heuristic is inconsistent.

We will deduct 1 point for any heuristic that returns negative values, or does not return 0 at every goal state.

## Suboptimal Search

Sometimes, even with A\* and a good heuristic, finding the optimal path through all the dots is hard. In these cases, we'd still like to find a reasonably good path, quickly. In this section, you'll write an agent that always greedily eats the closest dot. `ClosestDotSearchAgent` is implemented for you in [searchAgents.py](#), but it's missing a key function that finds a path to the closest dot.

## Question 8 (2 points)

Implement the function `findPathToClosestDot` in [searchAgents.py](#). Our agent solves this maze (suboptimally!) in under a second with a path cost of 350:

```
python pacman.py -l bigSearch -p ClosestDotSearchAgent -z .5
```

*Hint:* The quickest way to complete `findPathToClosestDot` is to fill in the `AnyFoodSearchProblem`, which is missing its goal test. Then, solve that problem with an appropriate search function. The solution should be very short!

Your `ClosestDotSearchAgent` won't always find the shortest possible path through the maze. (If you don't understand why, ask a TA!) In fact, you can do better if you try.

## Mini Contest (up to 3 points extra credit)

Implement an `ApproximateSearchAgent` in [searchAgents.py](#) that finds a short path through the `bigSearch` layout. The team that find the shortest path using no more than 30 seconds of computation will receive 3 extra credit points and an in-class demonstration of their brilliant Pacman agents. Submissions placing 2-3 will receive 2 point of extra credit and teams placing 4-5 will receive 1 point.

```
python pacman.py -l bigSearch -p ApproximateSearchAgent -z .5 -q
```

We will time your agent using the no graphics option `-q`, and it must complete in under 30 seconds on our grading machines. Please describe what your agent is doing in a comment! We reserve the right to give additional extra credit to creative solutions, even if they don't work that well. Don't hard-code the path, of course.

## Object Glossary

Here's a glossary of the key objects in the code base related to search problems, for your reference:

`SearchProblem` ([search.py](#))

A `SearchProblem` is an abstract object that represents the state space, successor function, costs, and goal state of a problem. You will interact with any `SearchProblem` only through the methods defined at

the top of [search.py](#)

`PositionSearchProblem` (`searchAgents.py`)

A specific type of `SearchProblem` that you will be working with --- it corresponds to searching for a single pellet in a maze.

`CornersProblem` (`searchAgents.py`)

A specific type of `SearchProblem` that you will define --- it corresponds to searching for a path through all four corners of a maze.

`FoodSearchProblem` (`searchAgents.py`)

A specific type of `SearchProblem` that you will be working with --- it corresponds to searching for a way to eat all the pellets in a maze.

`Search Function`

A search function is a function which takes an instance of `SearchProblem` as a parameter, runs some algorithm, and returns a sequence of actions that lead to a goal. Example of search functions are `depthFirstSearch` and `breadthFirstSearch`, which you have to write. You are provided `tinyMazeSearch` which is a very bad search function that only works correctly on `tinyMaze`

`SearchAgent`

`SearchAgent` is a class which implements an `Agent` (an object that interacts with the world) and does its planning through a search function. The `SearchAgent` first uses the search function provided to make a plan of actions to take to reach the goal state, and then executes the actions one at a time.