

2. Working with *lists* in HTML

There are lots of occasions when we need to use lists. HTML provides us with three different types: Ordered lists, unordered lists, definition lists.

Ordered listed

Ordered lists are lists where each item in the list is numbered. For example, the list might be a set of steps for a recipe that must be performed in order, or a legal contract where each point needs to be identified by a section number.

The ordered list is created with the **** element.

Each item in the list is placed between an opening **** tag and a closing **** tag. (The **li** stands for list item.)

How to pass ET570 with a good grade:

1. Never miss classes
2. Always participate in class activities and finish them on time
3. Dedicate at least 2 hours of my free time to practice the codes I learned in my class
4. Seek help from my professor, classmates, or tutors in case I do not understand the class material
5. Never give up!

DISPLAY

```
<p><b>How to pass ET570 with a good grade:</b>
  <ol>
    <li>Never miss classes</li>
    <li>Always participate in class activities and finish them on time</li>
    <li>Dedicate at least 2 hours of my free time to practice the codes I learned in
    my class</li>
    <li>Seek help from my professor, classmates, or tutors in case I do not
    understand the class material</li>
    <li> Never give up!</li>
  </ol>
</p>
```

HTML

Ordered List – “type” attribute

Attributes provide additional information about HTML elements.

The **type** attribute of the **** tag, defines the type of the list item marker. Attributes provide additional information about HTML elements.

Type	Description
type="1"	The list items will be numbered with numbers (default)
type="A"	The list items will be numbered with uppercase letters
type="a"	The list items will be numbered with lowercase letters
type="I"	The list items will be numbered with uppercase roman numbers
type="i"	The list items will be numbered with lowercase roman numbers

DISPLAY

Ordered List with Letters

- A. Coffee
- B. Tea
- C. Milk

HTML

```
<h2>Ordered List with Letters</h2>
<ol type="A">
  <li>Coffee</li>
  <li>Tea</li>
  <li>Milk</li>
</ol>
```

Bullet or unordered listed

- Unordered lists are lists that begin with a bullet point (rather than characters that indicate order).
- The unordered list is created with the **** element.
- Each item in the list is placed between an opening **** tag and a closing **** tag.

DISPLAY

```
<ul><b>Lists of fruits</b>
  <li>Apples</li>
  <li>Oranges</li>
  <li>Grapes</li>
</ul>
```

Definition listed

Definition lists are made up of a set of terms along with the definitions for each of those terms.

The definition list is created with the **<dl>** element.

Inside the **<dl>** element you will usually see pairs of **<dt>** and **<dd>** elements.

<dt> is used to contain the term being defined (the definition term).

<dd> is used to contain the definition.

HTML

```
<dl>
  <dt><b>ET-570 Creating Smartphone Applications</b></dt>
    <dd>This course introduces the use and features of smartphones in modern
      life and how to create working applications. </dd>
  <br/>
  <dt><b>ET-710 Web Technology: Building and Maintaining Web Sites</b></dt>
    <dd>ET 710 focuses on the skills needed to build, maintain, and
      administrate a website. </dd>
</dl>
```

DISPLAY

ET-570 Creating Smartphone Applications
 This course introduces the use and features of
 smartphones in modern life and how to create working
 applications.

**ET-710 Web Technology: Building and Maintaining Web
 Sites**
 ET 710 focuses on the skills needed to build, maintain,
 and administrate a website.

3. Tables

There are several types of information that need to be displayed in a grid or table. For example: sports results, stock reports, and train timetables.

Basic tables structure

The **<table>** element is used to create a table. The contents of the table are written out row by row.

You indicate the start of each row using the opening **<tr>** tag. (The tr stands for table row). At the end of the row you use a closing **</tr>** tag.

Each cell of a table is represented using a **<td>** element. (The td stands for table data.)

Example) Create a table with the following information

DISPLAY

Column 1	Column 2	Column 3
45	60	45
60	90	90

HTML

```
<table>
  <tr> <td>Column 1</td> <td> Column 2</td> <td>Column 3</td> </tr>
  <tr align="center"> <td> 45</td> <td> >60</td> <td>>45</td></tr>
  <tr align="center"><td>60</td> <td>>90</td> <td>>90</td> </tr>
</table>
```

The **<th>** element is used just like the **<td>** element but its purpose is to represent the heading for either a column or a row. (The **th** stands for table heading.)

You can use the **scope** attribute on the **<th>** element to indicate whether it is a heading for a **column** or a **row**. It can take the values **row** to indicate a heading for a row or **col** to indicate a heading for a column.

Example) Create the following table

Saturday Sunday		
Tickets sold:	120	135
Total sales:	\$600	\$675

DISPLAY

```
<table>
  <tr> <th></th> <th>Saturday</th> <th>Sunday</th></tr>
  <tr><th>Tickets sold:</th> <td align='center'>120</td> <td align='center'>135</td></tr>
  <tr><th>Total sales:</th> <td align='center'>$600</td> <td align='center'>$675</td></tr>
</table>
```

HTML

Border and background

The **border** attribute was used on both the **<table>** and **<td>** elements to indicate the width of the border in pixels.

The **bgcolor** attribute was used to indicate background colors of either the entire table or individual table cells.

Color can code in three ways:

- By the color name such as red, blue, green, black, lightblue, etc
- By the hex color palette code. You can get the hex color palette in: <http://www.color-hex.com/color-palettes>
- By the combination of RGB code.

Example) Create a following table with table border = 2px, table background **yellow** , 2nd row to **pink** , and one cell to **lightgreen**

```
<table border="2" bgcolor="yellow">
  <tr>
    <th width="100"></th><th width="100">Withdrawn</th><th width="100">Credit</th>
    <th width="100">Balance</th></tr>
  <tr align="center" bgcolor="pink">
    <th>January</th><td>$250.00</td><td>$660.50</td><td>$410.50</td></tr>
  <tr align="center">
    <th>February</th><td>$135.55</td><td>$895.20</td><td bgcolor="lightblue">$1170.15</td>
  </tr>
</table>
```

HTML

	Withdrawn	Credit	Balance
January	\$250.00	\$660.50	\$410.50
February	\$135.55	\$895.20	\$1170.15

4. Managing images in HTML

There are many reasons why you might want to add an image to a web page: you might want to include a logo, photograph, illustration, diagram, or chart.

Images should...

- Be relevant
- Convey information
- Convey the right mood
- Be instantly recognizable
- Fit the color palette

Stock photos

If you do not have photographs to use on your website, there are companies who sell stock images:


- www.pexels.com

What is the best screen size to design for?

It is important to understand the size of the computer screen in order to coordinate the size of the image. Based on the worldwide screen resolution stats (nov 2016 – nov 2017) chart above and the charts below, these are the resolutions you need to be aware of in 2018.

- 360×640 – 21.54%
- 1366×768 – 12.85%
- 1920×1080 – 7.76%
- 375×667 – 4.94%
- 1440×900 – 3.32%
- 1280×800 – 2.67%

Image formats



PNG Portable Network Graphics

JPG or JPEG Joint Photographic Experts Group

BMP BitMaP

GIF Graphics Interchange format

The images on your computer screen are made up of lots of tiny squares known as pixels. The resolution of the screen is the number of pixels represented on it, and on most computers you can increase and decrease this number.

JPEG offers good quality when the image has many different colors.

GIF or PNG images are low quality images which are good for images with few colors or large areas of the same color (flat color). Example of them are logos, illustrations, and diagrams.

Exercise) which format would you save the following images?




Image dimensions

The images you use on your website should be saved at the same width and height that you want them to appear on the page.

Cropping image

When cropping images it is important not to lose valuable information. It is best to source images that are the correct shape if possible.



Store images

As a website grows, keeping images in a separate folder helps you understand how the site is organized. Usually they are stored in sub-folder called “images”.

On a big site you might like to add subfolders inside the images folder. For example, images such as logos and buttons might sit in a folder called interface, product photographs might sit in a page called products, and images related to news might live in a folder called news.

Adding images to a webpage

To add an image into the page you need to use an `` element. This is an empty element (which means there is no closing tag). It must carry the attribute `src`.

`` attributes

src tells the browser where it can find the image file. This will usually be a relative URL pointing to an image on your own site.

alt provides a text description of the image which describes the image if you cannot see it.

title provides additional information about the image. Most browsers will display the content of this attribute in a tooltip when the user hovers over the image.

height specifies the height of the image in pixels.

width specifies the width of the image in pixels.

Alignment of an image in a webpage

The align attribute was commonly used to indicate how the other parts of a page should flow around an image. It has been removed from HTML5 and new websites should use CSS to control the alignment of images.

The align attribute can take these values:

left aligns the image to the left (allowing text to flow around its right-hand side).

right aligns the image to the right (allowing text to flow around its left-hand side).

top aligns the first line of the surrounding text with the top of the image.

middle aligns the first line of the surrounding text with the middle of the image.

bottom aligns the first line of the surrounding text with the bottom of the image.

```
<h3 align="center">Images and attributes</h3>

```

HTML

Images and attributes



DISPLAY

HTML5: figure and figure caption

HTML5 has introduced a new **<figure>** element to contain images and their caption so that the two are associated.

You can have more than one image inside the **<figure>** element as long as they all share the same caption.


The **<figcaption>** element has been added to HTML5 in order to allow web page authors to add a caption to an image.

```
<h3 align="center">Images using figure and attributes</h3>
<figure>
  
  
  
  <figcaption>This is a caption using tab figcaption <br/><i>QCC Logos </i>
</figcaption>
</figure>
```

HTML

DISPLAY

Images using figure and attributes



This is a caption using tab figcaption
QCC Logos

5. Links

Links are the defining feature of the web because they allow you to move from one web page to another — enabling the very idea of browsing or surfing

Writing Links

Links are created using the **<a>** element. Users can click on anything between the opening **<a>** tag and the closing **** tag.

By default, links will appear as follows in all browsers:

- An unvisited link is underlined and blue
- A visited link is underlined and purple
- An active link is underlined and red

Some of **<a>** attributes are **href** and **target**:

- **href**: Specifies the URL of the page the link goes to.
- **target**: Specifies where to open the linked document. Some of the value of attribute target are: `_blank`, `_parent`, `_self`, `_top`

Linking to other sites

Links are created using the **<a>** element which has an attribute called **href**. The value of the href attribute is the page that you want people to go to when they click on the link.

DISPLAY

Linking to other sites

For more information about the college, click in the following link: [Queensborough Community College](http://www.qcc.cuny.edu)

HTML

```
<h3>Linking to other sites </h3>
<p>For more information about the college, click in the following link:
<a href="http://www.qcc.cuny.edu">Queensborough Community College</a></p>
```

Opening Links in a New Window

If you want a link to open in a new window, you can use the **target** attribute on the opening `<a>` tag. The value of this attribute should be **"blank"**.

```
<h3>Linking to other sites </h3>
<p>For more information about the college, click in the following link:
<a href=http://www.qcc.cuny.edu target=_blank>Queensborough Community
College</a></p>
```

HTML

Email Links

To create a link that email to a specified email address, you use the `<a>` element, follow by the attribute **href** starts with **mailto:** and is followed by the email address you want the email to be sent to.

Linking to an email address

Send an email to: [Professor Wu](mailto:hwu@qcc.cuny.edu)

DISPLAY

```
<h3>Linking to an email address </h3>
<p>Send an email to: <a href="mailto:hwu@qcc.cuny.edu">Professor Wu</a></p>
```

HTML

Linking to a specific part of the same page

Before you can link to a specific part of a page, you need to identify the points in the page that the link will go to. You do this using the **id** attribute (which can be used on every HTML element).

The value of the **id** attribute should start with a letter or an underscore (not a number or any other character) and, on a single page, no two id attributes should have the same value.

To link to an element that uses an **id** attribute you use the `<a>` element again, but the value of the href attribute starts with the **#** symbol, followed by the value of the **id** attribute of the element you want to link to.

Example)

identify the part of your page where the **id bottom** will return when is clicked:

```

```

When the word **Go to Image** is clicked, it will link to an element with id **bottom**:

```
<p><a href="#bottom">Go to Image</a></p>
```

This is possible if the image is at the same webpage. If the link is in the other webpage, the code has to link to the webpage that it has followed by the id name:

```
<p><a href="index.com#bottom">Top</a></p>
```

Navigation Bars

Having easy-to-use navigation is important for any web site.

Later in the class, you will use CSS to transform the HTML menus into good-looking navigation bars. For now, you can create navigation bar using unordered list.

Example) Create navigation bars using element.

Navigation Bars Using "ul"

- [Different type of lists](#)
- [Tables and Attributes](#)
- [Images and Figure](#)
- [Different type of links](#)

DISPLAY

```
<h3>Navigation Bars Using "ul"</h3>
<ul>
  <li><a href="#list1">Different type of lists</a></li>
  <li><a href="#tables2">Tables and Attributes</a></li>
  <li><a href="#images">Images and Figure</a></li>
  <li><a href="#links">Different type of links</a></li>
</ul>
```

HTML

In this case, we are using internal links that will link to a specific part of the same page. For that, we have to mark the element that the link has as reference using the **id** attribute. For example, to make an internal link to the Different type of lists, we can id el **** element with **id="list1"**

```
<ol id="list1">
  <li>Never miss classes</li>
  <li>Always participate in class activities and finish them on time</li>
  <li>Dedicate at least 2 hours of my free time to practice the codes I learned in my class</li>
  <li> Seek help from my professor, classmates, or tutors in case I do not understand the class material</li>
  <li> Never give up!</li>
</ol>
```

HTML

The **<nav>** tag defines a set of navigation links in an inline form. The nav tag is not supported in Internet Explorer 8 and earlier versions.

Navigation Liks using

[QCC](http://www.qcc.cuny.edu) | [CUNY Center](http://www2.cuny.edu/) |

DISPLAY



```
<h3> Navigation Liks using </h3>
<nav>
  <a href="http://www.qcc.cuny.edu" target="blank">QCC |</a>
  <a href="http://www2.cuny.edu/" target="blank">CUNY Center |</a>
</nav>
```

HTML

Linking to other pages on the same site

To link the pages within the same, you will need to create and organize the html files in their respective folder. You will need to create parents folder, child folders, grandchildren folders (if it is necessary), etc.

The main homepage of a site written in HTML (and the homepages of each section in a child folder *recommended) is called **index.html**



How to link a webpage within the same site?

- To link to a file in the same folder, just use the file name

```
<p><a href="projects.html">Professional Projects</a></p>
```

- To link a file in a child folder, use the name of the child folder, followed by a forward slash, then the file name

```
<p><a href="images/imagesGallery.html">Project Gallery Images</a></p>
```

- To link to the homepage from a child folder, or to one folder before it, use `../`

For example, if you are writing a code in webpage imagesGallery.html, which is located in a child folder “images”, and you want to make a link to go back to the index page, which is located in a parent folder, you will write the code as the following:

```
<p><a href="../index.html">Go back to homepage</a></p>
```

How to link an image to other side

To use an image as a link, put the `` tag inside the `<a>` tag:

HTML

```
<h3>How to link an image to other side</h3>
<a href="http://www.qcc.cuny.edu/index.html" target="_blank">
</a>
```

DISPLAY

How to link an image to other side

