

The Sunda Arc is talking. Six kitchens. One trench.

6 September 2026 · 22:38 MYT
Actor: GROK · Organ: GEOX
Session
SEAL-24cc7ff3e27340ed



Visual: generated scene of Anak Krakatau, Sunda Strait.
Not a satellite frame. Do not treat as OBSERVED imagery.

Anak Krakatau went Red.

MAGMA VONA 2026-09-05
02:00Z. BMKG tracked ash to
50,000 ft on the Sumatra side
and 20,000 ft toward Java.
Soekarno-Hatta closed.
Reuters counted hundreds of
flights. BNPB: no tsunami
imminent.

Same weekend: Sinabung broke a
four-year quiet (Level III), Semeru
kept its daily rhythm, Ibu and Ili
Lewotolok pulsed, Lewotobi Laki-
laki stayed on watch. PVMBG:
separate magma kitchens. Not one
pipe.

OBS · MAGMA / BMKG / REUTERS

DER · GEOX TECTONIC_CONTEXT

INT · BACK-ARC MALAY PLAY

50k_{ft}
Ash ceiling (Sumatra
side)


BMKG + VAAC Darwin /
Himawari-9. Tropopause-
class column. Aviation-
critical, not a Strombolian
backyard fountain.

RED
VONA Anak
Krakatau

Official notice 2026-09-05
02:00 UTC. Ground
observer often could not
see the high cloud.

6
Independent
eruptions 31 Aug

Ibu, Semeru, Lewotobi
Laki-laki, Ili Lewotolok,
Anak Krakatau, Sinabung.
Rita Susilawati (PVMBG):



Satellite saw what the island could not.

“dapurnya sendiri-sendiri.”

Live GEOX — four tools that were dead this afternoon

Tool	Before	Now	What it said about this event
geox_map	NameError _map_layers_list	OK · 4 layers · Sunda Strait bbox	Coastline + SE Asia maritime context for 104.5-106.5E / 7-5.5S.
geox_deep_time	unexpected kwargs / empty	OK · tectonic_context	Anak Krakatau (−6.102, 105.423) sits on the Sunda Arc. Overriding: Eurasia / Sunda Block. Subducting: Indo- Australian. Trench: Sunda. Regime: oceanic- continental, oblique in Sumatra, frontal in Java.
geox_basin	ok:true + empty (schema lie)	PASS · Malay Basin evidence	Back-arc of this same trench. Late Eocene- Oligocene failed rift. >14 km fill. Groups J/I/K ~60% of resources (Madon 2021). The volcanoes are the arc. The oil is the sag behind it.
geox_geomechanics	unreachable / hard fail	PASS · Physics9 AAA	Textbook andesite cell ρ=2650, Vp=5500, Vs=3200 → K=44.0 GPa, G=27.1 GPa, E=67.5 GPa, ν=0.244, Vp/Vs=1.72. DERIVED, not a measured Anak sample.

Who is erupting — 31 Aug to 6 Sep 2026

Volcano	Coords	Status	Pulse	Label
Anak Krakatau	6.10°S 105.42°E	VONA RED 5 Sep	Ash 20-50 kft; Soetta closed; 2018 tsunami scar still governs the exclusion mind	OBS MAGMA/ BMKG/ Reuters
Sinabung	3.17°N 98.39°E	Level III Siaga	31 Aug 10:17 WIB, 3,500 m column, first since 2021/Level II since May 2023	OBS PVMBG
Semeru	8.11°S 112.92°E	Level III	6 Sep 07:51 WIB, ~1,000 m; 1,808 eruptions YTD 2026 (Kompas)	OBS MAGMA
Ibu (Halmahera)	1.49°N 127.63°E	Level II	Repeated 6 Sep; 22:48 WIT column ~500 m; 1,492 eruptions YTD	OBS MAGMA
Ili Lewotolok		Level II		OBS MAGMA

8.27°S
123.51°E

6 Sep 06:41 WITA, 600 m;
exclusion 2 km + 3 km SE
sector

Lewotobi
Laki-laki

8.36°S
122.78°E


Level III

On the 31 Aug six; 5 km
exclusion still live

OBS PVMBG

The map in one sentence

SUNDA TRENCH → ARC → BACK-ARC (Malay / Natuna / Sunda basins)



What a geologist-economist should actually take

1. Do not fuse the kitchens

PVMBG + Daryono: no shared magma plumbing. Simultaneous eruptions are what 127 active volcanoes on one trench look like when several systems independently reach critical fluid pressure. Correlation $\neq$ coupling.

2. The aviation shock is the real cash event

50,000 ft ash in the Sunda Strait sits on Jakarta–Singapore–Jeddah–Australia trunks. Soetta halt, 209–301 flights depending on the hour, SIA cancelled the day. That is supply-chain, not lava.

3. Malay Basin is the quiet twin

Same Sunda stress family, opposite kinematic job: the arc consumes slab, the back-arc stored 40% of Malaysia's hydrocarbons (Madon 2021). Elevated arc activity is not a drill trigger. It is a reminder the trench is not a museum.

GEOX stress check (Zoback polygon, 8 km, $\rho=2700$, $P_p=80$ MPa) — DERIVED

$$S_v = 211.9 \text{ MPa} \cdot \sigma_v' = 131.9 \text{ MPa} \cdot \mu=0.6 \cdot n^2=3.12$$

Normal-faulting $Sh_{min} \geq 122 \text{ MPa}$ · Reverse $SH_{max} \leq 491 \text{ MPa}$.

This is a textbook Andersonian bound, not an in-situ stress measurement at Krakatau. Useful as a scale: an 8 km column of volcanic crust is already in the 200 MPa vertical-stress club.

Sources (OBS): MAGMA Indonesia VONA KRA 2026-09-05 02:00Z Red; MAGMA informasi-letusan 6 Sep 2026 (Ibu, Ili Lewotolok, Semeru); BMKG ash heights via Reuters/CNN 6 Sep 2026; PVMBG Rita Susilawati to ANTARA 2 Sep 2026; Tempo/Merdeka on Sinabung 31 Aug 2026; Kompas on Semeru YTD counts.

GEOX (DER): geox_map layers_list; geox_deep_time tectonic_context; geox_basin Malay profile (Madon 1999/2021); geox_geomechanics Physics9 AAA moduli. GPlates rotation files not loaded — paleo position HOLD.

Shadow: Macrostrat v2 returned 500 for Sunda centroid, so no live stratigraphic units at the volcano.

Sunda Basin has no local petroleum profile. Do not invent one.

DITEMPA BUKAN DIBERI · GEOX v2026.08.26 · authority ceiling 555_COMPUTE_ONLY · final authority ARIF