VULTR AGENT RUSH · HYBRID HACKATHON 2026

Agent Rush
Blast Radius Zero

An agent runtime where every execution is a fresh, networkless, read-only, non-root container — and the API returns the containment flags next to the exit code.

01 · THE PROBLEM

An agent that can act is an agent that can escape

Chat-only agents are demos. Real work means running code, touching files, calling tools. The moment an agent can do that, the blast radius stops being theoretical: a bad plan, a malicious input, or a hallucinated path reaches your host, your network, or your data.

Containment is not a feature you add later. It is the runtime.

02 · ARCHITECTURE

Plan → dispatch → contained run → record

Plan with a hosted model → Dispatch one concrete step → Execute in a fresh container → Return flags + exit code

The control layer never executes the plan itself. It hands one step at a time to an isolated environment and gets back output it can verify.

03 · CONTAINMENT PER RUN

Every run starts with nothing

- Network disabled — no egress, no lateral movement
- Root filesystem read-only, single tmpfs scratch
- Non-root user, no-new-privileges, all capabilities dropped
- CPU, memory and PID caps plus a wall-clock timeout
- Fresh container per job — nothing survives between runs
- Containment flags returned next to the exit code

04 · WHY A JUDGE CAN CHECK IT

Verifiable, not claimed

```
POST /run  ->  {
  "exit_code": 0,
  "stdout": "...",
  "containment": {
    "network": "none",
    "read_only_rootfs": true,
    "user": "non-root",
    "cap_drop": ["ALL"],
    "no_new_privileges": true
  }
}
```

The response carries the constraints that held during that specific run. A reviewer does not have to trust a dashboard — the evidence arrives with the output.

05 · ON VULTR

Vultr VM backend, production-shaped

- Docker Compose stack on a Vultr Cloud Compute instance
- Hosted inference via an OpenAI-compatible endpoint
- Health endpoint reports model, mode and missing env at a glance
- Container-per-execution isolation inside the VM
- Public demo URL served from the Vultr deployment