

LAB 06: IAM


Part1: IAM Policies

Tasks to Be Performed:

1. Create policy number 1 which lets the users:
 - a. Access S3 completely
 - b. Only create EC2 instances
 - c. Full access to RDS
2. Create a policy number 2 which allows the users to:
 - a. Access CloudWatch and billing completely
 - b. Can only list EC2 and S3 resources
3. Attach policy number 1 to the Dev Team from task 1
4. Attach policy number 2 to the Ops Team from task 1

Guidelines:

Log in to the AWS Management Console and navigate to the IAM service



Click on Policies → Create Policy

Policy details

Policy name

Enter a meaningful name to identify this policy.

PolicyNumber1

Maximum 128 characters. Use alphanumeric and "+, @, _" characters.

Description - optional

Add a short explanation for this policy.

Access S3 Completely, Only Create EC2 Instances and Full Access to RDS

Maximum 1,000 characters. Use alphanumeric and "+, @, _" characters.

Permissions defined in this policy [Info](#)

Permissions in the policy document specify which actions are allowed or denied.

Q Search

Show remaining 382 services

Allow (3 of 385 services)

Service	Access level	Resource	Request condition
RDS	Full access	All resources	None
S3	Full access	All resources	None
EC2	Limited: List, Tagging, Write	All resources	None

Add tags - optional [Info](#)

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

Add tag

You can add up to 50 more tags.

Cancel

Previous

Create policy

Create Policy

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "VisualEditor0",
      "Effect": "Allow",
      "Action": [
        "ec2:DescribeInstances",
        "ec2:StartInstances",
        "rds:*",
        "s3:*",
        "ec2:CreateTags",
        "ec2:DescribeInstanceAttribute",
        "ec2:DescribeRegions",
        "ec2:DescribeInstanceTypes",
        "ec2:RunInstances",
        "ec2:AssociateAddress",
        "ec2:DescribeInstanceStatus"
      ],
      "Resource": "*"
    }
  ]
}
```

JSON Format Policy details

Now create PolicyNumber2

Policy details

Policy name
Enter a meaningful name to identify this policy.

PolicyNumber2

Maximum 128 characters. Use alphanumeric and "+-.,@_" characters.

Description - optional
Add a short explanation for this policy.

CloudWatch, billing, EC2 and S3 access

Maximum 1,000 characters. Use alphanumeric and "+-.,@_" characters.

Permissions defined in this policy [Info](#) [Edit](#)

Permissions in the policy document specify which actions are allowed or denied.

Allow (3 of 385 services) [Show remaining 382 services](#)

Service	Access level	Resource	Request condition
S3	Limited: List	All resources	None
CloudWatch	Full access	All resources	None
EC2	Limited: List	All resources	None

Add tags - optional [Info](#)

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

[Add tag](#)

You can add up to 50 more tags.

[Cancel](#) [Previous](#) [Create policy](#)

Create Policy, JSON Format policy details are below

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "VisualEditor0",
      "Effect": "Allow",
      "Action": [
        "ec2:DescribeInstances",
        "s3:ListAllMyBuckets",
        "cloudwatch:*",
        "s3:ListBucket"
      ],
      "Resource": "*"
    }
  ]
}
```

Attaching Policies to Groups

User groups (3) [Info](#)

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.

Search

☐	Group name	Users	Permissions	Creation time
☐	DevTeam	2	⚠ Not defined	3 hours ago
☐	LocalUsers	2	✅ Defined	6 months ago
☐	OpsTeam	2	⚠ Not defined	3 hours ago

Select the group with which you want to associate a policy

[IAM](#) > [User groups](#) > [DevTeam](#)

DevTeam [Info](#) Delete

Summary Edit

User group name: DevTeam
 Creation time: September 25, 2023, 18:07 (UTC+05:30)
 ARN: [arn:aws:iam:208253838762:group/DevTeam](#)

Users (2) | **Permissions** | Access Advisor

Permissions policies (0) [Info](#)

You can attach up to 10 managed policies.

Filter by Type: All types

Search

☐ Policy name

Type

Attached entities

No resources to display

Remove Add permissions Attach policies Create inline policy

Attach permission policies to DevTeam

Current permissions policies (0)

Other permission policies (1/887)

You can attach up to 10 managed policies to this user group. All of the users in this group inherit the attached permissions.

Filter by Type: All types 2 matches

Search: PolicyNumber

☐	Policy name	Type	Used as	Description
☒	PolicyNumber1	Customer managed	None	Access S3 Completely. Only Create EC2 In...
☐	PolicyNumber2	Customer managed	None	CloudWatch, billing, EC2 and S3 access

Cancel Attach policies

Select the correct policy and “**Attach the Policies**”

Similar repeat attaching policy steps to OpsTeam Group

[IAM](#) > [User groups](#)

User groups (3) [Info](#)

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.

Search

☐	Group name	Users	Permissions	Creation time
☐	DevTeam	2	✅ Defined	3 hours ago
☐	LocalUsers	2	✅ Defined	6 months ago
☐	OpsTeam	2	✅ Defined	3 hours ago

That’s all for configuring the policies.

Part 2: IAM Assignment

Tasks to Be Performed:

1. Create 4 IAM users named "Dev1", "Dev2", "Test1", and "Test2".
2. Create 2 groups named "Dev Team" and "Ops Team".
3. Add Dev1 and Dev2 to the Dev Team.
4. Add Dev1, Test1 and Test2 to the Ops Team