


Utilizo el método POST para insertar un registro:




The screenshot shows the Elastic Dev Tools interface. The left pane displays the request: a POST to `clientes/_doc` with a JSON body containing client information. The right pane shows the response, which includes the document's ID, version, and a confirmation of successful creation. A status bar at the top right indicates "201 - Created" and "27 ms".

```
1 POST clientes/_doc
2 {
3   "nombre": "Mariano",
4   "apellido": "Lopez",
5   "pais": "Argentina",
6   "localidad": "Buenos Aires"
7 }
```

```
1 {
2   "_index": "clientes",
3   "_type": "_doc",
4   "_id": "88Mu0JY80hyzAk-Rptum",
5   "_version": 1,
6   "result": "created",
7   "_shards": {
8     "total": 2,
9     "successful": 1,
10    "failed": 0
11  },
12   "_seq_no": 754,
13   "_primary_term": 1
14 }
```

Luego, utilizando el comando GET recupero el documento recién creado:



The screenshot shows the Elastic Dev Tools interface. The left pane displays the request: a GET to `clientes/_search` with a query matching the document by country. The right pane shows the response, which includes search metadata and the retrieved document. A status bar at the top right indicates "200 - OK" and "874 ms".

```
1 GET clientes/_search
2 {
3   "query": {
4     "match": {
5       "pais": "Argentina"
6     }
7   }
8 }
```

```
1 {
2   "took": 858,
3   "timed_out": false,
4   "_shards": {
5     "total": 1,
6     "successful": 1,
7     "skipped": 0,
8     "failed": 0
9   },
10  "hits": {
11    "total": {
12      "value": 1,
13      "relation": "eq"
14    },
15    "max_score": 6.222576,
16    "hits": [
17      {
18        "_index": "clientes",
19        "_type": "_doc",
20        "_id": "88Mu0JY80hyzAk-Rptum",
21        "_score": 6.222576,
22        "_source": {
23          "nombre": "Mariano",
24          "apellido": "Lopez",
25          "pais": "Argentina",
26          "localidad": "Buenos Aires"
27        }
28      }
29    ]
30  }
```