

# **Experiment-3.1**

Student Name: Arijit Patra UID: 23BCS11450

Branch: CSE Section/Group: KRG-3B

Semester: 5th Date of Performance: 22/08/25

Subject Name: ADBMS Subject Code: 23CSP-333

#### 1. Aim:

#### **Department Salary Champions Explorer**

In a bustling corporate organization, each department strives to retain the most talented (and well-compensated) employees. You have access to two key records: one lists every employee along with their salary and department, while the other details the names of each department. Your task is to identify the top earners in every department.

If multiple employees share the same highest salary within a department, all of them should be celebrated equally. The final result should present the **department name**, **employee name**, **and salary of these top-tier professionals** arranged by department.

### 2. Objective:

- To understand and implement sub-queries in SQL.
- To identify the top earners in each department using correlated sub-queries.
- To practice handling scenarios where multiple employees share the same maximum salary.
- To merge datasets from multiple sources using UNION ALL.
- To apply GROUP BY with aggregate functions (MAX, MIN) for meaningful reporting.
- To retrieve the lowest recorded salary for each employee across different systems.
- To develop practical problem-solving skills for analytical database queries.

## 3. DBMS Script:

```
--EXPERIMENT 03: Department Salary Champions Explorer (MEDIUM LEVEL)
CREATE TABLE department (
    id INT PRIMARY KEY,
    dept_name VARCHAR(50)
);
CREATE TABLE employee
    ( id INT,
    name VARCHAR(50),
    salary INT,
    department_id INT,
    FOREIGN KEY (department_id) REFERENCES department(id)
);
```

INSERT INTO department (id, dept name) VALUES

(1, 'IT'), (2, 'SALES');

INSERT INTO employee (id, name, salary, department id) VALUES

(1, 'JOE', 70000, 1),

(2, 'JIM', 90000, 1),

(3, 'HENRY', 80000, 2),

(4, 'SAM', 60000, 2),

(5, 'MAX', 90000, 1);

SELECT (SELECT dept\_name FROM department d where d.id = e.department\_id) AS DEPT NAME, name, salary

FROM Employee e

WHERE salary IN (SELECT MAX(e2.salary) FROM employee e2 WHERE e2.department\_id = e.department\_id);

## 4. Output:

### Output 1:

⊞ Results		Messages		
	DEPT	_NAME	name	salary
1	SALE	S	HENRY	80000
2	IT		MAX	90000
3	IT		JIM	90000

### 5. Learning Outcomes:

- Successfully implemented sub-queries to extract top salary earners by department.
- Practiced combining two datasets with UNION ALL.
- Used GROUP BY and aggregate functions (MAX, MIN) to derive meaningful insights.
- Understood how to merge historical records and identify minimum salaries.
- Strengthened SQL querying skills for analytical use cases.