



Description	Simulation	Mean $\pm$ Std
xy-ric2	vqe	-5.16950 $\pm$ 0.19350
xy-ric2	redundant (noise=7)	-5.16950 $\pm$ 0.19350
xy-ric2	redundant (noise=21)	-2.99078 $\pm$ 0.39084
xy-ric2	zne	-6.25886 $\pm$ 0.22437
xy-ric2	noiseoff	-7.99421 $\pm$ 0.04690
xy-ric3	vqe	-5.16950 $\pm$ 0.19350
xy-ric3	redundant (noise=7)	-5.16950 $\pm$ 0.19350
xy-ric3	redundant (noise=21)	-2.99078 $\pm$ 0.39084
xy-ric3	redundant (noise=35)	-1.84567 $\pm$ 0.42715
xy-ric3	zne	-6.64647 $\pm$ 0.28091
xy-ric3	noiseoff	-7.99421 $\pm$ 0.04690
xy-ric4	vqe	-5.16950 $\pm$ 0.19350
xy-ric4	redundant (noise=7)	-5.16950 $\pm$ 0.19350
xy-ric4	redundant (noise=21)	-2.99078 $\pm$ 0.39084
xy-ric4	redundant (noise=35)	-1.84567 $\pm$ 0.42715
xy-ric4	redundant (noise=49)	-1.21870 $\pm$ 0.41368
xy-ric4	zne	-6.80755 $\pm$ 0.32318
xy-ric4	noiseoff	-7.99421 $\pm$ 0.04690
xy-ric5	vqe	-5.16950 $\pm$ 0.19350
xy-ric5	redundant (noise=7)	-5.16950 $\pm$ 0.19350
xy-ric5	redundant (noise=21)	-2.99078 $\pm$ 0.39084
xy-ric5	redundant (noise=35)	-1.84567 $\pm$ 0.42715
xy-ric5	redundant (noise=49)	-1.21870 $\pm$ 0.41368
xy-ric5	redundant (noise=63)	-0.85107 $\pm$ 0.42232
xy-ric5	zne	-6.87773 $\pm$ 0.34726
xy-ric5	noiseoff	-7.99421 $\pm$ 0.04690
xy-ric6	vqe	-5.16950 $\pm$ 0.19350
xy-ric6	redundant (noise=7)	-5.16950 $\pm$ 0.19350
xy-ric6	redundant (noise=21)	-2.99078 $\pm$ 0.39084
xy-ric6	redundant (noise=35)	-1.84567 $\pm$ 0.42715
xy-ric6	redundant (noise=49)	-1.21870 $\pm$ 0.41368
xy-ric6	redundant (noise=63)	-0.85107 $\pm$ 0.42232
xy-ric6	redundant (noise=77)	-0.59358 $\pm$ 0.50139
xy-ric6	zne	-6.91393 $\pm$ 0.36385
xy-ric6	noiseoff	-7.99421 $\pm$ 0.04690
xy-ric7	vqe	-5.16950 $\pm$ 0.19350
xy-ric7	redundant (noise=7)	-5.16950 $\pm$ 0.19350
xy-ric7	redundant (noise=21)	-2.99078 $\pm$ 0.39084
xy-ric7	redundant (noise=35)	-1.84567 $\pm$ 0.42715
xy-ric7	redundant (noise=49)	-1.21870 $\pm$ 0.41368
xy-ric7	redundant (noise=63)	-0.85107 $\pm$ 0.42232
xy-ric7	redundant (noise=77)	-0.59358 $\pm$ 0.50139
xy-ric7	redundant (noise=91)	-0.31962 $\pm$ 0.75925
xy-ric7	zne	-6.92748 $\pm$ 0.36929
xy-ric7	noiseoff	-7.99421 $\pm$ 0.04690


XY ansatz ric-2




XY ansatz ric-3




XY ansatz ric-4




XY ansatz ric-5



XY ansatz ric-6



xy-ric7



XY VQE CONFIGURATION

Parameter	Value
run	vqe
nqubits	7
state	dmatrix
output.file_name_prefix	xy_ansatz_time_depol
output.draw.status	False
output.draw.fig_dpi	100
output.draw.type	png
observable.def	ising
observable.coefficients.cn	[0.5, 0.5, 0.5, 0.5, 0.5, 0.5]
observable.coefficients.bn	[1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0]
observable.coefficients.r	1
ansatz.layer	30
ansatz.gateset	1
ansatz.ugate.type	xy-iss
ansatz.ugate.coefficients.cn	[0.5, 0.5, 0.5, 0.5, 0.5, 0.5]
ansatz.ugate.coefficients.bn	[0, 0, 0, 0, 0, 0, 0]
ansatz.ugate.coefficients.r	0
ansatz.ugate.time.min	0.0
ansatz.ugate.time.max	100.0
vqe.iteration	10
vqe.optimization.status	True
vqe.optimization.algorithm	SLSQP
vqe.optimization.constraint	True
init_param.value	random
noise_profile.status	True
noise_profile.type	time-depol
noise_profile.noise_prob	[0, 0, 0.001, 0.0]
noise_profile.noise_on_init_param.status	False
noise_profile.noise_on_init_param.value	0
redundant.identity_factors	[[0, 0, 0, 0], [1, 1, 1, 1]]
zne.method	richardson
zne.degree	1
zne.sampling	default
zne.data_points	