



Description	Simulation	Mean $\pm$ Std
xy-ric2	vqe	-8.09328 $\pm$ 0.06585
xy-ric2	redundant (noise=7)	-8.09328 $\pm$ 0.06585
xy-ric2	redundant (noise=21)	-7.84730 $\pm$ 0.06152
xy-ric2	zne	-8.21628 $\pm$ 0.07132
xy-ric2	noiseoff	-8.36934 $\pm$ 0.15125
xy-ric3	vqe	-8.09328 $\pm$ 0.06585
xy-ric3	redundant (noise=7)	-8.09328 $\pm$ 0.06585
xy-ric3	redundant (noise=21)	-7.84730 $\pm$ 0.06152
xy-ric3	redundant (noise=35)	-7.61821 $\pm$ 0.06656
xy-ric3	zne	-8.22261 $\pm$ 0.07142
xy-ric3	noiseoff	-8.36934 $\pm$ 0.15125
xy-ric4	vqe	-8.09328 $\pm$ 0.06585
xy-ric4	redundant (noise=7)	-8.09328 $\pm$ 0.06585
xy-ric4	redundant (noise=21)	-7.84730 $\pm$ 0.06152
xy-ric4	redundant (noise=35)	-7.61821 $\pm$ 0.06656
xy-ric4	redundant (noise=49)	-7.40514 $\pm$ 0.07856
xy-ric4	zne	-8.22289 $\pm$ 0.07144
xy-ric4	noiseoff	-8.36934 $\pm$ 0.15125
xy-ric5	vqe	-8.09328 $\pm$ 0.06585
xy-ric5	redundant (noise=7)	-8.09328 $\pm$ 0.06585
xy-ric5	redundant (noise=21)	-7.84730 $\pm$ 0.06152
xy-ric5	redundant (noise=35)	-7.61821 $\pm$ 0.06656
xy-ric5	redundant (noise=49)	-7.40514 $\pm$ 0.07856
xy-ric5	redundant (noise=63)	-7.20726 $\pm$ 0.09459
xy-ric5	zne	-8.22291 $\pm$ 0.07144
xy-ric5	noiseoff	-8.36934 $\pm$ 0.15125
xy-ric6	vqe	-8.09328 $\pm$ 0.06585
xy-ric6	redundant (noise=7)	-8.09328 $\pm$ 0.06585
xy-ric6	redundant (noise=21)	-7.84730 $\pm$ 0.06152
xy-ric6	redundant (noise=35)	-7.61821 $\pm$ 0.06656
xy-ric6	redundant (noise=49)	-7.40514 $\pm$ 0.07856
xy-ric6	redundant (noise=63)	-7.20726 $\pm$ 0.09459
xy-ric6	redundant (noise=77)	-7.02380 $\pm$ 0.11283
xy-ric6	zne	-8.22291 $\pm$ 0.07144
xy-ric6	noiseoff	-8.36934 $\pm$ 0.15125
xy-ric7	vqe	-8.09328 $\pm$ 0.06585
xy-ric7	redundant (noise=7)	-8.09328 $\pm$ 0.06585
xy-ric7	redundant (noise=21)	-7.84730 $\pm$ 0.06152
xy-ric7	redundant (noise=35)	-7.61821 $\pm$ 0.06656
xy-ric7	redundant (noise=49)	-7.40514 $\pm$ 0.07856
xy-ric7	redundant (noise=63)	-7.20726 $\pm$ 0.09459
xy-ric7	redundant (noise=77)	-7.02380 $\pm$ 0.11283
xy-ric7	redundant (noise=91)	-6.85403 $\pm$ 0.13236
xy-ric7	zne	-8.22291 $\pm$ 0.07144
xy-ric7	noiseoff	-8.36934 $\pm$ 0.15125


XY ansatz ric-2




XY ansatz ric-3




XY ansatz ric-4




XY ansatz ric-5



XY ansatz ric-6



xy-ric7



XY VQE CONFIGURATION

Parameter	Value
run	vqe
nqubits	7
state	dmatrix
output.file_name_prefix	xy_ansatz_time_depol_0.001_tmax_10
output.draw.status	False
output.draw.fig_dpi	100
output.draw.type	png
observable.def	ising
observable.coefficients.cn	[0.5, 0.5, 0.5, 0.5, 0.5, 0.5]
observable.coefficients.bn	[1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0]
observable.coefficients.r	1
ansatz.layer	30
ansatz.gateset	1
ansatz.ugate.type	xy-iss
ansatz.ugate.coefficients.cn	[0.5, 0.5, 0.5, 0.5, 0.5, 0.5]
ansatz.ugate.coefficients.bn	[0, 0, 0, 0, 0, 0, 0]
ansatz.ugate.coefficients.r	0
ansatz.ugate.time.min	0.0
ansatz.ugate.time.max	10.0
vqe.iteration	10
vqe.optimization.status	True
vqe.optimization.algorithm	SLSQP
vqe.optimization.constraint	True
init_param.value	random
noise_profile.status	True
noise_profile.type	time-depol
noise_profile.noise_prob	[0, 0, 0.001, 0.0]
noise_profile.noise_on_init_param.status	False
noise_profile.noise_on_init_param.value	0
redundant.identity_factors	[[0, 0, 0, 0], [1, 1, 1, 1]]
zne.method	richardson
zne.degree	1
zne.sampling	default
zne.data_points	