Capstone Project 1: Stats

Appliances Energy Prediction –

Business Problem Description – Dataset contains the house temperature and humidity conditions were monitored with a ZigBee wireless sensor network. As per the description on UCI website, each wireless node transmitted the temperature and humidity conditions around 3.3 min, then, the wireless data was averaged for 10 minutes periods. The energy data was logged every 10 minutes with m-bus energy meters. Combining this data with the weather data based on the date time columns

Link for the Jupyter file

- https://github.com/arijitsinha80/Springboard/blob/master/Project/Capstoneproject_Phase2_stats.ipynb

From the Data Wrangling activity, we created the **input.csv** as the final dataset. This has 19735 observations and 30 attributes.

Divide the data in dimension wise to explore from the input dataset –

```
# Temperature sensors columns
temp_cols = ["T1", "T2", "T3", "T4", "T5", "T6", "T7", "T8", "T9"]

# Humidity sensors columns
hum_cols = ["RH_1", "RH_2", "RH_3", "RH_4", "RH_5", "RH_6", "RH_7", "RH_8"
, "RH_9"]

# Weather data columns
wth_cols = ["T_out", "Tdewpoint", "RH_out", "Press_mm_hg", "Windspeed", "V
isibility"]

# Target column
tgt = ["Appliances"]
```

From the above dimensions, we will start to explore data for each – Plot the scatter matrix for Temperature attributes using method **" diagonal="kde"**

Plot the scatter matrix for Temperature attributes using method **" diagonal="kde"**



- From the above figure, we can see that there is some linear relation between T7 and T9. Others are having the shape but are not exactly linear.

- There is a relation between these two attributes but also have some outliers



T6 and T_out is highly correlated, T6 is from the outside the house reading and T_out is the data collected from weather's site



Explore the data using the Weather Dimension -



- There doesn't seems to be having any linearity between any of the attributes.

Lets explore the distribution using the histogram –



- All humidity values are almost having normal distribution except RH_6 and RH_out. In other words the reading from inside the home is having normal distribution.
- All temperature readings follow a Normal distribution except for T9.
- Visibility, Windspeed and Appliances are having skewed data.
- Rv1 and Rv2 are random variables and doesn't seems to be contributing

On the Target Attribute – Appliance, the below histograms is rightly skewed and most of the data is with 200 KWh.



Target variable, Appliances is highly right skewed.
Alternatively exploring using Boxplot – on Appliance Attribute



- Percentage of dataset in range of 0-200 KWh is 90.291%

Let's explore the Correlation plot –

With Appliance attribute –



Scatterplot between appliances and t2



Scatter plot between Appliance and Lights



Scatterplot between Appliance and T6



Scatterplot between Appliance and T_out



Variables that are particularly significant in terms of predicting Appliance Energy Consumption based on the correlation matrix –

- Between Appliance and Lights



- Between Appliance and Windspeed



- Between Appliance and T6



- Between Appliance and T2



- Between Appliance and T3



Calculate the Correlation between Temperature features -

- Correlation between T9 and T1 pearson 0.84 0.00 None
- Correlation between T9 and T2 pearson 0.68 0.00 None
- Correlation between T9 and T3 pearson 0.90 0.00 None
- Correlation between T9 and T4 pearson 0.89 0.00 None
- Correlation between T9 and T5 pearson 0.91 0.00 None
- Correlation between T9 and T6 pearson 0.67 0.00 None
- Correlation between T9 and T7 pearson 0.94 0.00 None
- Correlation between T9 and T8 pearson 0.87 0.00 None

Check, if the Temperature, Humidity and Weather features influences Appliance – Using OLS Summary

1. Coefficient table (middle table). We can interpret the t3 coefficient (4.3471) by first noticing that the p-value (under P>|t|) is so small, basically zero. This means that the t3 is a statisticall significant predictor of appliance energy consumption.

The regression coefficient for t3 of 4.3471 means that on average, each additional t3 temperature is associated with an increase the appliance energy consumption

The confidence interval gives us a range of plausible values for this average change, about (3.637 and 5.058)

R^2 is only 0.007, hence t3 doesn't contribute much on the variance. F-Statistic The F-Statistic is 143.8 and the probability for this statistic is 5.09e-33, which is close to 0. We can safely reject the null hypothesis, indicating that at least one coefficient is nonzero.

OLS Regression Results

Dep. Variable:	appliances	R-squared:	0.007
Model:	OLS	Adj. R-squared:	0.007
Method:	Least Squares	F-statistic:	143.8
Date:	Mon, 18 May 2020	Prob (F-statistic):	5.09e-33
Time:	21:12:10	Log-Likelihood:	-1.1931e+05
No. Observations:	19735	AIC:	2.386e+05
Df Residuals:	19733	BIC:	2.386e+05
Df Model:	1		
Covariance Type:	nonrobust		

	coef	std err	t	P>|t|	[0.025	0.975]
Intercept	0.8955	8.105	0.110	0.912	-14.990	16.781
t3	4.3471	0.362	11.992	0.000	3.637	5.058

Omnibus:	14099.091	Durbin-Watson:	0.498
Prob(Omnibus):	0.000	Jarque-Bera (JB):	196052.616
Skew:	3.410	Prob(JB):	0.00
Kurtosis:	16.854	Cond. No.	250.

Warnings:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

2. Coefficient table (middle table). We can interpret the t3+t6 coefficient (0.4119, 1.8871) by first noticing that the p-value (under P>|t|) is so small, basically zero. This means that the t6 is a statisticall significant predictor of appliance energy consumption.

The regression coefficient for t6 of 1.8871, means that on average, each additional t6 temperature is associated with an increase the appliance energy consumption

The confidence interval gives us a range of plausible values for this average change, about (1.566 and 2.208)

R^2 is only 0.014, hence t3 and t6 doesn't contribute much on the variance. F-Statistic The F-Statistic is 138.8 and the probability for this statistic is 1.39e-60, which is close to 0. We can safely reject the null hypothesis, indicating that at least one □ coefficient is nonzero.

OLS Regression Results

Dep. Variable:	appliances	R-squared:	0.014
Model:	OLS	Adj. R-squared:	0.014
Method:	Least Squares	F-statistic:	138.8
Date:	Mon, 18 May 2020	Prob (F-statistic):	1.39e-60
Time:	21:12:21	Log-Likelihood:	-1.1924e+05
No. Observations:	19735	AIC:	2.385e+05
Df Residuals:	19732	BIC:	2.385e+05
Df Model:	2		
Covariance Type:	nonrobust		

	coef	std err	t	P>|t|	[0.025	0.975]
Intercept	73.5949	10.249	7.181	0.000	53.506	93.684
t3	0.4119	0.497	0.828	0.407	-0.563	1.386
t6	1.8871	0.164	11.525	0.000	1.566	2.208

Omnibus:	14117.484	Durbin-Watson:	0.500
Prob(Omnibus):	0.000	Jarque-Bera (JB):	197909.447
Skew:	3.412	Prob(JB):	0.00
Kurtosis:	16.932	Cond. No.	339.

Warnings:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

3. Coefficient table (middle table). We can interpret the t3+t6+rh_out coefficient (1.8057, 0.3079, -0.9076) by first noticing that the p-value (under P>|t|) is so small, basically zero. This means that the t6 is a statistical significant predictor of appliance energy consumption.

The regression coefficient for rh_out of -0.9076, means that on average, each additional t6 temperature is associated with an decrease the appliance energy consumption

The confidence interval gives us a range of plausible values for this average change, about (-1.025 and -0.790)

R^2 is only 0.025 better than previous, hence t3, t6 and rh_out doesn't contribute much on the variance. F-Statistic The F-Statistic is 170.3 and the probability for this statistic is 4.96e-109, which is close to 0. We can safely reject the null hypothesis, indicating that at least one coefficient is nonzero.

OLS Regression Results

Dep. Variable:	appliances	R-squared:	0.025
Model:	OLS	Adj. R-squared:	0.025
Method:	Least Squares	F-statistic:	170.3
Date:	Mon, 18 May 2020	Prob (F-statistic):	4.96e-109
Time:	21:12:55	Log-Likelihood:	-1.1913e+05
No. Observations:	19735	AIC:	2.383e+05
Df Residuals:	19731	BIC:	2.383e+05
Df Model:	3		
Covariance Type:	nonrobust		

	coef	std err	t	P>|t|	[0.025	0.975]
Intercept	127.4360	10.790	11.810	0.000	106.286	148.586
t3	1.8057	0.503	3.592	0.000	0.820	2.791
t6	0.3079	0.193	1.593	0.111	-0.071	0.687
rh_out	-0.9076	0.060	-15.173	0.000	-1.025	-0.790

Omnibus:	14135.525	Durbin-Watson:	0.507
Prob(Omnibus):	0.000	Jarque-Bera (JB):	199836.330
Skew:	3.415	Prob(JB):	0.00
Kurtosis:	17.014	Cond. No.	1.26e+03

Warnings:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 1.26e+03. This might indicate that there are
strong multicollinearity or other numerical problems.

4. Coefficient table (middle table). We can interpret the t1+t2+t3+t4+t5+t6+t7+t8+rh_1+rh_2+windspeed, coefficient (9.0446, -25.6614, 17.7293,-1.4768,-7.3830,-7.5650,1.0356,-6.2685,9.4475,20.0347,-20.3286,1.6784) by first noticing that the p-value (under P>|t|) is so small, basically zero. This means that the t6 is a statisticall significant predictor of appliance energy consumption.

The confidence interval of t3 gives us a range of plausible values for this average change, about (15.814 and 19.644)

R^2 is only 0.098 better than previous, F-Statistic The F-Statistic is 194.5 and the probability for this statistic is 0. We can safely reject the null hypothesis, indicating that at least one β coefficient is nonzero.

OLS Regression Results

Dep. Variable:	appliances	R-squared:	0.098
Model:	OLS	Adj. R-squared:	0.097
Method:	Least Squares	F-statistic:	194.5
Date:	Mon, 18 May 2020	Prob (F-statistic):	0.00
Time:	21:35:34	Log-Likelihood:	-1.1836e+05
No. Observations:	19735	AIC:	2.367e+05
Df Residuals:	19723	BIC:	2.368e+05
Df Model:	11		
Covariance Type:	nonrobust		

	coef	std err	t	P>|t|	[0.025	0.975]
Intercept	123.2455	15.477	7.963	0.000	92.909	153.582
t1	9.0446	1.764	5.127	0.000	5.587	12.502
t2	-25.6614	1.450	-17.697	0.000	-28.504	-22.819
t3	17.7293	0.977	18.148	0.000	15.814	19.644
t4	-1.4768	0.907	-1.628	0.103	-3.255	0.301
t5	-7.3830	1.065	-6.930	0.000	-9.471	-5.295
t6	1.0356	0.227	4.552	0.000	0.590	1.482
t7	-6.2685	0.971	-6.457	0.000	-8.171	-4.366
t8	9.4475	0.881	10.730	0.000	7.722	11.173
rh_1	20.0347	0.630	31.792	0.000	18.799	21.270
rh_2	-20.3286	0.630	-32.261	0.000	-21.564	-19.094
windspeed	1.6784	0.320	5.239	0.000	1.050	2.306

Omnibus:	13836.970	Durbin-Watson:	0.578
Prob(Omnibus):	0.000	Jarque-Bera (JB):	196316.384
Skew:	3.306	Prob(JB):	0.00
Kurtosis:	16.965	Cond. No.	1.80e+03

Warnings:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 1.8e+03. This might indicate that there are
strong multicollinearity or other numerical problems.

<u>Pairplot</u> for 't6','t2', 'rh_2','lights','t_out','windspeed','tdewpoint' features for their distribution –



Is there a significant difference between T6 and T_out and impact my future Prediction Models –

With Description and plotting the **jointplot** of the two features -



Run a Two-sided T-test with the following hypotheses:

Null hypothesis: t6 = t_out

Alternate hypothesis: t6 != t_out
Upon Conducting the T-Test – received the below values - Ttest_indResult (statistic=8.675177895656354, pvalue=4.283728402821399e-18)

Result - Given the high p-value: 4.2, hence will not reject the null hypothesis that feature t6 and t_out almost same and redundant.

Major Inference –

- Temperature feature from T1-T9 and T_out have positive correlation with the target Appliances. For the indoor temperatures, the correlations are high as expected. Four columns have a high degree of correlation with T9 & T3,T5,T7,T8 also T6 & T_Out has high correlation (both temperatures from outside) . Hence we can remove the T9 and T_out from the model in next section.

- Weather attributes - Visibility, Tdewpoint, Press_mm_hg have low correlation values

- Humidity - There are no significantly high correlation cases for humidity sensors.

- Random variables have no role to play; hence we will remove these features from the model in next section.