

AgentPay

Instant stablecoin payments between AI agents for data, compute, and APIs on Solana

The Problem & Our Solution

AI agents can't pay each other without humans, credit cards, or manual billing loops.

- Agents need machine-native payments for APIs, data, and compute.
- Credit cards and invoices require human approval, breaking autonomy.
- AgentPay adds instant USDC micropayments to any HTTP endpoint.
- A simple 402-style handshake lets agents pay-to-call in real time.
- Built on Solana Pay for speed and low transaction fees.



How It Works

A caller agent hits a paid endpoint, signs a USDC micropayment, and gets the response instantly.

- Agent requests an endpoint; server responds with 402 Payment Required.
- Caller's wallet auto-signs a USDC Solana Pay transaction within policy limits.
- Server verifies the on-chain payment, then returns data or compute output.
- Dashboard streams the live agent-to-agent payment graph via WebSockets.
- Spending limits and policy rules per wallet prevent runaway costs.

Built with

Solana, Solana Pay, USDC,
Rust/Anchor, Node.js SDK,
WebSockets, React dashboard

Why Now & What's Next

Agent frameworks are exploding, and Solana-native payment rails for agents are still immature.

- The x402/agent-payment pattern is gaining traction across AI ecosystems.
- Solana offers speed and low fees, ideal for agent-to-agent micropayments.
- Next: subscription-style recurring payments between agents.
- Next: native integrations with frameworks like LangChain and CrewAI.
- Next: an open registry of payable agent endpoints.

Category

AI