C# For Intermediate

ACTIVITY 7

(Web API)

Muhammad Rizqulloh Ramadhan

54419443

3IA03


```csharp
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;

namespace pert7_mrizqulloh.Models
{
    public class Product
    {
        public int Id { set; get; }
        public String Name { set; get;
        public double Price { set; get;
        public int Stock { set; get; }
    }
}
```



```html
<header>
    <div class="content-wrapper">
        <div class="float-left">
            <p class="site-title">
                <a href="~/">ASP.NET Web API</a></p>
        </div>
    </div>
</header>
<div id="body">
    @Html.ActionLink("Products","../Product")
</div>
```


Id	Name	Price	Stock
2	Baju	5000	24
3	Celana	7000	30
4	Brio	3000	50
5	Lemari	6000	2
NULL	NULL	NULL	NULL

dbo.Products [Data] 📌 ✕ ProductsController.cs ▼

Max Rows: 1000 ▼ ⬜ 🔲

	Id	Name	Price	Stock
	2	Baju	5000	24
	3	Celana	7000	30
	4	Brio	3000	50
	5	Lemari	6000	2
▶*	*NULL*	*NULL*	*NULL*	*NULL*

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```xml
▼<ArrayOfProduct xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://schemas.datacontract.org/2004/07/pert7_mrizqulloh.Models">
  ▼<Product>
     <Id>2</Id>
     <Name>Baju</Name>
     <Price>5000</Price>
     <Stock>24</Stock>
  </Product>
  ▼<Product>
     <Id>3</Id>
     <Name>Celana</Name>
     <Price>7000</Price>
     <Stock>30</Stock>
  </Product>
  ▼<Product>
     <Id>4</Id>
     <Name>Brio</Name>
     <Price>3000</Price>
     <Stock>50</Stock>
  </Product>
  ▼<Product>
     <Id>5</Id>
     <Name>Lemari</Name>
     <Price>6000</Price>
     <Stock>2</Stock>
  </Product>
</ArrayOfProduct>
```

← → C ⓘ localhost:2837/api/products/3 ☆ ✰ 🗗 👤 …

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```xml
▼<Product xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://schemas.datacontract.org/2004/07/pert7_mrizqulloh.Models">
  <Id>3</Id>
  <Name>Celana</Name>
  <Price>7000</Price>
  <Stock>30</Stock>
</Product>
```

← → C ⓘ localhost:2837

ASP.NET Web API

Products

Index

Create New

Name	Price	Stock			
Baju	5000	24	Edit	Details	Delete
Celana	7000	30	Edit	Details	Delete
Brio	3000	50	Edit	Details	Delete
Lemari	6000	2	Edit	Details	Delete

Create

Name

Selotip

Price

8000

Stock

80

Create

Back to List

Index

Create New

Name	Price	Stock			
Baju	5000	24	Edit	Details	Delete
Celana	7000	30	Edit	Details	Delete
Brio	3000	50	Edit	Details	Delete
Lemari	6000	2	Edit	Details	Delete
Selotip	8000	80	Edit	Details	Delete

Edit

Name

Susu

Price

5000

Stock

39

[Save]

Back to List

Index

Create New

Name	Price	Stock			
Baju	5000	24	Edit	Details	Delete
Susu	5000	39	Edit	Details	Delete
Brio	3000	50	Edit	Details	Delete
Lemari	6000	2	Edit	Details	Delete
Selotip	8000	80	Edit	Details	Delete

Details

Name
Baju
Price
5000
Stock
24

Edit | Back to List