

Операционные системы

Редактор Emacs

Харламова Арина Александровна

2026-09-04

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором Emacs.

1 Изучить возможности редактора Emacs

2. Процесс выполнения лабораторной работы

1. Откроем Emacs.




Рисунок 1: Запуск Emacs




Рисунок 2: Новый файл





Рисунок 3: Операция вставка



The image shows a window titled "hello.sh - GNU Emacs at aaharlamova". The window contains a shell script with the following content:

```
#!/bin/bash
HELLO=Hello
function hello
{
    local HELLO=World
    echo $HELLO
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
```

A yellow highlight covers the lines from "local HELLO=World" to "echo \$HELLO" within the "hello" function. A mouse cursor is visible on the line "echo \$HELLO" inside the function.

The status bar at the bottom of the window displays: `--:**-- hello.sh All L6 (Shell-script[bash])`.


Рисунок 4: Выделение блока

The screenshot shows a GNU Emacs editor window titled "hello.sh - GNU Emacs at aaharlamova". The menu bar includes File, Edit, Options, Buffers, Tools, Sh-Script, and Help. Below the menu bar is a toolbar with icons for file operations like Save, Undo, Cut, Copy, Paste, and Find. The main editing area contains a shell script:

```
#!/bin/bash
HELLO=Hello
function hello
{
local HELLO=World
echo $HELLO
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
```

A mouse cursor is visible over the script. At the bottom, the status bar shows "-:***- hello.sh All L30 (Shell-script[bash])".

Рисунок 5: Копирование блока



```
hello.sh - GNU Emacs at aaharlamova
File Edit Options Buffers Tools Sh-Script Help
[Icons: Save, Undo, Cut, Copy, Paste, Find]

#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello

-:***- hello.sh All L23 (Shell-script[bash])
Undo
```

Рисунок 6: Удаление блока




Рисунок 7: Горизонтальное разделение




Рисунок 8: Переключение буфера




Рисунок 9: Закроем буфер




Рисунок 10: Переключение буфера




Рисунок 11: Четыре буфера




Рисунок 12: Режим поиска

3. Выводы по проделанной работе

В данной работе мы познакомились с еще одним редактором операционной системой Linux. Получили практические навыки работы с редактором Emacs.