

# STAT394 Group Project Report2

Ken MacIver, Tom Tribe, Jundi Yang, Mei Huang

2022-08-11

## Contents

<b>1</b>	<b>Second Project Report (Milestone 2)</b>	<b>1</b>
1.1	Introduction . . . . .	1
1.2	Platform and Data . . . . .	1
	Reference list . . . . .	2

## 1 Second Project Report (Milestone 2)

### 1.1 Introduction

We have selected the ‘diamonds’ dataset for our Group Project. It contains 53940 rows of data on different diamonds. There are three categorical variables: cut, clarity and color, and seven numerical variables: carat, depth, table, price, and measurements of the diamonds x, y, z.

### 1.2 Platform and Data

The dataset is freely available on the Kaggle website. It can be located at “Diamonds Dataset, Kaggle.com” (2016). There is also a .csv version available in the ‘Data’ folder in the GitHub repository for this project.

Categorical data:

- cut: levels of diamonds proportion, symmetry and polish
- clarity: levels of clarity
- color: color of the diamonds

Numeric data:

- carat = weight in carat
- depth = the distance between the culet and the table in millimeters
- table = width of the table facet divided by the width of the diamond in percentage
- price = price of the diamonds
- x = length in mm

- $y$  = width in mm
- $z$  = depth in mm

### **1.2.1 Initial Goals:**

As we have no expertise in subject area of the dataset we will be relying on our exploratory data analysis (EDA) to determine the exact direction of our investigation. A possible initial guiding question could be to investigate which of the variables is most predictive of diamond price, which seems like the natural response variable.

### **Reference list**

“Diamonds Dataset, Kaggle.com.” 2016. <https://www.kaggle.com/datasets/shivam2503/diamonds>.