

PHYS 223 Notes

Professor: Dr. Tracy Furratani — Quarter: Spring 2025

Contents

1	Task 1	2
2	Task 2	2
3	Task 3 - Describing Simple Harmonic Motion	2
3.1	Objectives	2
3.2	Equipment	2
3.3	Prelab Questions	2
3.4	Procedure	2
3.5	Lab Members	3
3.6	Data Table 1 (Static Hanging Mass)	3
3.7	Data Table 2 (Simple Harmonic Motion)	3
3.8	Data Table 3 (Simple Harmonic Motion w/ Varying Amplitude)	3
3.9	GUM uncertainty	3

1 Task 1

2 Task 2

3 Task 3 - Describing Simple Harmonic Motion

3.1 Objectives

- Determine the connection between the mass on a spring and the period of an ideal spring
- Determine the connection between the amplitude of oscillation and the period of an ideal spring
- Determine the type of damping occurring in a spring system with air resistance
- Determine the angular frequency of oscillation of these spring system
- Performing data analysis on these measurements including the determination of uncertainties
- Propagating uncertainty in a simple ratio

3.2 Equipment

- Spring of 0.5N
- Weight Holder of 50g
- Ruler measuring up to 1mm
- Solid Weights of 1x10g, 2x20g 1x50g

3.3 Prelab Questions

- 1. Find an equation

$$F = k_{Hooke}x + b \quad (1)$$

by finding 10 points. Perform linear regression, ideally your r^2 value should be close to 1 and b should be close to 0.

- Use the equation:

$$T^2 = \frac{4\pi^2(m + M)}{k} \quad (2)$$

$$as : T^2 = y, \frac{4\pi^2}{k} = slope, M = x$$

3.4 Procedure

- 1.

3.5 Lab Members

Kris Birch, Arin Kharkar, Emmett Stevens, Joshua Wagonblast, Emma Sweden

3.6 Data Table 1 (Static Hanging Mass)

Mass (kg)	Uncertainty (kg)	Displacement (m)	Uncertainty (m)
0.0049611	1e-6	0.218	0.001
0.0059588	1e-6	0.251	0.001
0.0069575	1e-6	0.288	0.001
0.0079536	1e-6	0.315	0.001
0.0089685	1e-6	0.355	0.001
0.0099364	1e-6	0.387	0.001
0.0109410	1e-6	0.421	0.001
0.0119545	1e-6	0.454	0.001
0.0129478	1e-6	0.489	0.001
0.0139463	1e-6	0.521	0.001
0.0149364	1e-6	0.554	0.001

3.7 Data Table 2 (Simple Harmonic Motion)

Mass (kg)	Displacement (m)	Uncertainty (m)	Angular Frequency (rad/s)	Uncertainty (rad/s)	Period (s)
0.0049611	0.01542	0.0002994	7.516	0.006733	0.835974628
0.0059588	0.01572	0.0001691	6.921	0.003732	0.907843564
0.0069575	0.0172	0.00022	6.140	0.004167	1.023320083
0.0079536	0.01929	0.0001777	6.017	0.003193	1.044238874
0.0089685	0.01727	0.0002292	5.715	0.004703	1.099420001
0.0099364	0.01946	0.0001423	5.408	0.002495	1.161831603
0.0109410	0.02338	0.0003181	5.168	0.004843	1.215786631
0.0119545	0.02184	8.056e-05	4.959	0.001296	1.26702668
0.0129478	0.02655	0.001473	4.772	0.001296	1.316677558
0.0139463	0.02136	0.0003114	4.588	0.005038	1.369482412
0.0149364	0.01832	0.0002812	4.409	0.005356	1.425081721

3.8 Data Table 3 (Simple Harmonic Motion w/ Varying Amplitude)

Mass (kg)	Displacement (m)	Uncertainty (m)	Angular Frequency (rad/s)	Uncertainty (rad/s)	Period (s)
0.0049611	0.01929	7.1525e-05	7.535	0.001286	0.833866663
0.0049611	0.01572	0.0001691	7.537	0.0007757	0.83364539
0.0049611	0.09124	0.008569	7.536	0.03259	0.833756012

3.9 GUM uncertainty

$$k_{Hooke} = \frac{F}{x} = \frac{mg}{x} \quad (3)$$