CS1020: Data Structures and Algorithm I

General Java Program Compilation Guide (Lab 0 Walkthrough)

Please note that:

Information for Lab 0:

- It is a purely take home lab, i.e. no actual lab sessions will be conducted.
- No deadline is set for this exercise. But you should try to complete it before the first take home lab.

Overview

Welcome to CS1020 Lab 0! This document will serve as a self-guided explanation to doing Lab 0. It will guide you on the following topics:

- Connecting to the sunfire server
- Java program editing
- Java program compilation

Java Program Compilation on sunfire

This section gives you an introduction to the sunfire machine as well as the basic Java programming environment available on this machine. The steps given will also help you to become familiar with the process of editing, compiling, and running simple Java programs.

The major steps

To compile and run a Java program on the sunfire machine, we need to go through the following steps:

- 1. login to the **sunfire** machine
- 2. create and modify programs using the sunfire machine
- 3. compile and execute Java programs

Please check that you have the following before proceed:

1. A sunfire unix account. You can create/re-enable your account by going to:

https://mysoc.nus.edu.sg/~newacct


Use your NUSNET id and password to log in.

2. An SSH Client. If you are using Windows, one option for this is the SSH Secure Shell software. You can find a copy of the software in CS1020 IVLE workbin under the "Lab Material" folder. Please download and install it.

Those of you working on Macs or Linux variants can use the "ssh" and "scp" commands in your "Terminal.app" window. The instructions below refer primarily to the Windows environment.

Section 1: Logging In

Left mouse click on the **Start** button at the bottom-left corner, select **All Programs**, look for **SSH Secure Shell** folder, and left click on **Secure Shell Client**. A screen similar to the one shown below will appear. Click on **Quick Connect** button and a small window **Connect to Remote Host** will pop out.



Under <u>Host Name</u>, enter either **sunfire-r.comp.nus.edu.sg** (works from within NUS or from any of the local ISPs, e.g. SingNet, StarHub, PacNet) or **sunfire.comp.nus.edu.sg** (works from within NUS only). You should use **sunfire-r.comp.nus.edu.sg** unless it does not work. Please ensure that you have already created your Unix Account as shown above. Your Unix Account is not the same as your NUSNET Account. If connecting to **sunfire-r.comp.nus.edu.sg** still does not work, you need to install and connect to SoC first using SoC VPN (refer to https://noc.comp.nus.edu.sg/docs/using-socvpn).

For your <u>U</u>ser name, enter your **SoC User ID**. UNIX is case sensitive, so you must type "u08" and not "U08".

Ensure that the Port Number is 22 and click on the **Connect** button.

If you encounter the following window, just click "Yes".



When this is done, another small window will appear to prompt you for your **password**. Note that the user ID and password are **case-sensitive** (i.e. an "a" is different from an "A").

The password will appear on the screen as asterisks (***) so you need to type slowly and carefully.

Once you have logged into sunfire, you are automatically placed in your home directory. A directory is similar to a folder in Windows.

Notes before you proceed

- Do not click on the Close button (the button with a cross) at the top-right corner of the window. The correct way to log out of your UNIX account is explained in Section 9.
- The UNIX system is not GUI-based so the mouse is seldom used (if at all).
- You should see the UNIX prompt (read Section A.5). If you don't, check that you
 have not scrolled off the screen with the mouse. Bring the prompt back into view by
 scrolling back.
- If you do see the UNIX prompt but whatever you type does not appear, you might have accidentally locked your screen (locking can be done by pressing Control-s or by pressing the "Scroll Lock" key). Unlock your screen by pressing Control-q (if you have pressed Control-s earlier), or by pressing "Scroll Lock" again (if you have pressed "Scroll Lock" earlier).
- If you get stuck after typing a command or in a middle of an application, sometimes typing 'q' (quit) may get you out.
- If 'q' does not work, press Control-c which is the interrupt key. Use this as the last resort. If it still doesn't work, seek help.
- Do not press Control-z, which is the interrupt key in DOS. Pressing Control-z in UNIX sends your job to the background, and if you have accidentally pressed Control-z, type 'fg' (foreground) to resume.
- Tip 1: You may use the up and down arrows to select a previously entered command. This saves you some typing time.
- Tip 2: You may use the tab key to fill out the complete filename. Ask your lab TA to show you how this can be done.

Section 2: User IDs and Passwords

When you have logged in successfully for the first time, you will be immediately asked if you would like to change your password. You may want to change your password some other time, after you have thought of a good password. Choose a password that is 6 to 8 characters long. There are guidelines to choosing good passwords which are safer and less susceptible to break-ins. When you change your password, the system will check that your new password satisfies its stringent requirements, failing which it will reject the change. Generally, the system tends to accept passwords that consist of at least a mix of uppercase and lowercase characters, plus some digits. It is advisable that you prepare a few passwords beforehand, so that if one fails to pass the test, you can pick another without wasting too much time. You can change your password any time you like – in fact, you are advised to change it regularly. The command to change password is passwd. It will take half an hour to one hour before your new password takes effect.

Always **remember your password!** If you forget, you would need to approach the personnel at the Help Desk (COM1 building, Basement) to submit a request for a new password. Alternatively, you can go to https://mysoc.nus.edu.sg/~iforgot to change your password online (this requires your NUSNET ID and password).

Section 3: Setting up your account

If you are new to the sunfire server, you are encouraged to perform the following setup program. Although the program is intended for CS1101C students, it contains a number of nice configurations which are general useful. Note that you can skip this step if you have performed this before.

Run the **setup** program as follows (you should do this only **ONCE**). Type the following commands in your SSH window:

~cs1101c/lab0/setup

Check that you enter the above command ACCURATELY (the tilde character ~ is usually found on the top left of your keyboard next to the "1" key).

After the setup program runs successfully, you must type:

source .bash_profile

Remember to type the SPACE in between "source" and ".bash_profile". "Respect the spaces". Note that if the above command ran successfully, you will see no output. With many UNIX commands, "no news is good news". This is very different from Windows or Mac where you are used to seeing a dialog box pop out. Try to get used to UNIX quickly.

Section 4: Getting Online Help

An online help facility is available in the system via the "man" command ("man" stands for MANual). Type "man man" (i.e. get the manual page on the command "man") to find out more about the facility. To look for more information about any UNIX command, for example, "ls", type "man ls". To exit "man", press "q".

Section 5: UNIX Crash Course

The following are a few commonly-used commands. This list is by no means exhaustive and you are urged to explore on your own. Note that UNIX commands are case-sensitive.

In the examples below, bold words are commands which you are expected to enter. Assume that you are u0801234, your default prompt may look like this (possibly a little different):

```
u0801234@sf3:~[xxx]$
```

sf3 is the internal name for sunfire; ~ indicates that you are currently in your home directory.

a. Directory commands

pwd to Print current Working Directory to show you which directory you are currently in

```
u0801234@sf3:~[xxx]$ pwd/home/nusstu/u0801234
```

ls to **LiS**t files in your current directory

```
u0801234@sf3:~[xxx]$ ls
c doc
```

You may also use "ls -F" for more information (-F is one of the many options/flags available for the ls command. To see a complete list of the options, refer to the man pages, ie. "man ls".)

```
u0801234@sf3:~[xxx]$ ls -F c/ doc/
```

The slash (/) beside the filename tells you that the file is a directory (folder). A normal file does not have a slash (/) beside its name when "ls -F" is used.

Note that the directories c/ and doc/ are created by the setup program in section A.3. If you did not run the setup program, you will not see any file at all.

You may also use the "ls -1" command (dash L) to display almost all the file information, include the size of the file and the date of modification. Try it now!

cd to Change Directory from current directory to another

```
u0801234@sf3:~[xxx]$ cd c
u0801234@sf3:~/c[xxx]$ ls -F
ch1 1.c ch2 1.c ch2 2.c ch2 3.c ch2 4.c
```

Note that the prompt changes to ~/c to indicate that you are now in the c directory below your HOME directory.

Entering "cd" alone brings you back to your HOME directory, ie. the directory in which you started with when you first logged into the system.

```
u0801234@sf3:~/c[xxx]$ cd
u0801234@sf3:~[xxx]$
```

mkdir to MaKe a subDIRectory in current directory

```
u0801234@sf3:~[xxx]$ mkdir another u0801234@sf3:~[xxx]$ ls -F another/ c/ doc/
```

rmdir to **ReM**ove a sub**DIR**ectory in current directory -- note that a directory must be empty before it can be removed.

```
u0801234@sf3:~[xxx]$ rmdir another u0801234@sf3:~[xxx]$ ls -F
```

b. File commands

cp to CoPy files

```
u0801234@sf3:~[xxx]$ cd doc
u0801234@sf3:~/doc[xxx]$ cp abridged.txt anotherfile
u0801234@sf3:~/doc[xxx]$ ls
abridged.txt anotherfile faq.txt tutor
```

my to MoVe files from one directory to another; can also be used to rename files.

```
u0801234@sf3:~/doc[xxx]$ mv anotherfile afile
u0801234@sf3:~/doc[xxx]$ ls
abridged.txt afile faq.txt tutor
```

rm to **ReM**ove files. Be **careful** with this command -- files deleted cannot be restored (unless they have been backed up during the normal backup cycle).

```
u0801234@sf3:~/doc[xxx]$ rm afile
rm: remove `afile'? y
u0801234@sf3:~/doc[xxx]$ ls
abridged.txt fag.txt tutor
```

c. Command to display text files

cat to string together or display (CATenate) the contents of files onto the screen

```
u0801234@sf3:~/doc[xxx]$ cat abridged.txt
```


less variant of "cat" (includes features to read each page leisurely)

```
u0801234@sf3:~/doc[xxx]$ less -e abridged.txt
```

In "less", use <space> to move down one page, 'b' to move **B**ack up one page, and 'q' to **Q**uit from "less". You can also use the up/down arrow keys to move one line at a time.

Section 6: Running a Java Program

The process of creating a working Java program involves the following steps:



- 1. Use an editor of your choice, type in the source code (filename must have extension . java, eg: Helloworld. java)
- 2. Compile your program to obtain the executable file. If there are compilation errors, identify them and re-edit the source code before you proceed.
- 3. Run your executable file by typing the name of the executable file.

If there are run-time errors, you must identify them and re-edit the source code, and compile again.

Section 7: Creating your own Java Programs

Create your first Java program "HelloWorld.java"

There are a number of editors available in sunfire: vim, vi, emacs, joe, pico, nano etc. The more powerful one requires a longer time to learn. For this lab, you will use vim -- a powerful editor with many commands, but even with the knowledge of a few simple commands it is quite easy to use and very powerful. It is YOUR responsibility to pick an editor and master it, and in future labs we will assume that you are familiar with your editor and its various functions.

It is recommended that you create a directory to store all your Java programs. Placing all programs under your home directory can get messy real quick. Follow the following steps to create a new directory:

- 1. Enter "cd" (this will get you back to the home directory)
- 2. Enter "mkdir java" (creates a new directory java/ under home directory)

3. Enter "ls -F"

You should see the new directory java/ along with other files and directories.

Go to the <code>java/</code> directory. Enter "vim Helloworld.java", then press the "i" key. You will see that the words "-- INSERT --" appear on the bottom left corner of your screen. You are now in INSERT mode. While you are in INSERT mode, you may use the arrow keys (Up, Down, Left, Right) to move around your program, as well as the Backspace key and Delete key to delete text. This is contrary to what I mentioned during the briefing session. You can use the arrow keys in Insert mode after you set up your <code>.vimrc</code> profile. The PageUp and PageDown keys do not work, so do not use them. Do not use the scroll bar as it does not always work as expected.

Notice that line numbers (1, 2, 3, etc.) are displayed on the left. This helps you to easily identify a number by its line. Line numbers are NOT part of the actual Java code that you write, but are provided by *vim* to assist you in coding. This is extremely useful when identifying the location of compilation errors.

To copy text, you may use the mouse to highlight blocks of text, then right-click on the mouse and choose Copy. To paste your text, you must use the cursor keys to move the cursor to the desired position, then right-click on the mouse and choose Paste.

Type in the following program:

```
import java.io.*;
public class HelloWorld {
   public static void main(String [] args) {
       System.out.println("Hello World!");
   }
}
```

Note that for simplicity, the above program has no documentation. A good program should include documentation, at least the identity of the author, the purpose of the program and other relevant information. Keep this in mind when you write your own programs.

When you are done, press $\langle ESC \rangle$ then ZZ. You may also press " $\langle ESC \rangle : x \langle ENTER \rangle$ " (more clearly seen as pressing the following four keys one after another: $\langle ESC \rangle : x \langle ENTER \rangle$) to save your program and exit from the vim editor. $\langle ESC \rangle$ means press the Escape key, then press the colon key (shift-;), then press x (the x is a lowercase x), and finally $\langle ENTER \rangle$ means press the Enter key.

If you want to save your file without exiting from the *vim* editor, press "<ESC>:w<ENTER>", then press the "i" key again to go back into INSERT mode. It is a good habit to save your file periodically so that if the network or the system goes down for any reason, you will not lose your hard work.

When you startup *vim*, it begins in COMMAND mode. One way to go into INSERT mode is to press the "i" key. While we are in INSERT mode, we can type in our Java code. To switch back to COMMAND mode, we press the "<ESC>" key.

The following shows you a list of useful commands in vim:

- <ESC>:x<ENTER>: Saves your program and exits from *vim*.
- <ESC>:wq<ENTER>: Saves your program and exits from *vim*.
- <ESC>ZZ: (Note that the Zs are uppercase) Saves your program and exits from vim.
- <ESC>:q!<ENTER>: Exits from *vim* without saving your program.
- <ESC>ZQ : Exits from *vim* without saving your program.

If you would like to learn more about *vim* commands, we encourage you to go to http://www.comp.nus.edu.sg/~cs1101cl/vimkeys.html Another useful reference can be found at http://tnerual.eriogerg.free.fr/vim.html

Compiling and running your program

```
u0801234@sf3:~/c[xxx]$ javac HelloWorld.java
```

There will be error messages if your program has errors. Go to Step A.7.1 to make the necessary corrections and re-compile. If there are no compilation errors, a class file helloworld.class will be created. Proceed with program execution as follows:

```
u0801234@sf3:~/c[xxx]$ java HelloWorld
```

If you feel comfortable with the above steps, you can try out some bigger java programs from the textbook. Do not be discouraged by the compilation errors (you are bound to get a few ©), it is more important to understand those errors quickly (what they mean and how to fix them).

Section 8: Logging Out

When you have finished, you must always log out of the computer system as follows:

```
u0801234@sf3:~/c[xxx]$ logout
```

Typing "exit" (or pressing Control-d) will also have the same effect. You MUST remember to log out, otherwise anyone who comes by may delete all your valuable files away!

Appendix: Transferring files to and from sunfire

The easiest way to transfer files between your sunfire account and your local machine / host / PC / laptop is to login to sunfire first using Secure Shell Client, then open the File Transfer program by clicking on "Window -> New File Transfer".

You will see the contents of your sunfire home directory on the right side. You can navigate around and copy and delete files here similar to how you would do it in a local folder. The right side of the window shows the files in your sunfire account, the left side of the window shows the files in your local machine. To transfer a file from sunfire to your local machine, right-click on the file you wish to transfer, and then choose "Download". To transfer a file from your local machine to sunfire, right-click on the file you wish to transfer, and select "Upload". Be sure to change to the right folder on the destination machine before you do the transfer.