


1 2 1 3 1 4 1 5 1 6 1 7 **GURADHOUSE SECTION 01** 2 3 4 I

 \circ

 \Box



- MARKS.
 F.F.L = FINISHED FLOOR LEVEL.
 T.O.S.= TOP OF STRUCTURAL SLAB.
 F.F.L.= FINISHED PAVEMENT LEVEL.
 T.O.P.R.= TOP OF PARAPET.
 F.C.L.= FINISHED CALLING LEVEL.
 T.O.W.= TOP OF WALL.

MATERIAL DISC, LEGEND

PT: EXTERNAL PLASTER WITH ACRYLIC BASE COLORED DECORATIVE FACADE RENDER (COLOR & TEXTURE AS PER APPROVED SAMPLE)

PT-01: DARK GREY

EIES: EXTERIOR INSULATION FINISHING SYSTEM. FIXED TO CONCRETE ELEMENTS / SOLID BACK WALL (COLOR AS PER APPROVED SAMPLE)

WALL COLOR AS FER APPROVED BAMPLE)

BES-1 DARK GREY

FRE: FIRST REINFORCED CEMENT BOARD.

MECHANICALLY FRED TO STEEL STRUCTURE TO

SPERVOVED BAMPLE. COLORY TEXTURE AS FER

APPROVED BAMPLE. COLORY TEXTURE AS FER

DOOR SUPPORT CONTROL TO

SOFT STRUCTURE STRUCTURE AS FOR FOR THIS OF TOMATCH

COLOR AS FER PROPERLY OF TOMATCH

COLOR AS FER PROPERLY OF TOMATCH

CEMENT BOARD COLOR AS FER

APPROVED BAMPLE.

GLIGUE STRUCTURE SOLORY COLOR AS PER

APPROVED BAMPLE.

GLIGUE STRUCTURE STRUCTURE SOLORY COLOR AS PER

APPROVED BAMPLE.

GLIGUE STRUCTURE SOLORY COLOR AS PER

APPROVED BAMPLE.

A4 GUR

GURADHOUSE SECTION 02

- 1

5 [7 |