

<u>Help</u>

selfpoised ~

<u>Course</u> <u>Progress</u> <u>Dates</u> <u>Discussion</u>

★ Course / 15. Pipelining the Beta / Lecture Videos (50:06)



Previous
Image: Control of the control of

### LE15.1

☐ Bookmark this page

**■** Calculator

For all Beta related questions, you should make use of the <u>Beta documentation</u>, the <u>Beta Instruction Summary</u>, the <u>Unpipelined Beta Diagram</u> and the <u>Pipelined Beta Diagram</u>.

#### LE15.1.1: Data Hazards

0.0/1.0 point (ungraded)

This problem concerns the 5-stage Beta pipeline with full bypass logic.

Consider the execution of the following sequence on the 5-stage pipelined Beta:

```
ADDC(R31, 44, R0)
SUBC(R0, 0, R1)
MULC(R0, 23, R4)
LD(R0, 0, R2)
XORC(R2, 1, R3)
```

For the following questions, we recommend first drawing out the pipeline diagram associated with this problem. Identify all the cycles where the situation described occurs, then check off all the instructions that appear in the RF stage of these cycles. If the situation never occurs, then select "NONE".

	here points in the execution of the sequence when data is bypassed from the <b>ALU</b> stage back to the age?
	ADDC
	SUBC
	MULC
	LD
	XORC
	NONE
	here points in the execution of the sequence when data is bypassed from the <b>WB</b> stage back to the age?  ADDC
	age?
	age?  ADDC
	age?  ADDC  SUBC
	ADDC SUBC MULC
	ADDC SUBC MULC LD
RF s	ADDC SUBC MULC LD XORC

**SUBC** 

**⊞** Calculator

Next >

© All Rights Reserved



## edX

<u>About</u>

**Affiliates** 

edX for Business

Open edX

<u>Careers</u>

**News** 

# Legal

Terms of Service & Honor Code

Previous

**Privacy Policy** 

**Accessibility Policy** 

**Trademark Policy** 

<u>Sitemap</u>

## **Connect**



<u>Blog</u>

Contact Us

Help Center

Media Kit

**Donate** 















© 2021 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>