Proof-of-Change daily summary: 2026-11-09

Generated 2026-11-09 18:39 IST. 27 report(s): 6 need attention, 17 could not be verified, 4 verified. Items that need a decision are listed first.

Needs attention first

• NEEDS ATTENTION / Reject (High confidence): pyinvoke/invoke#1099: Use explicit re-exports for mypy strict mode, tested against its own tests. Probe: 1 observation(s) need attention: c4.test_file_exists does not differ although the claim says it does (C4); probe model-probe-public-exports has no measured line coverage (no coverage data); it does not count as covering the change; tests: 32 test(s) fail on main and pass on the PR; 204 test(s) ran on main, 204 on the PR; 0 new test(s) pass, 165 unchanged (1 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides. Open report (PDF)

• NEEDS ATTENTION / Reject (Medium confidence): pyinvoke/invoke#1101: Let explicit hide=None override configured output hiding, tested against its own tests. 3 new test(s) fail on the PR; 387 test(s) ran on main, 390 on the PR; 0 new test(s) pass, 278 unchanged (5 of them skipped on both sides); 114 test failure(s) pre-existing and identical on both sides; probe model-p1 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; Limitation: tests/runners.py::Runner_::hide::explicit_None_overrides_config[True], tests/runners.py::Runner_::hide::explicit_None_overrides_config[out], tests/runners.py::Runner_::hide::explicit_None_overrides_config[err], tests/runners.py::Runner_::warn::honors_config, tests/runners.py::Runner_::warn::kwarg_beats_config, tests/runners.py::Runner_::warn::does_not_apply_to_watcher_errors, tests/runners.py::Runner_::warn::does_not_apply_to_timeout_errors, tests/runners.py::Runner_::hide::honors_config (+109 more) did not run on the base. They are not a new pass, and this result does not cover them.. Open report (PDF)

• NEEDS ATTENTION / Reject (Medium confidence): pallets/itsdangerous#428: require padding when decoding base64 on Python 3.15+, tested against its own tests. Probe: 4 observation(s) need attention: c1.invalid does not differ although the claim says it does (C1); c1.padded_abc does not differ although the claim says it does (C1); c1.unpadded_a does not differ although the claim says it does (C1); c1.unpadded_ab does not differ although the claim says it does (C1); tests: 8 test(s) ran on main, 8 on the PR; 0 new test(s) pass, 8 unchanged. Open report (PDF)

• NEEDS ATTENTION / Reject (High confidence): andialbrecht/sqlparse#852: decode non-utf8 sql bytes as latin-1 not unicode-escape, tested against its own tests. Probe: 1 observation(s) need attention: c1.decoded_string differs although the claim says it does not (C1); probe: claim(s) C2, C3 proven; tests: 1 test(s) fail on main and pass on the PR; 183 test(s) ran on main, 183 on the PR; 0 new test(s) pass, 182 unchanged. Open report (PDF)

• NEEDS ATTENTION / Reject (High confidence): urllib3/urllib3#5367: Allow omitted filenames in multipart file tuple type annotations, tested against its own tests. Probe: 4 observation(s) need attention: c1.annotation does not differ although the claim says it does (C1); c2.annotation does not differ although the claim says it does (C2); c3.annotation does not differ although the claim says it does (C3); c5.annotation does not differ although the claim says it does (C5); probe: claim(s) C4 proven; tests: 20 test(s) ran on main, 24 on the PR; 4 new test(s) pass, 20 unchanged. Open report (PDF)

• NEEDS ATTENTION / Reject (High confidence): urllib3/urllib3#5368: Fix ProxySchemeUnknown message and scheme on Python 3.14, tested against its own tests. Probe: 1 observation(s) need attention: c4.has_scheme_none differs although the claim says it does not (C4); probe: 2 observation(s) shown as advisory only (claim not shown on these inputs; a related change was proven): c1.message (C1); c8.message_matches (C8); probe: claim(s) C2, C3, C5, C7, C9 proven; tests: 20 test(s) ran on main, 23 on the PR; 3 new test(s) pass, 20 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): python-attrs/attrs#1654: fix(validators): name the failing inner item in deep_iterable/deep_mapping errors, tested against its own tests. Unverified behaviour claim: "| format | ruff format --exit-non-zero-on-format . | left unchanged — exit 0 |"; needs a probe (3 test(s) fail on main and pass on the PR; 170 test(s) ran on main, 170 on the PR; 0 new test(s) pass, 167 unchanged; probe model-p1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-p2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe

model-p3 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-p4 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): mahmoud/boltons#752: fix: singularize sibilant plurals that end in -xes/-zes/-shes/-ches, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 47 test(s) ran on main, 47 on the PR; 0 new test(s) pass, 46 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pyinvoke/invoke#1100: Honor warn when returning failed MockContext results, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 12 test(s) fail on main and pass on the PR; 226 test(s) ran on main, 226 on the PR; 0 new test(s) pass, 217 unchanged (3 of them skipped on both sides). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): PyCQA/isort#2782: Preserve leading skipped imports when adding imports, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 82 test(s) fail on main and pass on the PR; 260 test(s) ran on main, 266 on the PR; 6 new test(s) pass, 178 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): Delgan/loguru#1536: Count bytes, not characters, in size-based rotation, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 152 test(s) ran on main, 155 on the PR; 3 new test(s) pass, 153 unchanged (3 of them skipped on both sides). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): Delgan/loguru#1541: Fix formatting of truncated "ExceptionGroup" to match traceback, tested against its own tests. Unverified behaviour claim: "The existing max_group_depth handling keeps the same behavior."; needs a probe (1 test(s) fail on main and pass on the PR; 1 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (3 -> 3 ids); 101 test(s) ran on main, 101 on the PR; 2 new test(s) pass, 99 unchanged (1 of them skipped on both sides)); Limitation: pytest collected no tests from tests/exceptions/source/modern/grouped_max_length_nested.py. That changed test file is not a pass, and this result does not cover it.. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pallets/markupsafe#438: implement speedups with rust v2, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 26 test(s) ran on main, 26 on the PR; 0 new test(s) pass, 26 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pallets/markupsafe#512: Add support for t-strings, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 6 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (4 -> 4 ids); 76 test(s) ran on main, 76 on the PR; 4 new test(s) pass, 72 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): jazzband/prettytable#539: Preserve numeric values when importing CSV, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 282 test(s) ran on main, 282 on the PR; 0 new test(s) pass, 280 unchanged; probe model-p3 has no measured line coverage (coverage produced no data (exit 0); see probe-coverage.log); it does not count as covering the change. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): jazzband/prettytable#543: fix: escape LaTeX special characters in table output, tested against its own tests. Unverified behaviour claim: "No existing output changed for plain text (& .join structure and \r\n line joins untouched)."; needs a probe (3 test(s) fail on main and pass on the PR; 221 test(s) ran on main, 221 on the PR; 0 new test(s) pass, 218 unchanged). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): jazzband/prettytable#544: fix: escape MediaWiki markup characters in table output, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 3 test(s) fail on main and pass on the PR; 227 test(s) ran on main, 227 on the PR; 0 new test(s) pass, 224 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): Textualize/rich#4155: Fix _split_cells to handle non-unit width characters correctly, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) re-parametrized (24 -> 1 ids); 168 test(s) ran on main, 169 on the PR; 25 new test(s) pass, 144 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): andialbrecht/sqlparse#936: Fix statement splitting after whitespace-varied compound closers, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 30 test(s) fail on main and pass on the PR; 79 test(s) ran on main, 89 on the PR; 10 new test(s) pass, 49 unchanged; probe model-p1 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): andialbrecht/sqlparse#944: fix: avoid ValueError on malformed CASE with reindent_aligned, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 175 test(s) ran on main, 177 on the PR; 2 new test(s) pass, 177 unchanged (2 of them skipped on both sides). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pytoolz/toolz#660: Raise IndexError for an empty key path in update_in, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 69 test(s) ran on main, 69 on the PR; 0 new test(s) pass, 68 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pytoolz/toolz#661: Avoid oversized padding for short partition_all inputs, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 80 test(s) ran on main, 83 on the PR; 3 new test(s) pass, 78 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): urllib3/urllib3#5369: Speed up the allowed-character check in _encode_invalid_chars(), tested against its own tests. No tests could be mapped to the touched files; probe model-probe-c3 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way; probe model-probe-c4 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way; probe model-probe-c5 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): mahmoud/boltons#746: Restore disabled GC state on context exit, tested against its own tests. 1 test(s) fail on main and pass on the PR; 5 test(s) ran on main, 5 on the PR; 0 new test(s) pass, 4 unchanged; probe: claim(s) C1, C2, C3 proven. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): mahmoud/boltons#751: fix: parse hour-only UTC offsets in isoparse, tested against its own tests. 1 test(s) fail on main and pass on the PR; 18 test(s) ran on main, 18 on the PR; 0 new test(s) pass, 17 unchanged; probe: claim(s) C1, C2, C3, C4, C5, C6 proven. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): Delgan/loguru#1515: Evaluate every rotation condition so a skipped one cannot fire spuriously, tested against its own tests. 1 test(s) fail on main and pass on the PR; 148 test(s) ran on main, 148 on the PR; 0 new test(s) pass, 150 unchanged (3 of them skipped on both sides); probe: 3 unchanged sub-check(s) of an input where the claim's change was seen, shown as advisory only: c1.ret1 (C1); c1.second_limit_advanced (C1); c1.second_limit_after_first (C1); probe: claim(s) C1, C2, C3 proven. Open report (PDF)

• VERIFIED / Approve with notes (Medium confidence): pytoolz/toolz#658: Fix bytes and bytearray source keyword signatures, tested against its own tests. Cross-run settled differs claim(s) C1, C2 as proven (4 new or changed test(s) fail on the base and pass on the PR: toolz.tests.test_bytes_source_keyword::test_source_keyword_validation[is_partial_args-bytearray], toolz.tests.test_bytes_source_keyword::test_source_keyword_validation[is_partial_args-bytes], toolz.tests.test_bytes_source_keyword::test_source_keyword_validation[is_valid_args-bytearray] (+1 more)); 4 test(s) fail on main and pass on the PR; 7 test(s) ran on main, 9 on the PR; 2 new test(s) pass, 3 unchanged. Open report (PDF)

All reports

| Verdict | Action | Confidence | Subject | Tested against | Why | Evals | Report

| NEEDS ATTENTION | Reject | High | pyinvoke/invoke#1099: Use explicit re-exports for mypy strict mode | its own tests | probe: 1 observation(s) need attention: c4.test_file_exists does not differ although the claim says it does (C4); probe model-probe-public-exports has no measured line coverage (no coverage data); it does not count as covering the change; tests: 32 test(s) fail on main and pass on the PR; 204 test(s) ran on main, 204 on the PR; 0 new test(s) pass, 165 unchanged (1 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides | APPROVE | HTML · PDF · MD

| NEEDS ATTENTION | Reject | Medium | pyinvoke/invoke#1101: Let explicit hide=None override configured output hiding | its own tests | 3 new test(s) fail on the PR; 387 test(s) ran on main, 390 on the PR; 0 new test(s) pass, 278 unchanged (5 of them skipped on both sides); 114 test failure(s) pre-existing and identical on both sides; probe model-p1 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; Limitation: tests/runners.py::Runner_::hide::explicit_None_overrides_config[True], tests/runners.py::Runner_::hide::explicit_None_overrides_config[out], tests/runners.py::Runner_::hide::explicit_None_overrides_config[err], tests/runners.py::Runner_::warn::honors_config, tests/runners.py::Runner_::warn::kwarg_beats_config, tests/runners.py::Runner_::warn::does_not_apply_to_watcher_errors, tests/runners.py::Runner_::warn::does_not_apply_to_timeout_errors, tests/runners.py::Runner_::hide::honors_config (+109 more) did not run on the base. They are not a new pass, and this result does not cover them. | APPROVE | HTML · PDF · MD

| NEEDS ATTENTION | Reject | Medium | pallets/itsdangerous#428: require padding when decoding base64 on Python 3.15+ | its own tests | probe: 4 observation(s) need attention: c1.invalid does not differ although the claim says it does (C1); c1.padded_abc does not differ although the claim says it does (C1); c1.unpadded_a does not differ although the claim says it does (C1); c1.unpadded_ab does not differ although the claim says it does (C1); tests: 8 test(s) ran on main, 8 on the PR; 0 new test(s) pass, 8 unchanged | APPROVE | HTML · PDF · MD

| NEEDS ATTENTION | Reject | High | andialbrecht/sqlparse#852: decode non-utf8 sql bytes as latin-1 not unicode-escape | its own tests | probe: 1 observation(s) need attention: c1.decoded_string differs although the claim says it does not (C1); probe: claim(s) C2, C3 proven; tests: 1 test(s) fail on main and pass on the PR; 183 test(s) ran on main, 183 on the PR; 0 new test(s) pass, 182 unchanged | APPROVE | HTML · PDF · MD

| NEEDS ATTENTION | Reject | High | urllib3/urllib3#5367: Allow omitted filenames in multipart file tuple type annotations | its own tests | probe: 4 observation(s) need attention: c1.annotation does not differ although the claim says it does (C1); c2.annotation does not differ although the claim says it does (C2); c3.annotation does not differ although the claim says it does (C3); c5.annotation does not differ although the claim says it does (C5); probe: claim(s) C4 proven; tests: 20 test(s) ran on main, 24 on the PR; 4 new test(s) pass, 20 unchanged | APPROVE | HTML · PDF · MD

| NEEDS ATTENTION | Reject | High | urllib3/urllib3#5368: Fix ProxySchemeUnknown message and scheme on Python 3.14 | its own tests | probe: 1 observation(s) need attention: c4.has_scheme_none differs although the claim says it does not (C4); probe: 2 observation(s) shown as advisory only (claim not shown on these inputs; a related change was proven): c1.message (C1); c8.message_matches (C8); probe: claim(s) C2, C3, C5, C7, C9 proven; tests: 20 test(s) ran on main, 23 on the PR; 3 new test(s) pass, 20 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | python-attrs/attrs#1654: fix(validators): name the failing inner item in deep_iterable/deep_mapping errors | its own tests | unverified behaviour claim: "| format | ruff format --exit-non-zero-on-format . | left unchanged — exit 0 |"; needs a probe (3 test(s) fail on main and pass on the PR; 170 test(s) ran on main, 170 on the PR; 0 new test(s) pass, 167 unchanged; probe model-p1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-p2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-p3 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-p4 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | mahmoud/boltons#752: fix: singularize sibilant plurals that end in -xes/-zes/-shes/-ches | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 47 test(s) ran on main, 47 on the PR; 0 new test(s) pass, 46 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pyinvoke/invoke#1100: Honor warn when returning failed MockContext results | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 12 test(s) fail on main and pass on the PR; 226 test(s) ran on main, 226 on the PR; 0 new test(s) pass, 217 unchanged (3 of them skipped on both sides) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | PyCQA/isort#2782: Preserve leading skipped imports when adding imports | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not

exercised by a probe; 82 test(s) fail on main and pass on the PR; 260 test(s) ran on main, 266 on the PR; 6 new test(s) pass, 178 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | Delgan/loguru#1536: Count bytes, not characters, in size-based rotation | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 152 test(s) ran on main, 155 on the PR; 3 new test(s) pass, 153 unchanged (3 of them skipped on both sides) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | Delgan/loguru#1541: Fix formatting of truncated "ExceptionGroup" to match traceback | its own tests | unverified behaviour claim: "The existing max_group_depth handling keeps the same behavior."; needs a probe (1 test(s) fail on main and pass on the PR; 1 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (3 -> 3 ids); 101 test(s) ran on main, 101 on the PR; 2 new test(s) pass, 99 unchanged (1 of them skipped on both sides)); Limitation: pytest collected no tests from tests/exceptions/source/modern/grouped_max_length_nested.py. That changed test file is not a pass, and this result does not cover it. | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pallets/markupsafe#438: implement speedups with rust v2 | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 26 test(s) ran on main, 26 on the PR; 0 new test(s) pass, 26 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pallets/markupsafe#512: Add support for t-strings | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 6 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (4 -> 4 ids); 76 test(s) ran on main, 76 on the PR; 4 new test(s) pass, 72 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | jazzband/prettytable#539: Preserve numeric values when importing CSV | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 282 test(s) ran on main, 282 on the PR; 0 new test(s) pass, 280 unchanged; probe model-p3 has no measured line coverage (coverage produced no data (exit 0); see probe-coverage.log); it does not count as covering the change | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | jazzband/prettytable#543: fix: escape LaTeX special characters in table output | its own tests | unverified behaviour claim: "No existing output changed for plain text (& .join structure and \r\n line joins untouched)."; needs a probe (3 test(s) fail on main and pass on the PR; 221 test(s) ran on main, 221 on the PR; 0 new test(s) pass, 218 unchanged) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | jazzband/prettytable#544: fix: escape MediaWiki markup characters in table output | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 3 test(s) fail on main and pass on the PR; 227 test(s) ran on main, 227 on the PR; 0 new test(s) pass, 224 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | Textualize/rich#4155: Fix _split_cells to handle non-unit width characters correctly | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) re-parametrized (24 -> 1 ids); 168 test(s) ran on main, 169 on the PR; 25 new test(s) pass, 144 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | andialbrecht/sqlparse#936: Fix statement splitting after whitespace-varied compound closers | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 30 test(s) fail on main and pass on the PR; 79 test(s) ran on main, 89 on the PR; 10 new test(s) pass, 49 unchanged; probe model-p1 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | andialbrecht/sqlparse#944: fix: avoid ValueError on malformed CASE with reindent_aligned | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 175 test(s) ran on main, 177 on the PR; 2 new test(s) pass, 177 unchanged (2 of them skipped on both sides) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pytoolz/toolz#660: Raise IndexError for an empty key path in update_in | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 69 test(s) ran on main, 69 on the PR; 0 new test(s) pass, 68 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pytoolz/toolz#661: Avoid oversized padding for short partition_all inputs | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 80 test(s) ran on main, 83 on the PR; 3 new test(s) pass, 78 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | urllib3/urllib3#5369: Speed up the allowed-character check in _encode_invalid_chars() | its own tests | no tests could be mapped to the touched files; probe model-probe-c3 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way; probe model-probe-c4 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way; probe model-probe-c5 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | mahmoud/boltons#746: Restore disabled GC state on context exit | its own tests | 1 test(s) fail on main and pass on the PR; 5 test(s) ran on main, 5 on the PR; 0 new test(s) pass, 4 unchanged; probe: claim(s) C1, C2, C3 proven | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | mahmoud/boltons#751: fix: parse hour-only UTC offsets in isoparse | its own tests | 1 test(s) fail on main and pass on the PR; 18 test(s) ran on main, 18 on the PR; 0 new test(s) pass, 17 unchanged; probe: claim(s) C1, C2, C3, C4, C5, C6 proven | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | Delgan/loguru#1515: Evaluate every rotation condition so a skipped one cannot fire spuriously | its own tests | 1 test(s) fail on main and pass on the PR; 148 test(s) ran on main, 148 on the PR; 0 new test(s) pass, 150 unchanged (3 of them skipped on both sides); probe: 3 unchanged sub-check(s) of an input where the claim's change was seen, shown as advisory only: c1.ret1 (C1); c1.second_limit_advanced (C1); c1.second_limit_after_first (C1); probe: claim(s) C1, C2, C3 proven | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | Medium | pytoolz/toolz#658: Fix bytes and bytearray source keyword signatures | its own tests | cross-run settled differs claim(s) C1, C2 as proven (4 new or changed test(s) fail on the base and pass on the PR: toolz.tests.test_bytes_source_keyword::test_source_keyword_validation[is_partial_args-bytearray], toolz.tests.test_bytes_source_keyword::test_source_keyword_validation[is_partial_args-bytes], toolz.tests.test_bytes_source_keyword::test_source_keyword_validation[is_valid_args-bytearray] (+1 more)); 4 test(s) fail on main and pass on the PR; 7 test(s) ran on main, 9 on the PR; 2 new test(s) pass, 3 unchanged | APPROVE | HTML · PDF · MD

Verdict meanings

| Verdict | Meaning

| NEEDS ATTENTION | The run is trustworthy and found a problem: breaks, import failures, or a false claim.

| COULD NOT VERIFY | The run failed its own trust checks or the evals (no conclusion; re-run after fixing), or, for PR runs, the tests never exercised the changed code (review by hand).

| VERIFIED | The run is trustworthy and found no behavior change.