REPORT

Reviewer report: python-jsonschema/jsonschema#1534:

Support Draft 2020-12 relative JSON Pointer index

manipulation

Run jsonschema-1534, tested 2026-11-07 11:28 IST by ops/daily_run.py (route source-pair). Proof-of-Change

commit ef12096677e9cf59e8673436d74ec65d53771d7c. Report generated 2026-11-07 11:35 IST by

reports/pr_report.py.

Baseline: full (test comparison + claim probes + coverage gate + claim flagging (differential probes shown,

informational)).

COULD NOT VERIFY

Recommended action: Re-run Confidence: Low

The run did not produce a usable comparison, so there is no conclusion about the PR. The run did not finish

cleanly, so it says nothing about the PR.

Advice only: Proof-of-Change never blocks a merge and never posts on GitHub.

Summary in plain English

• What it says it does: Support Draft 2020-12 relative JSON Pointer index manipulation

(python-jsonschema/jsonschema#1534).

• What we observed: unverified behaviour claim: "Keep the Draft 7 and Draft 2019-09 checker behavior

unchanged."; needs a probe (1 test(s) fail on main and pass on the PR; 7843 test(s) ran on main, 7845 on the

PR; 2 new test(s) pass, 8074 unchanged (232 of them skipped on both sides)).

• What you should do: Do not decide yet. Fix the problem under 'How to fix' and run the check again.

Demo helper

These notes are background from the console and the daily check. They do not change the verdict.

If setup fails, the helper retries the install up to 2 times. If a test still can't be verified because something is

missing or fails to import, it looks up the cause, installs the fix on both sides and reruns that step, up to 3 tries.

• Setup check: GitHub token: present.

• Setup check: Nebius token: present.

• Setup check: free memory 4.4 GB (of 15.6 GB).

• Setup check: free disk 93.5 GB.

• Demo helper: git is installed.

• Demo helper: python3 is installed.

• Demo helper: uv is installed.

• Looked up with Tavily: [redacted] results

• Query: jsonschema python setup install instructions
https://github.com/python-jsonschema/jsonschema

site:github.com/python-jsonschema/jsonschema

• Query: jsonschema python documentation install
https://github.com/python-jsonschema/jsonschema

site:github.com/python-jsonschema/jsonschema

• Query: jsonschema python install requirements https://pypi.org/project/jsonschema/

https://github.com/python-jsonschema/jsonschema site:pypi.org

• Source: jsonschema-spec · PyPI — https://pypi.org/project/jsonschema-spec/

• Source: jsonschema-path · PyPI — https://pypi.org/project/jsonschema-path/

• Source: check-jsonschema · PyPI — https://pypi.org/project/check-jsonschema/

• Source: Unable to pip install jsonschema because of setup_requires vcversioner · Issue #276 ·

python-jsonschema/jsonschema · GitHub —
https://github.com/python-jsonschema/jsonschema/issues/276

• Source: GitHub - python-jsonschema/jsonschema: An implementation of the JSON Schema specification for

Python · GitHub — https://github.com/python-jsonschema/jsonschema

• Source: Requirement for rust and cargo? · Issue #1114 · python-jsonschema/jsonschema · GitHub —

https://github.com/python-jsonschema/jsonschema/issues/1114

• Source: incorrect anyOf validation error · Issue #598 · python-jsonschema/jsonschema · GitHub —

https://github.com/python-jsonschema/jsonschema/issues/598

• Setup plan: the same packages on main and pr.

• Setup plan: attrs is noted, installed with the project.

• Setup plan: jsonschema-specifications is noted, installed with the project.

• Setup plan: referencing is noted, installed with the project.

• Setup plan: rpds-py is noted, installed with the project.

• Setup plan: install virtue (listed in the test extra) on main and pr.

• Setup plan: install jsonpath-ng (listed in the test extra) on main and pr.

• Setup plan: install accessible-pygments==0.0.5 (listed in requirements.txt) on main and pr.

• Setup plan: install alabaster==1.0.0 (listed in requirements.txt) on main and pr.

• Setup plan: install astroid==4.1.2 (listed in requirements.txt) on main and pr.

• Setup plan: install babel==2.18.0 (listed in requirements.txt) on main and pr.

• Setup plan: install beautifulsoup4==4.15.0 (listed in requirements.txt) on main and pr.

• Setup plan: install certifi==2026.6.17 (listed in requirements.txt) on main and pr.
• Setup plan: install charset-normalizer==3.4.7 (listed in requirements.txt) on main and pr.
• Setup plan: install docutils==0.21.2 (listed in requirements.txt) on main and pr.
• Setup plan: install furo==2025.12.19 (listed in requirements.txt) on main and pr.
• Setup plan: install idna==3.18 (listed in requirements.txt) on main and pr.
• Setup plan: install imagesize==2.0.0 (listed in requirements.txt) on main and pr.
• Setup plan: install jinja2==3.1.6 (listed in requirements.txt) on main and pr.
• Setup plan: install lxml==6.1.1 (listed in requirements.txt) on main and pr.
• Setup plan: install markupsafe==3.0.3 (listed in requirements.txt) on main and pr.
• Setup plan: install packaging==26.2 (listed in requirements.txt) on main and pr.
• Setup plan: install pyenchant==3.3.0 (listed in requirements.txt) on main and pr.
• Setup plan: install pygments==2.20.0 (listed in requirements.txt) on main and pr.
• Setup plan: install pyyaml==6.0.3 (listed in requirements.txt) on main and pr.
• Setup plan: install requests==2.34.2 (listed in requirements.txt) on main and pr.
• Setup plan: install roman-numerals==4.1.0 (listed in requirements.txt) on main and pr.
• Setup plan: install roman-numerals-py==4.1.0 (listed in requirements.txt) on main and pr.
• Setup plan: install snowballstemmer==3.1.1 (listed in requirements.txt) on main and pr.

• Setup plan: install soupsieve==2.8.4 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinx==8.2.3 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinx-autoapi==3.8.0 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinx-autodoc-typehints==3.5.2 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinx-basic-ng==1.0.0b2 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinx-copybutton==0.5.2 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinx-json-schema-spec==2025.1.1 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-applehelp==2.0.0 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-devhelp==2.0.0 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-htmlhelp==2.1.0 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-jsmath==1.0.1 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-qthelp==2.0.0 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-serializinghtml==2.0.0 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxcontrib-spelling==8.0.2 (listed in requirements.txt) on main and pr.
• Setup plan: install sphinxext-opengraph==0.13.0 (listed in requirements.txt) on main and pr.
• Setup plan: install typing-extensions==4.16.0 (listed in requirements.txt) on main and pr.
• Setup plan: install urllib3==2.7.0 (listed in requirements.txt) on main and pr.
• Setup plan: Python 3.12: Python 3.12 already meets >=3.10

• Installed virtue 2025.7.1 from pyproject (listed in the test extra) on main and pr.

• Installed jsonpath-ng 1.16.0 from pyproject (listed in the test extra) on main and pr.

• Installed accessible-pygments 0.0.5 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed alabaster 1.0.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed astroid 4.1.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed babel 2.18.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed beautifulsoup4 4.15.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed certifi 2026.6.17 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed charset-normalizer 3.4.7 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed docutils 0.21.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed furo 2025.12.19 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed idna 3.18 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed imagesize 2.0.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed jinja2 3.1.6 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed lxml 6.1.1 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed markupsafe 3.0.3 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed packaging 26.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed pyenchant 3.3.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed pygments 2.20.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed pyyaml 6.0.3 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed requests 2.34.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed roman-numerals 4.1.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed roman-numerals-py 4.1.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed snowballstemmer 3.1.1 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed soupsieve 2.8.4 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinx 8.2.3 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinx-autoapi 3.8.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinx-autodoc-typehints 3.5.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinx-basic-ng 1.0.0b2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinx-copybutton 0.5.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinx-json-schema-spec 2025.1.1 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-applehelp 2.0.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-devhelp 2.0.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-htmlhelp 2.1.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-jsmath 1.0.1 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-qthelp 2.0.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-serializinghtml 2.0.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxcontrib-spelling 8.0.2 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed sphinxext-opengraph 0.13.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed typing-extensions 4.16.0 from requirements.txt (listed in requirements.txt) on main and pr.

• Installed urllib3 2.7.0 from requirements.txt (listed in requirements.txt) on main and pr.

Claims vs reality

| # | Claim (source) | Status | What we observed | Log line

| C1 | Support Draft 2020-12 relative JSON Pointer index manipulation (PR title) | not testable | claims are read

out of the PR description only by model-written probes (--model-provider, see Probes); the tests below check

behavior | pytest-pr-1.log:119 «7845 passed, 232 skipped, 11 subtests passed in 3.64s»

| C2 | Existing behavior is kept: tests that pass on main still pass (implied by every PR) | proven | no test that

passes on main fails on the PR (8074 unchanged, 3 runs per side) | pytest-pr-1.log:119 «7845 passed, 232

skipped, 11 subtests passed in 3.64s»

Citation check (PASS): 2 citation(s), every one re-read from its log file and matched.

What changed in behavior

| What | Count | Examples

| Tests that actually ran (main / PR, fewest of the runs) | 7843 / 7845 | | Tests unchanged | 8074 | | New tests that pass | 2 | | Tests that pass on main but fail on the PR | 0 | | Tests that are new in the PR and fail | 0 | -

| Tests that ran on main but are missing on the PR side | 0 | | Tests that changed result in another way (for example passed -> skipped) | 0 | | Tests that gave different results between the 3 runs of the same side (flaky) | 0 | | Tests that fail on main and pass on the PR | 1 |

jsonschema.tests.test_format.TestRelativeJSONPointer::test_draft202012_allows_index_manipulation

| Tests that are new or changed but did not run because an optional module is missing | 0 | | Tests that were re-parametrized (same test, new parameter ids; not counted as removed) | 0 | | Test modules that fail to load on the PR side only (their tests no longer run) | 0 | | Test modules that fail to load on main only (no baseline for their tests) | 0 | | Test modules that fail to load on both sides (their tests did not run) | 0 | | Tests that fail identically on both sides (already broken on main) | 0 | -

Probes

Model-written probes: model provider: nebius (Token Factory, live).

No probe ran for this PR (no fixed probe in probes/<owner>/<repo>/<pr>.py and no model-written or differential

probe), so only the tests were compared.

Was the changed code exercised?

Coverage: MEASURED by coverage.py on the PR side (7.4 s run).

Coverage gate (python, confidence normal): 11 of 11 changed executable line(s) ran (100%).

| Changed file | Changed executable lines | Of those, ran

| jsonschema/_format.py | 11 | 11

How this is measured: one extra, untimed run of the PR side's tests under coverage.py. Changed lines come

from comparing the tested main and PR files. Compiled code (C, C++, Cython) is invisible to coverage.py; such a

change only counts as verified when the PR adds or changes a test for that module.

What went right

• Tested 9e0ef8a5a33c of the PR against main (source-pair route).

• 3 alternating runs per side: main 3, PR 3 of 3.

• pytest exit codes explained: all runs exited 0.

• Changed code was exercised (coverage gate): 11 of 11 changed executable line(s) ran (100%).

• Single-thread environment: OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1,

MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1,

BLIS_NUM_THREADS=1, PYTHONHASHSEED=0.

• Machine type recorded: local x86_64 8 cpus.

• Nothing posted upstream: GitHub was only read.

• Known-answer replay (fresh re-run): replayed 2026-10-10 06:30:21 IST, harness 1.0.

• Every claim cites a real log line: 2 citation(s), every one re-read from its log file and matched.

What went wrong and how to fix it

| Issue | Status | Detail | How to fix

| Run did not finish | COULD NOT VERIFY | unverified behaviour claim: "Keep the Draft 7 and Draft 2019-09

checker behavior unchanged."; needs a probe (1 test(s) fail on main and pass on the PR; 7843 test(s) ran on

main, 7845 on the PR; 2 new test(s) pass, 8074 unchanged (232 of them skipped on both sides)) | Read the

setup/build log under Evidence links; build failures usually need a compiler or a newer nightly.

Evals and guardrails

| Check | Result | Detail

| 3 alternating runs per side | PASS | main 3, PR 3 of 3

| pytest exit codes explained | PASS | all runs exited 0

| Changed code was exercised (coverage gate) | PASS | 11 of 11 changed executable line(s) ran (100%)

| Probes ran on both sides | SKIP | no probe for this PR

| Single-thread environment | PASS | OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1,

MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1,

BLIS_NUM_THREADS=1, PYTHONHASHSEED=0

| Machine type recorded | PASS | local x86_64 8 cpus

| Nothing posted upstream | PASS | GitHub was only read

| Known-answer replay (fresh re-run) | PASS | replayed 2026-10-10 06:30:21 IST, harness 1.0

| Every claim cites a real log line | PASS | 2 citation(s), every one re-read from its log file and matched

Checklist

• I read the verdict and the plain-English summary.

• Every 'false' or 'unmentioned change' row has a log line I can open.

• Nothing under 'What went wrong' is a run problem (those mean Re-run, not Reject).

• I recorded my decision (see below).

Decision recorded: none yet. To record one, run make decide

REPORT=poc-main/reports/daily/2026-11-07/jsonschema-1534 DECISION=approve (or reject,

approve_with_notes, re_run).

Rerun command

make check PR=https://github.com/python-jsonschema/jsonschema/pull/1534

Evidence links

• Pull request python-jsonschema/jsonschema#1534

• record.json

• pr.diff

• setup-main.log

• setup-pr.log

• git.log
• pytest-main-1.log
• pytest-pr-1.log
• pytest-main-2.log
• pytest-pr-2.log
• pytest-main-3.log
• pytest-pr-3.log
• junit-main-1.xml
• junit-pr-1.xml
• coverage-pytest.log
• coverage-pr.json
• main run 1 result: pytest-main-1.log:119 «7842 passed, 232 skipped in 3.95s»
• pr run 1 result: pytest-pr-1.log:119 «7845 passed, 232 skipped, 11 subtests passed in 3.64s»

Glossary

| Term | Meaning

| main | The library as it is today, without the PR.

| PR | Pull request: a proposed change to the library.

| run | One full pass of the selected tests. We do 3 per side, alternating main and PR.

| flaky | A test that gives different results when nothing changed; it is ignored as evidence.

| log line | A line in a pytest-*.log file: the raw output the verdict is based on.

| route | How the two sides were built: nightly+patch, source-build or source-pair (see docs/OPERATIONS.md).

| changed lines covered | How many of the PR's changed, executable Python lines ran during the PR side's tests.

| re-parametrized | A test whose parameter ids changed (renamed cases); the new ids are judged on their own.

rebuilt from cleaned text

Written 2026-11-07 11:36 IST