Proof-of-Change daily summary: 2026-11-14

Generated 2026-11-14 12:59 IST. 13 report(s): 1 need attention, 7 could not be verified, 5 verified. Items that need a decision are listed first.

Needs attention first

• NEEDS ATTENTION / Reject (High confidence): urllib3/urllib3#5352: Fix stale Content-Digest header on HTTP 303 redirects, tested against its own tests. 16 new test(s) fail on the PR; 15 test(s) fail on main and pass on the PR; 194 test(s) ran on main, 212 on the PR; 2 new test(s) pass, 51 unchanged (1 of them skipped on both sides); 129 test failure(s) pre-existing and identical on both sides. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): PyCQA/isort#2690: Fix skip path matching on Windows, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 43 test(s) ran on main, 54 on the PR; 11 new test(s) pass, 43 unchanged. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): PyCQA/isort#2788: Reuse the config of an indented import section, tested against its own tests. Unverified behaviour claim: "The output does not change."; needs a probe (175 test(s) ran on main, 175 on the PR; 0 new test(s) pass, 175 unchanged; probe model-probe2 has no measured line coverage (no coverage data); it does not count as covering the change). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): PyCQA/isort#2789: Respect comment_prefix for section headings and footers, tested against its own tests. Could not verify: setup gap missing fixture isort. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): psf/requests#7415: Fix: retain stream read error on subsequent response.content access, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 337 test(s) ran on main, 337 on the PR; 0 new test(s) pass, 330 unchanged (1 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides. Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): Textualize/rich#4124: Fall back to inspect.getattr_static for raising descriptors, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 51 test(s) ran on main, 51 on the PR; 0 new test(s) pass, 54 unchanged (4 of them skipped on both sides). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pytoolz/toolz#664: Honor scalar pluck defaults when indexing raises TypeError, tested against its own tests. Could not verify: claim(s) C1 expect a difference but no observation matches (2 test(s) fail on main and pass on the PR; 80 test(s) ran on main, 82 on the PR; 2 new test(s) pass, 78 unchanged; probe model-probe-c1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe-c2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe-c3 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe-c4 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count). Open report (PDF)

• COULD NOT VERIFY / Re-run (Low confidence): pytoolz/toolz#666: Keep EqualityHashKey comparisons consistent with hashing, tested against its own tests. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 6 test(s) ran on main, 8 on the PR; 2 new test(s) pass, 4 unchanged. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): mahmoud/boltons#767: Fix: urlutils.find_all_links raises a bare ValueError on a URL whose host contains a NUL byte, tested against its own tests. 3 test(s) fail on main and pass on the PR; 135 test(s) ran on main, 137 on the PR; 2 new test(s) pass, 132 unchanged; probe: claim(s) C1 proven. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): mahmoud/boltons#779: Handle empty histogram counts when formatting, tested against its own tests. 1 test(s) fail on main and pass on the PR; 11 test(s) ran on main, 11 on the PR; 0 new test(s) pass, 10 unchanged; probe: claim(s) C1, C2 proven; probe: 1 other observation(s) identical on both sides. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): mahmoud/boltons#780: Fix statsutils convenience functions for iterable inputs, tested against its own tests. 1 test(s) fail on main and pass on the PR; 11 test(s) ran on main, 11 on the PR; 0 new test(s) pass, 10 unchanged; probe: claim(s) C5 proven. Open report (PDF)

• VERIFIED / Approve with notes (Medium confidence): encode/httpx#3757: Fix MockTransport not setting elapsed property, tested against its own tests. 19 flaky test(s): tests.client.test_client::test_base_url, tests.client.test_client::test_build_post_request, tests.client.test_client::test_build_request, tests.client.test_client::test_cannot_stream_async_request, tests.client.test_client::test_delete (+14); 114 test(s) ran on main, 117 on the PR; 3 new test(s) pass, 94 unchanged (1 of them skipped on both sides); 2 test failure(s) pre-existing and identical on both sides; flaky test(s) shown only: their result changes between runs of the same side, so they do not decide the verdict; probe: claim(s) C1, C2, C3, C4 proven. Open report (PDF)

• VERIFIED / Approve with notes (High confidence): pytoolz/toolz#665: Fix pluck default handling when indexing raises TypeError, tested against its own tests. 1 test(s) fail on main and pass on the PR; 79 test(s) ran on main, 80 on the PR; 1 new test(s) pass, 78 unchanged; probe: claim(s) C1, C2, C4, C5, C6 proven. Open report (PDF)

All reports

| Verdict | Action | Confidence | Subject | Tested against | Why | Evals | Report

| NEEDS ATTENTION | Reject | High | urllib3/urllib3#5352: Fix stale Content-Digest header on HTTP 303 redirects | its own tests | 16 new test(s) fail on the PR; 15 test(s) fail on main and pass on the PR; 194 test(s) ran on main, 212 on the PR; 2 new test(s) pass, 51 unchanged (1 of them skipped on both sides); 129 test failure(s) pre-existing and identical on both sides | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | PyCQA/isort#2690: Fix skip path matching on Windows | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 43 test(s) ran on main, 54 on the PR; 11 new test(s) pass, 43 unchanged | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | PyCQA/isort#2788: Reuse the config of an indented import section | its own tests | unverified behaviour claim: "The output does not change."; needs a probe (175 test(s) ran on main, 175 on the PR; 0 new test(s) pass, 175 unchanged; probe model-probe2 has no measured line coverage (no coverage data); it does not count as covering the change) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | PyCQA/isort#2789: Respect comment_prefix for section headings and footers | its own tests | could not verify: setup gap missing fixture isort | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | psf/requests#7415: Fix: retain stream read error on subsequent response.content access | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 337 test(s) ran on main, 337 on the PR; 0 new test(s) pass, 330 unchanged (1 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | Textualize/rich#4124: Fall back to inspect.getattr_static for raising descriptors | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 51 test(s) ran on main, 51 on the PR; 0 new test(s) pass, 54 unchanged (4 of them skipped on both sides) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pytoolz/toolz#664: Honor scalar pluck defaults when indexing raises TypeError | its own tests | could not verify: claim(s) C1 expect a difference but no observation matches (2 test(s) fail on main and pass on the PR; 80 test(s) ran on main, 82 on the PR; 2 new test(s) pass, 78 unchanged; probe model-probe-c1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe-c2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe-c3 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe-c4 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count) | APPROVE | HTML · PDF · MD

| COULD NOT VERIFY | Re-run | Low | pytoolz/toolz#666: Keep EqualityHashKey comparisons consistent with hashing | its own tests | not verified: no AI-written probe ran any changed line, so the change itself was not

exercised by a probe; 2 test(s) fail on main and pass on the PR; 6 test(s) ran on main, 8 on the PR; 2 new test(s) pass, 4 unchanged | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | mahmoud/boltons#767: Fix: urlutils.find_all_links raises a bare ValueError on a URL whose host contains a NUL byte | its own tests | 3 test(s) fail on main and pass on the PR; 135 test(s) ran on main, 137 on the PR; 2 new test(s) pass, 132 unchanged; probe: claim(s) C1 proven | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | mahmoud/boltons#779: Handle empty histogram counts when formatting | its own tests | 1 test(s) fail on main and pass on the PR; 11 test(s) ran on main, 11 on the PR; 0 new test(s) pass, 10 unchanged; probe: claim(s) C1, C2 proven; probe: 1 other observation(s) identical on both sides | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | mahmoud/boltons#780: Fix statsutils convenience functions for iterable inputs | its own tests | 1 test(s) fail on main and pass on the PR; 11 test(s) ran on main, 11 on the PR; 0 new test(s) pass, 10 unchanged; probe: claim(s) C5 proven | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | Medium | encode/httpx#3757: Fix MockTransport not setting elapsed property | its own tests | 19 flaky test(s): tests.client.test_client::test_base_url, tests.client.test_client::test_build_post_request, tests.client.test_client::test_build_request, tests.client.test_client::test_cannot_stream_async_request, tests.client.test_client::test_delete (+14); 114 test(s) ran on main, 117 on the PR; 3 new test(s) pass, 94 unchanged (1 of them skipped on both sides); 2 test failure(s) pre-existing and identical on both sides; flaky test(s) shown only: their result changes between runs of the same side, so they do not decide the verdict; probe: claim(s) C1, C2, C3, C4 proven | APPROVE | HTML · PDF · MD

| VERIFIED | Approve with notes | High | pytoolz/toolz#665: Fix pluck default handling when indexing raises TypeError | its own tests | 1 test(s) fail on main and pass on the PR; 79 test(s) ran on main, 80 on the PR; 1 new test(s) pass, 78 unchanged; probe: claim(s) C1, C2, C4, C5, C6 proven | APPROVE | HTML · PDF · MD

Verdict meanings

| Verdict | Meaning

| NEEDS ATTENTION | The run is trustworthy and found a problem: breaks, import failures, or a false claim.

| COULD NOT VERIFY | The run failed its own trust checks or the evals (no conclusion; re-run after fixing), or, for PR runs, the tests never exercised the changed code (review by hand).

| VERIFIED | The run is trustworthy and found no behavior change.