SUMMARY

Proof-of-Change go/no-go: 2026-11-09 on ef12096

28 report(s) in this folder: 8 need attention, 18 could not be verified, 2 verified. Built from every record.json stored in this folder, so a later one-PR run cannot narrow it.

Needs a decision first

- **NEEDS ATTENTION**: mahmoud/boltons#744: Limit complement_int_list traversal to the requested window. Probe: 2 observation(s) need attention: c1.output differs although the claim says it does not (C1); c3.output differs although the claim says it does not (C3); probe: 1 observation(s) ignored as noise (they change between runs of the same side); probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; tests: 1 test(s) fail on main and pass on the PR; 47 test(s) ran on main, 47 on the PR; 0 new test(s) pass, 46 unchanged

- **NEEDS ATTENTION**: pyinvoke/invoke#1099: Use explicit re-exports for mypy strict mode. Probe: 1 observation(s) need attention: c5.test_file_exists does not differ although the claim says it does (C5); probe model-p1 has no measured line coverage (no coverage data); it does not count as covering the change; tests: 32 test(s) fail on main and pass on the PR; 204 test(s) ran on main, 204 on the PR; 0 new test(s) pass, 165 unchanged (1 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides

- **NEEDS ATTENTION**: pyinvoke/invoke#1101: Let explicit hide=None override configured output hiding. 3 new test(s) fail on the PR; 387 test(s) ran on main, 390 on the PR; 0 new test(s) pass, 278 unchanged (5 of them skipped on both sides); 114 test failure(s) pre-existing and identical on both sides; probe: 2 observation(s) need attention: c1.err does not differ although the claim says it does (C1); c1.out does not differ although the claim says it does (C1); probe model-probe1 has no measured line coverage (no coverage data); it does not count as covering the change; Limitation: tests/runners.py::Runner_::hide::explicit_None_overrides_config[True], tests/runners.py::Runner_::hide::explicit_None_overrides_config[out], tests/runners.py::Runner_::hide::explicit_None_overrides_config[err], tests/runners.py::Runner_::warn::honors_config, tests/runners.py::Runner_::warn::kwarg_beats_config, tests/runners.py::Runner_::warn::does_not_apply_to_watcher_errors, tests/runners.py::Runner_::warn::does_not_apply_to_timeout_errors, tests/runners.py::Runner_::hide::honors_config (+109 more) did not run on the base. They are not a new pass, and this result does not cover them.

- **NEEDS ATTENTION**: pallets/itsdangerous#428: require padding when decoding base64 on Python 3.15+. Probe: 5 observation(s) need attention: c1.padded_valid does not differ although the claim says it does (C1); c1.unpadded_valid does not differ although the claim says it does (C1); c2.malformed_no_padding does not differ although the claim says it does (C2); c3.empty_input does not differ although the claim says it does (C3); tests: 8 test(s) ran on main, 8 on the PR; 0 new test(s) pass, 8 unchanged

- **NEEDS ATTENTION**: lincolnloop/python-qrcode#430: Honor --ascii when writing to a file (#428). Probe: 1 observation(s) need attention: probe.error differs and no claim covers it; probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; tests: 9 test(s) ran on main, 10 on the PR; 1 new test(s) pass, 14 unchanged (5 of them skipped on both sides)

- **NEEDS ATTENTION**: Textualize/rich#4137: Fix readline support (alternative fix). 1 test(s) pass on main but fail on the PR; 100 test(s) ran on main, 100 on the PR; 0 new test(s) pass, 99 unchanged; probe model-probe1 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way

- **NEEDS ATTENTION**: Textualize/rich#4153: Suppress final live render for non-interactive output. 1 test(s) pass on main but fail on the PR; 11 test(s) ran on main, 11 on the PR; 0 new test(s) pass, 10 unchanged; probe: 1 observation(s) need attention: c1.output differs although the claim says it does not (C1); probe: claim(s) C3 proven

- **NEEDS ATTENTION**: urllib3/urllib3#5286: Raise ReadTimeoutError for timeouts while sending the request body. 1 new test(s) fail on the PR; 411 test(s) ran on main, 413 on the PR; 1 new test(s) pass, 169 unchanged (6 of them skipped on both sides); 248 test failure(s) pre-existing and identical on both sides

- **COULD NOT VERIFY**: mahmoud/boltons#743: Keep inferred fields in headerless table factories. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 4 test(s) fail on main and pass on the PR; 14 test(s) ran on main, 17 on the PR; 3 new test(s) pass, 10 unchanged

- **COULD NOT VERIFY**: mahmoud/boltons#746: Restore disabled GC state on context exit. Could not verify: claim(s) C1, C4 expect a difference but no observation matches (1 test(s) fail on main and pass on the PR; 5 test(s) ran on main, 5 on the PR; 0 new test(s) pass, 4 unchanged; probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe3 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count)

- **COULD NOT VERIFY**: pyinvoke/invoke#1100: Honor warn when returning failed MockContext results. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 12 test(s) fail on main and pass on the PR; 226 test(s) ran on main, 226 on the PR; 0 new test(s) pass, 217 unchanged (3 of them skipped on both sides)

- **COULD NOT VERIFY**: Delgan/loguru#1515: Evaluate every rotation condition so a skipped one cannot fire spuriously. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 148 test(s) ran on main, 148 on the PR; 0 new test(s) pass, 150 unchanged (3 of them skipped on both sides)

- **COULD NOT VERIFY**: Delgan/loguru#1541: Fix formatting of truncated "ExceptionGroup" to match traceback. Unverified behaviour claim: "The existing `max_group_depth` handling keeps the same behavior."; needs a probe (1 test(s) fail on main and pass on the PR; 1 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (3 -> 3 ids); 101 test(s) ran on main, 101 on the PR; 2 new test(s) pass, 99 unchanged (1 of them skipped on both sides)); Limitation: pytest collected no tests from tests/exceptions/source/modern/grouped_max_length_nested.py. That changed test file is not a pass, and this result does not cover it.

- **COULD NOT VERIFY**: pallets/markupsafe#438: implement speedups with rust v2. Could not verify: difference(s) no linked claim covers (model-c1-probe c1.import_error), so the change is not confirmed (26 test(s) ran on main, 26 on the PR; 0 new test(s) pass, 26 unchanged; probe: 1 difference(s) no linked claim covers, shown as advisory only: c1.import_error; probe: 1 observation(s) shown as advisory only (claim not shown on these inputs; a related change was proven): c2.bench_contains_rust_speedups (C2); probe: claim(s) C1 proven; probe model-c2-probe has no measured line coverage (coverage produced no data (exit 0); see probe-coverage.log); it does not count as covering the change)

- **COULD NOT VERIFY**: pallets/markupsafe#512: Add support for t-strings. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 6 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized

(4 -> 4 ids); 76 test(s) ran on main, 76 on the PR; 4 new test(s) pass, 72 unchanged

- **COULD NOT VERIFY**: jazzband/prettytable#539: Preserve numeric values when importing CSV. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 282 test(s) ran on main, 282 on the PR; 0 new test(s) pass, 280 unchanged

- **COULD NOT VERIFY**: jazzband/prettytable#543: fix: escape LaTeX special characters in table output. Unverified behaviour claim: "No existing output changed for plain text (`& `.join structure and `\r\n` line joins untouched)."; needs a probe (3 test(s) fail on main and pass on the PR; 221 test(s) ran on main, 221 on the PR; 0 new test(s) pass, 218 unchanged)

- **COULD NOT VERIFY**: jazzband/prettytable#544: fix: escape MediaWiki markup characters in table output. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 3 test(s) fail on main and pass on the PR; 227 test(s) ran on main, 227 on the PR; 0 new test(s) pass, 224 unchanged

- **COULD NOT VERIFY**: pytest-dev/pytest#15344: approx: compare Decimal NaN actual values unequal instead of raising. No tests could be mapped to the touched files; probe model-probe1 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; probe model-probe2 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; probe model-probe3 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; probe model-probe4 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count

- **COULD NOT VERIFY**: psf/requests#7068: Fix: Respect no_proxy in proxies dictionary and NO_PROXY env var. Unverified behaviour claim: "When an explicit `proxies` mapping is passed to a request or configured on `Session.proxies`, `merge_environment_settings` and `resolve_proxies` only use `no_proxy` to decide whether to merge *miss..."; needs a probe (11 test(s) fail on main and pass on the PR; 1 test(s) re-parametrized (2 -> 2 ids); 587 test(s) ran on main, 600 on the PR; 15 new test(s) pass, 561 unchanged (15 of them skipped on both sides); 28 test failure(s) pre-existing and identical on both sides)

- **COULD NOT VERIFY**: psf/requests#7413: Fix HTTPDigestAuth uri field truncated by semicolons in URL path. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 1 test(s) re-parametrized (2 -> 2 ids); 565 test(s) ran on main, 565 on the PR; 2 new test(s) pass, 548 unchanged (14 of them skipped on both sides); 28 test failure(s) pre-existing and identical on both sides

- **COULD NOT VERIFY**: psf/requests#7513: Make RequestsCookieJar.popitem() work. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 1 test(s) re-parametrized (2 -> 2 ids); 557 test(s) ran on main, 558 on the PR; 3 new test(s) pass, 560 unchanged (15 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides

- **COULD NOT VERIFY**: Textualize/rich#4177: Optimize syntax word wrap without line numbers. Could not verify: claim(s) C2 expect a difference but no observation matches (25 test(s) ran on main, 26 on the PR; 1 new test(s) pass, 19 unchanged; 6 test failure(s) pre-existing and identical on both sides; probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count)

- **COULD NOT VERIFY**: andialbrecht/sqlparse#852: decode non-utf8 sql bytes as latin-1 not unicode-escape. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 183 test(s) ran on main, 183 on the PR; 0 new test(s) pass, 182 unchanged

- **COULD NOT VERIFY**: andialbrecht/sqlparse#944: fix: avoid ValueError on malformed CASE with reindent_aligned. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 175 test(s) ran on main, 177 on the PR; 2 new test(s) pass, 177 unchanged (2 of them skipped on both sides)

- **COULD NOT VERIFY**: pytoolz/toolz#660: Raise IndexError for an empty key path in update_in. Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 69 test(s) ran on main, 69 on the PR; 0 new test(s) pass, 68 unchanged

All reports

| Verdict | Subject | Why | Report |

|---|---|---|---|

| NEEDS ATTENTION | mahmoud/boltons#744: Limit complement_int_list traversal to the requested window | Probe: 2 observation(s) need attention: c1.output differs although the claim says it does not (C1); c3.output differs although the claim says it does not (C3); probe: 1 observation(s) ignored as noise (they change between runs of the same side); probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; tests: 1 test(s) fail on main and pass on the PR; 47 test(s) ran on main, 47 on the PR; 0 new test(s) pass, 46 unchanged | [PDF](boltons-744/REPORT.pdf) |

| NEEDS ATTENTION | pyinvoke/invoke#1099: Use explicit re-exports for mypy strict mode | Probe: 1 observation(s) need attention: c5.test_file_exists does not differ although the claim says it does (C5); probe model-p1 has no measured line coverage (no coverage data); it does not count as covering the change; tests: 32 test(s) fail on main and pass on the PR; 204 test(s) ran on main, 204 on the PR; 0 new test(s) pass, 165 unchanged (1 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides | [PDF](invoke-1099/REPORT.pdf) |

| NEEDS ATTENTION | pyinvoke/invoke#1101: Let explicit hide=None override configured output hiding | 3 new test(s) fail on the PR; 387 test(s) ran on main, 390 on the PR; 0 new test(s) pass, 278 unchanged (5 of them skipped on both sides); 114 test failure(s) pre-existing and identical on both sides; probe: 2 observation(s) need attention: c1.err does not differ although the claim says it does (C1); c1.out does not differ although the claim says it does (C1); probe model-probe1 has no measured line coverage (no coverage data); it does not count as covering the change; Limitation: tests/runners.py::Runner_::hide::explicit_None_overrides_config[True], tests/runners.py::Runner_::hide::explicit_None_overrides_config[out], tests/runners.py::Runner_::hide::explicit_None_overrides_config[err], tests/runners.py::Runner_::warn::honors_config, tests/runners.py::Runner_::warn::kwarg_beats_config, tests/runners.py::Runner_::warn::does_not_apply_to_watcher_errors, tests/runners.py::Runner_::warn::does_not_apply_to_timeout_errors, tests/runners.py::Runner_::hide::honors_config (+109 more) did not run on the base. They are not a new pass, and this result does not cover them. | [PDF](invoke-1101/REPORT.pdf) |

| NEEDS ATTENTION | pallets/itsdangerous#428: require padding when decoding base64 on Python 3.15+ | Probe: 5 observation(s) need attention: c1.padded_valid does not differ although the claim says it does (C1); c1.unpadded_valid does not differ although the claim says it does (C1); c2.malformed_no_padding does not differ although the claim says it does (C2); c3.empty_input does not differ although the claim says it does (C3); tests: 8 test(s) ran on main, 8 on the PR; 0 new test(s) pass, 8 unchanged | [PDF](itsdangerous-428/REPORT.pdf) |

| NEEDS ATTENTION | lincolnloop/python-qrcode#430: Honor --ascii when writing to a file (#428) | Probe: 1 observation(s) need attention: probe.error differs and no claim covers it; probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; tests: 9 test(s) ran on main, 10 on the PR; 1 new test(s) pass, 14 unchanged (5 of them skipped on both sides) | [PDF](python_qrcode-430/REPORT.pdf) |

| NEEDS ATTENTION | Textualize/rich#4137: Fix readline support (alternative fix) | 1 test(s) pass on main but fail on the PR; 100 test(s) ran on main, 100 on the PR; 0 new test(s) pass, 99 unchanged; probe model-probe1 is not_adequate (ran none of the 1 changed line(s) on the main side); its results do not count either way | [PDF](rich-4137/REPORT.pdf) |

| NEEDS ATTENTION | Textualize/rich#4153: Suppress final live render for non-interactive output | 1 test(s) pass on main but fail on the PR; 11 test(s) ran on main, 11 on the PR; 0 new test(s) pass, 10 unchanged; probe: 1 observation(s) need attention: c1.output differs although the claim says it does not (C1); probe: claim(s) C3 proven | [PDF](rich-4153/REPORT.pdf) |

| NEEDS ATTENTION | urllib3/urllib3#5286: Raise ReadTimeoutError for timeouts while sending the request body | 1 new test(s) fail on the PR; 411 test(s) ran on main, 413 on the PR; 1 new test(s) pass, 169 unchanged (6 of them skipped on both sides); 248 test failure(s) pre-existing and identical on both sides | [PDF](urllib3-5286/REPORT.pdf) |

| COULD NOT VERIFY | mahmoud/boltons#743: Keep inferred fields in headerless table factories | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 4 test(s) fail on main and pass on the PR; 14 test(s) ran on main, 17 on the PR; 3 new test(s) pass, 10 unchanged | [PDF](boltons-743/REPORT.pdf) |

| COULD NOT VERIFY | mahmoud/boltons#746: Restore disabled GC state on context exit | Could not verify: claim(s) C1, C4 expect a difference but no observation matches (1 test(s) fail on main and pass on the PR; 5 test(s) ran on main, 5 on the PR; 0 new test(s) pass, 4 unchanged; probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe2 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count; probe model-probe3 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count) | [PDF](boltons-746/REPORT.pdf) |

| COULD NOT VERIFY | pyinvoke/invoke#1100: Honor warn when returning failed MockContext results | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 12 test(s) fail on main and pass on the PR; 226 test(s) ran on main, 226 on the PR; 0 new test(s) pass, 217 unchanged (3 of them skipped on both sides) | [PDF](invoke-1100/REPORT.pdf) |

| COULD NOT VERIFY | Delgan/loguru#1515: Evaluate every rotation condition so a skipped one cannot fire spuriously | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 148 test(s) ran on main, 148 on the PR; 0 new test(s) pass, 150 unchanged (3 of them skipped on both sides) | [PDF](loguru-1515/REPORT.pdf) |

| COULD NOT VERIFY | Delgan/loguru#1541: Fix formatting of truncated "ExceptionGroup" to match traceback | Unverified behaviour claim: "The existing `max_group_depth` handling keeps the same behavior."; needs a probe (1 test(s) fail on main and pass on the PR; 1 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (3 -> 3 ids); 101 test(s) ran on main, 101 on the PR; 2 new test(s) pass, 99 unchanged (1 of them skipped on both sides)); Limitation: pytest collected no tests from tests/exceptions/source/modern/grouped_max_length_nested.py. That changed test file is not a pass, and this result does not cover it. | [PDF](loguru-1541/REPORT.pdf) |

| COULD NOT VERIFY | pallets/markupsafe#438: implement speedups with rust v2 | Could not verify: difference(s) no linked claim covers (model-c1-probe c1.import_error), so the change is not confirmed (26 test(s) ran on main, 26 on the PR; 0 new test(s) pass, 26 unchanged; probe: 1 difference(s) no linked claim covers, shown as advisory only: c1.import_error; probe: 1 observation(s) shown as advisory only (claim not shown on these inputs; a related change was proven): c2.bench_contains_rust_speedups (C2); probe: claim(s) C1 proven; probe model-c2-probe has no measured line coverage (coverage produced no data (exit 0); see probe-coverage.log); it does not count as covering the change) | [PDF](markupsafe-438/REPORT.pdf) |

| COULD NOT VERIFY | pallets/markupsafe#512: Add support for t-strings | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 6 new test(s) skipped on the PR (they did not exist before; listed, not a finding); 1 test(s) re-parametrized (4 -> 4 ids); 76 test(s) ran on main, 76 on the PR; 4 new test(s) pass, 72 unchanged | [PDF](markupsafe-512/REPORT.pdf) |

| COULD NOT VERIFY | jazzband/prettytable#539: Preserve numeric values when importing CSV | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 282 test(s) ran on main, 282 on the PR; 0 new test(s) pass, 280 unchanged | [PDF](prettytable-539/REPORT.pdf) |

| COULD NOT VERIFY | jazzband/prettytable#543: fix: escape LaTeX special characters in table output | Unverified behaviour claim: "No existing output changed for plain text (`& `.join structure and `\r\n` line joins untouched)."; needs a probe (3 test(s) fail on main and pass on the PR; 221 test(s) ran on main, 221 on the PR; 0 new test(s) pass, 218 unchanged) | [PDF](prettytable-543/REPORT.pdf) |

| COULD NOT VERIFY | jazzband/prettytable#544: fix: escape MediaWiki markup characters in table output | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 3 test(s) fail on main and pass on the PR; 227 test(s) ran on main, 227 on the PR; 0 new test(s) pass, 224 unchanged | [PDF](prettytable-544/REPORT.pdf) |

| COULD NOT VERIFY | pytest-dev/pytest#15344: approx: compare Decimal NaN actual values unequal instead of raising | No tests could be mapped to the touched files; probe model-probe1 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; probe model-probe2 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; probe model-probe3 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count; probe model-probe4 is uninformative (uninformative: every observation is probe-broken (the same exception or skip value on both sides)); its matching results do not count | [PDF](pytest-15344/REPORT.pdf) |

| COULD NOT VERIFY | psf/requests#7068: Fix: Respect no_proxy in proxies dictionary and NO_PROXY env var | Unverified behaviour claim: "When an explicit `proxies` mapping is passed to a request or configured on `Session.proxies`, `merge_environment_settings` and `resolve_proxies` only use `no_proxy` to decide whether to merge *miss..."; needs a probe (11 test(s) fail on main and pass on the PR; 1 test(s) re-parametrized (2 -> 2 ids); 587 test(s) ran on main, 600 on the PR; 15 new test(s) pass, 561 unchanged (15 of them skipped on both sides); 28 test failure(s) pre-existing and identical on both sides) | [PDF](requests-7068/REPORT.pdf) |

| COULD NOT VERIFY | psf/requests#7413: Fix HTTPDigestAuth uri field truncated by semicolons in URL path | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 1 test(s) re-parametrized (2 -> 2 ids); 565 test(s) ran on main, 565 on the PR; 2 new test(s) pass, 548 unchanged (14 of them skipped on both sides); 28 test failure(s) pre-existing and identical on both sides | [PDF](requests-7413/REPORT.pdf) |

| COULD NOT VERIFY | psf/requests#7513: Make RequestsCookieJar.popitem() work | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 2 test(s) fail on main and pass on the PR; 1 test(s) re-parametrized (2 -> 2 ids); 557 test(s) ran on main, 558 on the PR; 3 new test(s) pass, 560 unchanged (15 of them skipped on both sides); 8 test failure(s) pre-existing and identical on both sides | [PDF](requests-7513/REPORT.pdf) |

| COULD NOT VERIFY | Textualize/rich#4177: Optimize syntax word wrap without line numbers | Could not verify: claim(s) C2 expect a difference but no observation matches (25 test(s) ran on main, 26 on the PR; 1 new test(s) pass, 19 unchanged; 6 test failure(s) pre-existing and identical on both sides; probe model-probe1 is not_adequate (the probe crashed or printed no parsed output on every main-side run; not counted as ran or adequate); its matching results do not count) | [PDF](rich-4177/REPORT.pdf) |

| COULD NOT VERIFY | andialbrecht/sqlparse#852: decode non-utf8 sql bytes as latin-1 not unicode-escape | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 183 test(s) ran on main, 183 on the PR; 0 new test(s) pass, 182 unchanged | [PDF](sqlparse-852/REPORT.pdf) |

| COULD NOT VERIFY | andialbrecht/sqlparse#944: fix: avoid ValueError on malformed CASE with reindent_aligned | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 175 test(s) ran on main, 177 on the PR; 2 new test(s) pass, 177 unchanged (2 of them skipped on both sides) | [PDF](sqlparse-944/REPORT.pdf) |

| COULD NOT VERIFY | pytoolz/toolz#660: Raise IndexError for an empty key path in update_in | Not verified: no AI-written probe ran any changed line, so the change itself was not exercised by a probe; 1 test(s) fail on main and pass on the PR; 69 test(s) ran on main, 69 on the PR; 0 new test(s) pass, 68 unchanged | [PDF](toolz-660/REPORT.pdf) |

| VERIFIED | Delgan/loguru#1536: Count bytes, not characters, in size-based rotation | 2 test(s) fail on main and pass on the PR; 152 test(s) ran on main, 155 on the PR; 3 new test(s) pass, 153 unchanged (3 of them skipped on both sides); probe: 14 unchanged sub-check(s) of an input where the claim's change was seen, shown as advisory only: c1.file_position (C1); c1.message (C1); c1.message_byte_length_utf8 (C1); c1.message_code_point_length (C1); probe: claim(s) C1, C2, C3, C4 proven | [PDF](loguru-1536/REPORT.pdf) |

| VERIFIED | andialbrecht/sqlparse#936: Fix statement splitting after whitespace-varied compound closers | 30 test(s) fail on main and pass on the PR; 79 test(s) ran on main, 89 on the PR; 10 new test(s) pass, 49 unchanged; probe: 1 unchanged sub-check(s) of an input where the claim's change was seen, shown as advisory only: c2.original_token_text_unchanged (C2); probe: 6 observation(s) shown as advisory only (claim not shown on these inputs; a related change was proven): c1.statement_count_in_regression_case (C1); c3.block_types (C3); c3.closer_types (C3); c3.following_statement_counts (C3) (+2 more); probe: claim(s) C2, C4 proven | [PDF](sqlparse-936/REPORT.pdf) |

Written 2026-11-09 12:04 IST