Reviewer report: PostHog/posthog#120637: fix(aio): warn only on slow thread waits in on_asyncify_pool

Run `posthog-120637`, tested 2026-10-21 19:41 IST by ops/daily_run.py (route source-pair). Proof-of-Change commit `5492834eef22efd122549356c73d26b3d0ae040a`. Report generated 2026-10-21 19:43 IST by reports/pr_report.py.

Baseline: **full** (test comparison + claim probes + coverage gate + claim flagging (differential probes shown, informational)).

COULD NOT VERIFY

Recommended action: Re-run Confidence: **Low**

The run did not produce a usable comparison, so there is no conclusion about the PR. The run did not finish cleanly, so it says nothing about the PR.

Advice only: Proof-of-Change never blocks a merge and never posts on GitHub.

Summary in plain English

- **What it says it does:** fix(aio): warn only on slow thread waits in on_asyncify_pool (PostHog/posthog#120637).
- **What we observed:** install failed (1); see setup-main.log.
- **What you should do:** Do not decide yet. Fix the problem under 'How to fix' and run the check again.

Verdict: could_not_verify. install failed (1); see setup-main.log

Model summary is advisory; the code verdict above is authoritative.

Agent swarm (advisory)

Role	Model	Status	Notes
judge	nvidia/Nemotron-3-Ultra-550b-a55b	ok	-
helper	nvidia/Nemotron-3_5-Lightning	ok	install failure: check setup-main.log for details; aio thread wait warning pattern observed; baseline full with no probe summary data
summary	nvidia/nemotron-3-super-120b-a12b	ok	model returned empty text; filled from code verdict/reason

judge/helper/summary are advisory; code owns the verdict

Demo helper

These notes are background from the console and the daily check. They do not change the verdict.

If setup fails, the helper retries the install up to 2 times. If a test still can't be verified because something is missing, it installs what's missing and reruns that test once.

- Setup check: GitHub token: present.
- Setup check: Nebius token: present.
- Setup check: free memory 5.7 GB (of 15.6 GB).
- Setup check: free disk 97.9 GB.
- Demo helper: git is installed.
- Demo helper: python3 is installed.
- Demo helper: uv is installed.
- Looked up with Tavily: 7 results
- Query: posthog python setup install instructions https://github.com/PostHog/posthog site:github.com/PostHog/posthog
- Query: posthog python documentation install https://github.com/PostHog/posthog site:github.com/PostHog/posthog
- Query: posthog python install requirements https://pypi.org/project/posthog/ https://github.com/PostHog/posthog site:pypi.org
- Source: posthog · PyPI — https://pypi.org/project/posthog/
- Source: posthog-async · PyPI — https://pypi.org/project/posthog-async/
- Source: GitHub - PostHog/posthog-demo-3000 · GitHub — https://github.com/PostHog/posthog-demo-3000
- Source: GitHub - PostHog/posthog-python: Send usage data from your Python code to PostHog. · GitHub — https://github.com/PostHog/posthog-python
- Source: posthog/Dockerfile.sandbox at master · PostHog/posthog · GitHub — https://github.com/PostHog/posthog/blob/master/Dockerfile.sandbox
- Source: posthog-live · Releases · PostHog/posthog · GitHub — https://github.com/PostHog/posthog/releases?q=posthog-live&amp%3Bexpanded=true
- Source: posthog-live · Releases · PostHog/posthog · GitHub — https://github.com/PostHog/posthog/releases?q=posthog-live&expanded=true
- Setup plan: the same packages on main and pr.
- Setup plan: aioboto3 is noted, installed with the project.
- Setup plan: aiohttp is noted, installed with the project.
- Setup plan: aiokafka is noted, installed with the project.
- Setup plan: anthropic is noted, installed with the project.
- Setup plan: asyncstdlib is noted, installed with the project.
- Setup plan: beautifulsoup4 is noted, installed with the project.
- Setup plan: boto3 is noted, installed with the project.
- Setup plan: brotli is noted, installed with the project.
- Setup plan: celery is noted, installed with the project.
- Setup plan: celery-redbeat is noted, installed with the project.
- Setup plan: certifi is noted, installed with the project.
- Setup plan: clickhouse-connect is noted, installed with the project.

- Setup plan: clickhouse-driver is noted, installed with the project.
- Setup plan: clickhouse-pool is noted, installed with the project.
- Setup plan: circular-dict is noted, installed with the project.
- Setup plan: cryptography is noted, installed with the project.
- Setup plan: PyNaCl is noted, installed with the project.
- Setup plan: dagster is noted, installed with the project.
- Setup plan: dagster-cloud is noted, installed with the project.
- Setup plan: dagster-aws is noted, installed with the project.
- Setup plan: dagster-celery is noted, installed with the project.
- Setup plan: dagster-docker is noted, installed with the project.
- Setup plan: dagster-k8s is noted, installed with the project.
- Setup plan: dagster-pipes is noted, installed with the project.
- Setup plan: dagster-postgres is noted, installed with the project.
- Setup plan: dagster-slack is noted, installed with the project.
- Setup plan: dagster-webserver is noted, installed with the project.
- Setup plan: deltalake is noted, installed with the project.
- Setup plan: dj-database-url is noted, installed with the project.
- Setup plan: django is noted, installed with the project.
- Setup plan: django-axes is noted, installed with the project.
- Setup plan: django-cors-headers is noted, installed with the project.
- Setup plan: django-extensions is noted, installed with the project.
- Setup plan: django-filter is noted, installed with the project.
- Setup plan: django-loginas is noted, installed with the project.
- Setup plan: django-prometheus is noted, installed with the project.
- Setup plan: django-redis is noted, installed with the project.
- Setup plan: django-structlog is noted, installed with the project.
- Setup plan: django-two-factor-auth is noted, installed with the project.
- Setup plan: djangorestframework is noted, installed with the project.
- Setup plan: djangorestframework-csv is noted, installed with the project.
- Setup plan: djangorestframework-dataclasses is noted, installed with the project.
- Setup plan: dlt is noted, installed with the project.
- Setup plan: dnspython is noted, installed with the project.
- Setup plan: drf-exceptions-hog is noted, installed with the project.
- Setup plan: drf-extensions is noted, installed with the project.
- Setup plan: drf-spectacular is noted, installed with the project.
- Setup plan: drf-spectacular-sidecar is noted, installed with the project.
- Setup plan: geoip2 is noted, installed with the project.
- Setup plan: google-ads is noted, installed with the project.
- Setup plan: google-cloud-bigquery is noted, installed with the project.
- Setup plan: google-cloud-bigquery-storage is noted, installed with the project.
- Setup plan: google-cloud-iam is noted, installed with the project.
- Setup plan: google-genai is noted, installed with the project.
- Setup plan: granian is noted, installed with the project.
- Setup plan: grimp is noted, installed with the project.
- Setup plan: grpcio is noted, installed with the project.
- Setup plan: gspread is noted, installed with the project.
- Setup plan: hogql-parser is noted, installed with the project.
- Setup plan: hogql-parser-rs is noted, installed with the project.
- Setup plan: humanize is noted, installed with the project.
- Setup plan: infi-clickhouse-orm is noted, installed with the project.
- Setup plan: ipython is noted, installed with the project.
- Setup plan: jsonref is noted, installed with the project.
- Setup plan: kafka-python is noted, installed with the project.
- Setup plan: kombu is noted, installed with the project.
- Setup plan: jsonpatch is noted, installed with the project.
- Setup plan: langchain is noted, installed with the project.
- Setup plan: langchain-community is noted, installed with the project.
- Setup plan: langchain-core is noted, installed with the project.
- Setup plan: langchain-openai is noted, installed with the project.
- Setup plan: langchain-anthropic is noted, installed with the project.
- Setup plan: langgraph is noted, installed with the project.
- Setup plan: langgraph-checkpoint is noted, installed with the project.
- Setup plan: lxml is noted, installed with the project.
- Setup plan: lzstring is noted, installed with the project.
- Setup plan: markdown-it-py is noted, installed with the project.
- Setup plan: mcp is noted, installed with the project.
- Setup plan: mimesis is noted, installed with the project.
- Setup plan: mistralai is noted, installed with the project.
- Setup plan: more-itertools is noted, installed with the project.
- Setup plan: nanoid is noted, installed with the project.
- Setup plan: natsort is noted, installed with the project.
- Setup plan: nh3 is noted, installed with the project.

- Setup plan: numpy is noted, installed with the project.
- Setup plan: openai is noted, installed with the project.
- Setup plan: openpyxl is noted, installed with the project.
- Setup plan: orjson is noted, installed with the project.
- Setup plan: ormsgpack is noted, installed with the project.
- Setup plan: pandas is noted, installed with the project.
- Setup plan: paramiko is noted, installed with the project.
- Setup plan: pillow is noted, installed with the project.
- Setup plan: protobuf is noted, installed with the project.
- Setup plan: posthoganalytics is noted, installed with the project.
- Setup plan: polars is noted, installed with the project.
- Setup plan: psycopg2-binary is noted, installed with the project.
- Setup plan: psycopg is noted, installed with the project.
- Setup plan: pyarrow is noted, installed with the project.
- Setup plan: pydantic is noted, installed with the project.
- Setup plan: pypdf is noted, installed with the project.
- Setup plan: pyod is noted, installed with the project.
- Setup plan: pyjwt is noted, installed with the project.
- Setup plan: pymssql is noted, installed with the project.
- Setup plan: pymysql is noted, installed with the project.
- Setup plan: pymongo is noted, installed with the project.
- Setup plan: pyroscope-io is noted, installed with the project.
- Setup plan: croniter is noted, installed with the project.
- Setup plan: python-dateutil is noted, installed with the project.
- Setup plan: python-docx is noted, installed with the project.
- Setup plan: python-snappy is noted, installed with the project.
- Setup plan: python3-saml is noted, installed with the project.
- Setup plan: pytz is noted, installed with the project.
- Setup plan: rapidfuzz is noted, installed with the project.
- Setup plan: redis is noted, installed with the project.
- Setup plan: requests is noted, installed with the project.
- Setup plan: retry is noted, installed with the project.
- Setup plan: s3fs is noted, installed with the project.
- Setup plan: scikit-learn is noted, installed with the project.
- Setup plan: scipy is noted, installed with the project.
- Setup plan: semantic-version is noted, installed with the project.
- Setup plan: simple-salesforce is noted, installed with the project.
- Setup plan: slack-sdk is noted, installed with the project.
- Setup plan: snowflake-connector-python is noted, installed with the project.
- Setup plan: social-auth-app-django is noted, installed with the project.
- Setup plan: social-auth-core is noted, installed with the project.
- Setup plan: django-scim2 is noted, installed with the project.
- Setup plan: sqlparse is noted, installed with the project.
- Setup plan: sshtunnel is noted, installed with the project.
- Setup plan: statshog is noted, installed with the project.
- Setup plan: stripe is noted, installed with the project.
- Setup plan: structlog is noted, installed with the project.
- Setup plan: temporalio is noted, installed with the project.
- Setup plan: tenacity is noted, installed with the project.
- Setup plan: tiktoken is noted, installed with the project.
- Setup plan: tldextract is noted, installed with the project.
- Setup plan: trafilatura is noted, installed with the project.
- Setup plan: trino is noted, installed with the project.
- Setup plan: types-cachetools is noted, installed with the project.
- Setup plan: css-inline is noted, installed with the project.
- Setup plan: click is noted, installed with the project.
- Setup plan: owners-yaml is noted, installed with the project.
- Setup plan: personhog-proto is noted, installed with the project.
- Setup plan: umap-learn is noted, installed with the project.
- Setup plan: tbb is noted, installed with the project.
- Setup plan: whitenoise is noted, installed with the project.
- Setup plan: xgboost is noted, installed with the project.
- Setup plan: onnxruntime is noted, installed with the project.
- Setup plan: xmlsec is noted, installed with the project.
- Setup plan: zstd is noted, installed with the project.
- Setup plan: zxcvbn is noted, installed with the project.
- Setup plan: pyyaml is noted, installed with the project.
- Setup plan: chdb is noted, installed with the project.
- Setup plan: elevenlabs is noted, installed with the project.
- Setup plan: django-oauth-toolkit is noted, installed with the project.
- Setup plan: azure-ai-projects is noted, installed with the project.
- Setup plan: azure-ai-inference is noted, installed with the project.

- Setup plan: azure-storage-blob is noted, installed with the project.
- Setup plan: opentelemetry-sdk is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-aiokafka is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-aiohttp-client is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-asgi is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-celery is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-django is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-kafka-python is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-psycopg is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-redis is noted, installed with the project.
- Setup plan: opentelemetry-instrumentation-requests is noted, installed with the project.
- Setup plan: opentelemetry-exporter-otlp-proto-grpc is noted, installed with the project.
- Setup plan: asgiref is noted, installed with the project.
- Setup plan: user-agents is noted, installed with the project.
- Setup plan: django-admin-inline-paginator is noted, installed with the project.
- Setup plan: fastavro is noted, installed with the project.
- Setup plan: pydantic-avro is noted, installed with the project.
- Setup plan: playwright is noted, installed with the project.
- Setup plan: linkedin-api-client is noted, installed with the project.
- Setup plan: glom is noted, installed with the project.
- Setup plan: modal is noted, installed with the project.
- Setup plan: databricks-sql-connector is noted, installed with the project.
- Setup plan: databricks-sdk is noted, installed with the project.
- Setup plan: free-email-domains is noted, installed with the project.
- Setup plan: disposable-email-domains is noted, installed with the project.
- Setup plan: pymediainfo is noted, installed with the project.
- Setup plan: cachetools is noted, installed with the project.
- Setup plan: gitpython is noted, installed with the project.
- Setup plan: duckdb is noted, installed with the project.
- Setup plan: bingads is noted, installed with the project.
- Setup plan: markdown-to-mrkdwn is noted, installed with the project.
- Setup plan: webauthn is noted, installed with the project.
- Setup plan: botocore is noted, installed with the project.
- Setup plan: defusedxml is noted, installed with the project.
- Setup plan: confluent-kafka is noted, installed with the project.
- Setup plan: blake3 is noted, installed with the project.
- Setup plan: pixelhog is noted, installed with the project.
- Setup plan: google-re2 is noted, installed with the project.
- Setup plan: scrubadub is noted, installed with the project.
- Setup plan: braintrust-core is noted, installed with the project.
- Setup plan: wrapt is noted, installed with the project.
- Setup plan: limits is noted, installed with the project.
- Setup plan: deltalite is noted, installed with the project.
- Setup plan: posthog-hogland is noted, installed with the project.
- Setup plan: requests-oauthlib is noted, installed with the project.
- Setup plan: Python 3.14: not applied: python3.14 is not available to the local sandbox
- rerun, setup problem: main install failed after 3 tries.
- Demo helper: setup failure already labelled; the probe was not rerun.

Background (related public bug reports, not used for the verdict)

1. "Slow response times · Issue #2680 · PostHog/posthog · GitHub" https://github.com/PostHog/posthog/issues/2680 "## How to reproduce 1. Run posthog in with docker-compose 2. Place posthog under reasonably high load ## Environment PostHog cloud or self-managed? self-managed PostHog version/commit - 1.18.0 (via docker hub's latest tag) ## Additional con..." 2. "Product Analytics troubleshooting - Docs - PostHog" https://posthog.com/docs/product-analytics/troubleshooting "CIkbGliX3ZlcnNpb24iOiIxLjUzLjQiLCIkaW5zZXJ0X2lkIjoicnNsdm9pYXlocjEydXRvbSIsIiR0aW1lIjoxNjkxNDk2MjcxLjc5NywiZGlzdGluY3RfaWQiOiIxODlkNTA4YjBmNDRkNzA
3. "Error Tracking – Catch and fix issues faster with PostHog" https://posthog.com/error-tracking "Connect error tracking with experimentation platform ✓ ✓ ## Que...

Claims vs reality

No tests ran, so no claim could be checked.

What changed in behavior

Not measured: install failed (1); see setup-main.log.

Probes

Model-written probes: model provider: nebius (Token Factory, live).

No probes ran: this record predates probes.

Was the changed code exercised?

Coverage: NOT MEASURED, record predates the coverage gate. No coverage run exists for this record; nothing below is a measurement.

Coverage gate (python, confidence lower): coverage of the changed Python lines was NOT MEASURED (record predates the coverage gate: no coverage run exists for it, so this is not a measurement result).

How this is measured: one extra, untimed run of the PR side's tests under coverage.py. Changed lines come from comparing the tested main and PR files. Compiled code (C, C++, Cython) is invisible to coverage.py; such a change only counts as verified when the PR adds or changes a test for that module.

What went right

- Tested `6de521c38ae9` of the PR against main (source-pair route).
- Single-thread environment: OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1, MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1, BLIS_NUM_THREADS=1, PYTHONHASHSEED=0.
- Machine type recorded: local x86_64 8 cpus.
- Nothing posted upstream: GitHub was only read.

What went wrong and how to fix it

Issue	Status	Detail	How to fix
Run did not finish	COULD NOT VERIFY	install failed (1); see setup-main.log	Read the setup/build log under Evidence links; build failures usually need a compiler or a newer nightly.
Changed code was exercised (coverage gate)	WARN	coverage of the changed Python lines was NOT MEASURED (record predates the coverage gate: no coverage run exists for it, so this is not a measurement result)	Not a measurement: this record is older than the coverage gate. Re-run the PR with the current ops/daily_run.py to measure it.

Evals and guardrails

Check	Result	Detail
Changed code was exercised (coverage gate)	WARN	coverage of the changed Python lines was NOT MEASURED (record predates the coverage gate: no coverage run exists for it, so this is not a measurement result)
Single-thread environment	PASS	OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1, MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1, BLIS_NUM_THREADS=1, PYTHONHASHSEED=0
Machine type recorded	PASS	local x86_64 8 cpus
Nothing posted upstream	PASS	GitHub was only read
Known-answer replay (fresh re-run)	SKIP	not replayed yet
Every claim cites a real log line	SKIP	no log lines to cite (no tests ran)

Checklist

☐ I read the verdict and the plain-English summary.
☐ Every 'false' or 'unmentioned change' row has a log line I can open.
☐ Nothing under 'What went wrong' is a run problem (those mean Re-run, not Reject).
☐ I recorded my decision (see below).

Decision recorded: none yet. To record one, run `make decide REPORT=/report/posthog-120637 DECISION=approve` (or `reject`, `approve_with_notes`, `re_run`).

Rerun command

```
make check PR=https://github.com/PostHog/posthog/pull/120637
```

Evidence links

- Pull request PostHog/posthog#120637
- record.json
- pr.diff
- setup-main.log
- git.log

Glossary

Term	Meaning
main	The library as it is today, without the PR.
PR	Pull request: a proposed change to the library.
run	One full pass of the selected tests. We do 3 per side, alternating main and PR.
flaky	A test that gives different results when nothing changed; it is ignored as evidence.
log line	A line in a pytest-*.log file: the raw output the verdict is based on.
route	How the two sides were built: nightly+patch, source-build or source-pair (see docs/OPERATIONS.md).
changed lines covered	How many of the PR's changed, executable Python lines ran during the PR side's tests.
re-parametrized	A test whose parameter ids changed (renamed cases); the new ids are judged on their own.